2026 CHEVY SILVERADO 2500HD REGULAR CAB PICKUP 4WD WT 8' EXTRA OPTIONS

The extra options listed for the proposed sign on-call truck are meant to make the vehicle safer, more useful, and better suited for the work my staff. It also is a mirror description to the old truck (Fleet #029) the only difference being gas and not diesel. Gas being the preferred option.

Here is a rundown in the order shown on the quote:

- 1. Crane The small crane on the back of the truck will help lift and set heavy signposts, preformed concrete bases, and other large equipment. This makes the job easier and keeps staff from having to lift heavy items by hand. Note this will be the only crane our department will have.
- 2. Utility Bed The utility bed gives us secure, organized storage for tools and parts. It helps keep everything in one place so staff can find what they need quickly while out in the field. Since this truck is taken home by staff for on-call duty, having a utility bed lock ensures tools always stay secure. Also, with multiple people driving this truck, the setup allows everyone to know exactly where tools and materials are stored.
- 3. Trailer Wiring/Class V Hitch This is because of the utility bed. By adding these the trailer package can still be used.
- 4. Spray-In Bed Liner The liner protects the bed from scratches, rust, and damage caused by loading and unloading materials. It helps the truck bed last longer.
- 5. Over-Cab Light Bar & strobes The light bar along with the strobes are essential for better visibility when working in and on the side of the roadway. This allows the truck to be seen more easily by drivers and improves safety.



Contract Number: 5179 - 2026 CITY OF TALLAHASSEE

Quote ID: 66903

Agency: INDIAN RIVER COUNTY

Date: 10/6/2025

Thank you from the Alan Jay Fleet Team for the opportunity to provide this quotation for (1) 2026 CHEVY SILVERADO 2500HD REGULAR CAB PICKUP 4WD WT 8' BED, please review carefully and contact us with any errors or changes.

MSRP:	\$47,313.00
Base Price:	\$45,983.00
Factory Options:	\$263.00
Aftermarket Options:	\$25,285.00
Purchase Total:	\$71,531.00

Per attached vehicle specifications.

This quotation is valid as long as the manufacturer is accepting orders for the model year specified. Purchase orders received after factory order cutoff may not be honorable. The vehicle(s) offered on this quotation will be ordered in the color(s) listed. Please contact your Alan Jay sales representative with any questions you have on this quote.

Quoted By: ASHLEE WILSON / 863-273-1105 / Ashlee.Wilson@AlanJay.com



Call Us first, for all of your Fleet Automotive, & Light Truck needs.

Quote

WWW.ALANJAY.COM PHONE (800) ALANJAY (252-6529) DIRECT 863-402-4234 66903-1 Corporate 2003 U.S. 27 South P.O. BOX 9200 MOBILE 863-273-1105 Mailing Office Address Sebring, FL 33870 Sebring, FL 33871-9200

ORIGINAL QUOTE DATE 10/6/2025

QUICK QUOTE SHEET

FAX 863-402-4221

REVISED QUOTE DATE 10/6/2025

REQUESTING AGENCY INDIAN RIVER COUNTY

sball@INDIANRIVER.GOV CONTACT PERSON **SHELBY BALL EMAIL**

772-226-1416 **PHONE MOBILE FAX**

CONTRACT NUMBER 5179 - 2026 CITY OF TALLAHASSEE

CK20903 1WT \$47,313.00 MODEL **MSRP**

2026 CHEVY SILVERADO 2500HD REGULAR CAB PICKUP 4WD WT 8'

GOVERNMENT PRICE \$45,983.00 **CUSTOMER ID**

DESCRIPTION

8' Bed **BED LENGTH**

FACTORY OPTIONS

** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

DESCRIPTION	
Summit White	\$0.00
Jet Black, Vinyl seat trim	\$0.00
Engine, 6.6L V8	\$0.00
Transmission, 10-Speed automatic	\$0.00
OPTIONS Work Truck Preferred Equipment Group	\$0.00
Rear Camera Kit	\$68.00
Bumper, rear, delete	\$0.00
Spare tire delete	\$0.00
Seats, front 40/20/40 split-bench	\$0.00
Lowered GVWR, 10,000 lbs. (4536 kg)	\$0.00
Emissions, Federal requirements	\$0.00
Rear axle, 3.73 ratio	\$0.00
Audio system, Chevrolet Infotainment 3 system	\$0.00
Wheels, 17" (43.2 cm) painted steel, Silver	\$0.00
Tires, LT265/70R17E all-terrain, blackwall	\$195.00
Back-up alarm calibration	\$0.00
Pickup bed, delete	\$0.00
Capped Fuel Fill	\$0.00
FACTORY OPTIONS	\$263.00
	Summit White Jet Black, Vinyl seat trim Engine, 6.6L V8 Transmission, 10-Speed automatic OPTIONS Work Truck Preferred Equipment Group Rear Camera Kit Bumper, rear, delete Spare tire delete Seats, front 40/20/40 split-bench Lowered GVWR, 10,000 lbs. (4536 kg) Emissions, Federal requirements Rear axle, 3.73 ratio Audio system, Chevrolet Infotainment 3 system Wheels, 17" (43.2 cm) painted steel, Silver Tires, LT265/70R17E all-terrain, blackwall Back-up alarm calibration Pickup bed, delete Capped Fuel Fill

AFTERMARKET OF	PTIONS DESCRIPTION	
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.	\$0.00
EWD	EXTENDED WARRANTY DECLINED	\$0.00
K CE6K-3 (4/7)	Venturo 2000lb Electric Mast Folding Crane 6,000 ft - lbs crane with 2,000lb lifting capacity. Includes 4'-7' manual boom, adjustable 13 - 19" boom rest, 150 amp circuit breaker, includes bumper reinforcement & jack leg.	\$8,285.00
K 696J	Knapheide 8' SRW utility body for 56" CA (Includes 2nd Stage MSO, Weight Slip, & Completed Vehicle Certification.)	\$11,180.00
K 7/4 WIRE	7 way flat camper trailer wiring with 4 prong flat	\$215.00
K CLV-SB	Class V Hitch for Service Body	\$975.00
HD USOB-TB	HD Scorpion spray on bed liner applied inside cargo area, tops of boxes, and rear bumper of 8' & 9' utility body.	\$1,165.00
FS LB-4MP2-SD-	Ford Super Duty Federal Signal Allegiant Lightbar Amber/White Package, Includes 1-Allegiant Light Bar, -4- Micropulse 6	\$3,465.00

Diode Light heads, 2 grille mount, 2 surface mounted to tailgate with white bezels

\$25,285.00 **AFTERMARKET OPTIONS**



CONTRACT NUMBER 5179 - 2026 CITY OF TALLAHASSEE

TRADE IN TOTAL COST \$71,531.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S) QTY 1 \$71,531.00

Estimated Annual payments for 60 months paid in advance: \$16,446.46

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY ASHLEE WILSON GOVERNMENT ACCOUNT MANAGER Ashlee.Wilson@AlanJay.com

"I Want to be Your Fleet Provider"

I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.

I am always happy to be of assistance.





Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2026 Chevrolet Silverado 2500HD (CC20903) 2WD Reg Cab 142" Work Truck

MSRP:\$45,600.00

Interior: Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 6.6L V8


Transmission, 10-Speed automatic

OPTIONS

CODE	MODEL			MSRP
CC209	03 [Fleet] 20 142" Wor	26 Chevrolet Silverado 2500HD (CC20 k Truck	0903) 2WD Reg Cab	\$45,600.00
	OPTION	3		
1WT	Work Tru	ck Preferred Equipment Group		\$0.00
5N5	Rear Car	nera Kit		\$73.00
9J4	Bumper,	rear, delete	Inc	
9L3	Spare tire	e delete	Inc	
AZ3	Seats, fro	ont 40/20/40 split-bench		\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.



Complete /			
С7А	Lowered GVWR, 10,000 lbs. (4536 kg)		\$0.00
FE9	Emissions, Federal requirements		\$0.00
GAZ	Summit White		\$0.00
GT4	Rear axle, 3.73 ratio		\$0.00
H2G	Jet Black, Vinyl seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
L8T	Engine, 6.6L V8		\$0.00
MKM	Transmission, 10-Speed automatic		\$0.00
PYN	Wheels, 17" (43.2 cm) painted steel, Silver		\$0.00
QXT	Tires, LT265/70R17E all-terrain, blackwall		\$200.00
SFW	Back-up alarm calibration	Inc.	
ZW9	Pickup bed, delete		(\$1,155.00)
	Capped Fuel Fill	Inc.	
	SUBTOTAL		\$44,718.00
	Adjustments Total		\$0.00
	Destination Charge		\$2,595.00
	TOTAL PRICE		\$47,313.00
FUEL FOOLIONS			

FUEL ECONOMY

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.



Standard Equipment

Package	
	Trailering Package includes trailer hitch, 7-pin connector and (CTT) Hitch Guidance (Deleted when (ZW9) pickup bed delete is ordered.)
Mechanical	
	Engine, 6.6L V8 with Direct Injection and Variable Valve Timing, gasoline, (401 hp [299 kW] @ 5200 rpm, 464 lb -ft of torque [629 N-m] @ 4000 rpm) (STD)
	Transmission, 10-Speed automatic (STD) (Standard with (L8T) 6.6L V8 gas engine.)
	Rear axle, 3.73 ratio (Requires (L8T) 6.6L V8 gas engine. Not available with (L5P) Duramax 6.6L Turbo-Diesel V8 engine.)
	Durabed, pickup bed (STD)
	Lowered GVWR, 10,000 lbs. (4536 kg) lowers GVWR and significantly decreases towing and/or payload ratings (STD) (C*20903, CC20753 and CC20953 models require (L8T) 6.6L V8 gas engine. (L5P) Duramax 6.6L Turbo-Diesel V8 engine is not available on the following models: C*20903, CC20753 and CC20953. With (ZW9) pickup bed delete, requires (QXT) Tires. When (L5P) engine is ordered on C*20943 or CK20953 models (QHQ) tires are not available.)
	Push Button Start
	Air filter, heavy-duty
	Air filtration monitoring
	Auto-locking rear differential
	Rear wheel drive
	Cooling, external engine oil cooler
	Cooling, auxiliary external transmission oil cooler
	Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr maintenance-free with rundown protection and retained accessory power (Included and only available with (L8T) 6.6L V8 gas engine.)
	Alternator, 170 amps (Requires (L8T) 6.6L V8 gas engine.)
	Trailer brake controller, integrated
	Frame, fully-boxed, hydroformed front section and a fully-boxed stamped rear section
	Recovery hooks, front, frame-mounted, Black
	Suspension Package
	Steering, Recirculating Ball with smart flow power steering system
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

Mechanical	
Medialical	
	Capless Fuel Fill (Requires (L8T) 6.6L V8 gas engine. Not available with (ZW9) pickup bed delete.)
	Exhaust, single, side
Exterior	
	Wheels, 17" (43.2 cm) painted steel, Silver (STD) (Not currently available to order.)
	Tires, LT245/75R17E all-season, blackwall (STD)
	Tire, spare LT245/75R17E all-season, blackwall (STD) (Included and only available with (QHQ) LT245/75R17E all-season, blackwall tires with (E63) Durabed, pickup bed. Available to order when (ZW9) pickup bed delete and (QHQ) LT245/75R17E all-season, blackwall tires are ordered.)
	Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door (Deleted with (ZW9) pickup bed delete.)
	Bumpers, front, Black
	Bumpers, rear, Black
	CornerStep, rear bumper
	BedStep, Black integrated on forward portion of bed on driver and passenger side (Deleted when (ZW9) pickup bed delete is ordered.)
	Moldings, beltline, Black
	Cargo tie downs (12), fixed rated at 500 lbs per corner (Deleted with (ZW9) pickup bed delete.)
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Taillamps with incandescent tail, stop and reverse lights
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of

Tailgate, locking, utilizes same key as ignition and door (Upgraded to (QT5) EZ Lift power lock and release tailgate when (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package is ordered. Not available with (ZW9) pickup bed delete.)

Mirrors, outside power-adjustable vertical trailering with heated upper glass, lower convex mirrors, integrated turn signals, manual folding/extending (extends 3.31" [84.25mm]) (Standard on Regular Cab models. Not available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package on Regular Cab. Included and only available with (PCV) WT Convenience Package or (ZLQ) WT Fleet Convenience Package on

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

steering wheel

Mirror caps, Black

Double and Crew Cab models.)

Glass, solar absorbing, tinted

Tailgate and bed rail protection cap, top

Tailgate, standard (Deleted with (ZW9) pickup bed delete.)

Exterior	
	Tailgate, gate function manual, no EZ Lift (Deleted with (ZW9) pickup bed delete.)
	Door handles, Black grained
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Audio system feature, 2-speakers (Requires Regular Cab model.)
	Wireless phone projection for Apple CarPlay and Android Auto
	Bluetooth for phone connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)
Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Vinyl seat trim
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Door locks, power
	Remote Keyless Entry with 2 transmitters
	Cruise control, electronic with set and resume speed, steering wheel-mounted
	USB Ports, 2, Charge/Data ports located on instrument panel
	Power outlet, front auxiliary, 12-volt
	Air conditioning, single-zone

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

Interior	
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)
	HD Rear Vision Camera (Deleted when (ZW9) pickup bed delete is ordered.)
	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Deleted with (ZW9) pickup bed delete.)
	Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Tire Pressure Monitoring System

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.



Safety-Interior

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (Requires (UE1) OnStar. OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

Processing-Other

Trailering Information Label provides max trailer ratings for tongue weight, conventional, gooseneck and 5th wheel trailering (Not available with (ZW9) pickup bed delete.)

WARRANTY

Warranty Note: <<< Preliminary 2026 Warranty >>>

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Drivetrain Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and

qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36,000 Roadside Assistance Years: 5 Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government,

and qualified fleet vehicles: 5 years/100,000 miles Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.



Technical Specifications

ΙE	echnical Specifications			
Ро	wertrain			
Tr	ansmission			
	Drivetrain	Rear Wheel Drive	Trans Order Code	MKM
	Trans Type	10	Trans Description Cont.	Automatic
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.54
	Second Gear Ratio (:1)	2.87	Third Gear Ratio (:1)	2.06
	Fourth Gear Ratio (:1)	1.72	Fifth Gear Ratio (:1)	1.48
	Sixth Gear Ratio (:1)	1.26	Reverse Ratio (:1)	4.54
	Clutch Size	N/A	Trans Power Take Off	N/A
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
	Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
	Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
	Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
	Tenth Gear Ratio (:1)	0.63		
М	ileage			
	EPA Fuel Economy Est - Hwy	N/A	Cruising Range - City	N/A
	EPA Fuel Economy Est - City	N/A	Fuel Economy Est-Combined	N/A
	Cruising Range - Hwy	N/A	Estimated Battery Range	N/A
Eı	ngine			
	Engine Order Code	L8T	Engine Type	Gas V8
	Displacement	6.6L/-TBD-	Fuel System	Direct Injection
	SAE Net Horsepower @ RPM	401 @ 5200	SAE Net Torque @ RPM	464 @ 4000
	Engine Oil Cooler	Yes		
EI	ectrical			
	Cold Cranking Amps @ 0° F (Primary)	720	Cold Cranking Amps @ 0° F (2nd)	N/A
	Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

Powertrain			
Cooling System			
Total Cooling System Capacity	N/A		
Vehicle			
Emissions			
Tons/yr of CO2 Emissions @ 15K mi/year	N/A	EPA Greenhouse Gas Score	N/A
Chassis			
Weight Information			
Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	4400 lbs
Gross Axle Wt Rating - Rear	6390 lbs	Curb Weight - Front	3471 lbs
Curb Weight - Rear	2603 lbs	Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	929.00 lbs
Reserve Axle Capacity - Rear	3787.00 lbs	As Spec'd Curb Weight	6074.00 lbs
As Spec'd Payload	3926.00 lbs	Maximum Payload Capacity	3926.00 lbs
Gross Combined Wt Rating	24500 lbs	Gross Axle Weight Rating	10790.00 lbs
Curb Weight	6074.00 lbs	Reserve Axle Capacity	4716.00 lbs
Total Option Weight	0.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	10000.00 lbs
Trailering			
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	14500 lbs	Wt Distributing Hitch - Max Tongue Wt.	1450 lbs
Fifth Wheel Hitch - Max Trailer Wt.	18700 lbs	Fifth Wheel Hitch - Max Tongue Wt.	4675 lbs
Maximum Trailering Capacity	14500 lbs		
Frame			
Frame Type	Hydroformed	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

hassis			
Suspension			
Suspension Type - Front	Short/Long Arm	Suspension Type - Rear	Multi-Leaf Spring
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	N/A	Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	51 mm
Stabilizer Bar Diameter - Front	1.38 in	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	QXT	Rear Tire Order Code	QXT
Spare Tire Order Code	N/A	Front Tire Size	LT265/70R17
Rear Tire Size	LT265/70R17	Spare Tire Size	N/A
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Vheels			
Front Wheel Size	17 x -TBD- in	Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	N/A	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	N/A
Steering			
Steering Type	Pwr	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.9 ft	Turning Diameter - Wall to Wall	N/A
Brakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	14.0 x 1.6 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

((\checkmark

Chassis			
Brakes			
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	36 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	3	Front Head Room	43.11 in
Front Leg Room	44.53 in	Front Shoulder Room	66.06 in
Front Hip Room	60.9 in	Second Head Room	N/A
Second Leg Room	N/A	Second Shoulder Room	N/A
Second Hip Room	N/A		
Exterior Dimensions			
Wheelbase	141.55 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	235.59 in
Width, Max w/o mirrors	81.75 in	Height, Overall	79.94 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	55.24 in
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	10.19 in	Ground Clearance, Rear	10.19 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Area Dimensions Cargo Box Length @ Floor	N/A	Cargo Box Width @ Top, Rear	N/A
	N/A N/A	Cargo Box Width @ Top, Rear Cargo Box Width @ Wheelhousings	N/A N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.

Dimensions			
Cargo Area Dimensions			
Cargo Volume	N/A	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 26654. Data Updated: Oct 2, 2025 6:46:00 PM PDT.