

provider. We are pleased to provide the following proposal.



DATE: 7/22/2025

Chief Steve Greer Indian River County Fire Rescue 4225 43^{rd.} Avenue Vero Beach, FL 32967

Thank you for considering South Florida Emergency Vehicles and PL Custom Emergency Vehicles as your next rescue

QUANTITY	PRODUCT DESCRIPTION	PRICE
1	PL Custom Classic Type I Ambulance built on a 2027 Ford F550 XLT 4x4 Regular Cab Diesel chassis w 176"L Module 75" Headroom - per attached specifications and drawings. PL Custom Sourcewell Contract # 122123 – Model # PLC13	\$521,402.09 ea.
	* Price includes SFEV install of customer supplied Stryker Powerload cot system	
	*Price includes SFEV supply/install Sentinel 300 air purifier/decontamination system	
	* Price includes SFEV supply/install customer graphics – includes 4 number placards	
	* Price includes SFEV install two (2) ea customer supplied radios & antennas	
	*Price incl all travel expenses for up to 2 dept. personnel to PL Custom for pre-build meeting and/or final inspection. (TOTAL – 2 trips per 4 vehicles)	
	Vehicle(s) approximate delivery to customer: SEE PAGE 2 FOR DELIVERY SCHEDULE	
	Proposal valid for 60 days. The proposal's price is for NET 30 DAY TERMS If payment is made upon delivery of vehicle, the final price is \$506,402.09 EA.	
	Total price - \$2,025,608.36 FOR 4 EA VEHICLES	
	FULL TERMS AND CONDITIONS ON PAGE 2	
	FINAL PRICE	\$521,402.09 e

SFEV TERMS AND CONDITIONS

The unit(s) shall be manufactured completely in accordance with the attached proposal and based on the approximate delivery schedule as listed below subject to delays from all causes beyond our control.

Estimated Delivery per PL Custom Job Production Numbers

Pricing is based on Net-30-day payment terms. **If payment is made at the time of delivery, a discount of \$15,000 is available**. If payment is not made within 30 days of delivery, South Florida Emergency Vehicles (SFEV) reserves the right to charge 1% per month of the outstanding balance as outlined in the Florida Prompt Payment Act, Title XIV, Section 218, Part VII of the Florida Statutes popularly named "Local Government Prompt Payment Act".

The SFEV payment terms supersede any payment terms or conditions as contained in the buyers' purchase orders or contracts.

Purchase orders and payments are direct with South Florida Emergency Vehicles


CUSTOM DESIGNED FOR SFEV DEMO 176" BODY 75" HR BY P.L. CUSTOM EMERGENCY VEHICLES

. A7174



PAGE 1

This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



EXTERIOR DIMENSIONS

HEIGHT 115" (+/-2) LENGTH 176" WIDTH 99"


FRONT VIEW



PAGE 2

"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



	OPENING DESCRIPTIONS								
		ALL DIMEN	SIONS APPROXIN	MATE					
	WIDTH	HEIGHT	DEPTH	PURPOSE					
\bigcirc	20	89	21	OXYGEN STORAGE					
(B)	43	45	20	EXTERIOR STORAGE					
\bigcirc	31	39	20	EXTERIOR STORAGE					

EXTERIOR DIMENSIONS

HEIGHT 115" (+/-2) LENGTH 176" WIDTH 99"


NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

PAGE 3



"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



CURBSIDE VIEW

OPENING DESCRIPTIONS									
	ALL DIMENSIONS APPROXIMATE								
	WIDTH	HEIGHT	DEPTH	PURPOSE					
	20	58	33" ABOVE FLOOR 10" BELOW FLOOR						
(E)	24 1/2	83	21	BACKBOARD STORAGE					
F	32 1/2	5	16	PULL-OUT DRAWER					
	29 80 SIDE ENTRANCE DOOR								

EXTERIOR DIMENSIONS

HEIGHT 115" (+/-2) LENGTH 176" WIDTH 99"

NOTES:


- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

PAGE 4



"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



REAR VIEW

PAGE 5


OPENING DESCRIPTIONS							
			ALL DIMEN	ISIONS APPROXIN	MATE		
	WIDTH		HEIGHT	DEPTH	PURPOSE		
	44 1/4		61	REAR EI	NTRANCE DOORS		

NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL
 TO WALL MEASUREMENTS. PASS THROUGH OPENINGS
 WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. .INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.



NOTES:


- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

FLOOR PLAN



PAGE 6

"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. JINC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



NOTES:


- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

FRONT VIEW



PAGE 7

"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. JNC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL


BUILT AND RECEIVED AT OUR FACTORY.

LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS



Inis arawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



CEILING VIEW


NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



PAGE 9

"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.
All reproductions shall bear this notice.



NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

STREETSIDE VIEW


INTERIOR <u>DIMENSIONS</u>

HEIGHT 75" LENGTH 171" WIDTH 90-3/4"



PAGE 10

NOTICE. This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODTY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

INTERIOR DIMENSIONS

HEIGHT 75" LENGTH 171" WIDTH 90-3/4"



PAGE 11

NOTICE. This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. .INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.

QUOTATION

South Florida Emergency Vehicles

South Florida Emergency Vehicles Kevin Burke 4655 Cummins Court Fort Myers, FL 33905 239-267-5300 kburke@sflev.com

Quote No: A7174-0002 04/15/2025 Page 1 **DESCRIPTION PART NO** == Type 1 Classic, 170" 108"CA - 34.100 01/15/25 == PLG 00-00-0100 PL Ambulance - Release 34.10 effective 01/15/25 1 PLG 1 | PLG 00-05-0100 ** Quote Terms ** All chassis are subject to availability. Quoted body pricing is valid for 30 days from receipt or until the next data release. Chassis pricing for PL Supplied chassis is subject to any OEM chassis manufacturer surcharges and model year increases. An ambulance or rescue vehicle order, submitted utilizing a chassis that cannot be provided or ordered, (chassis order banks not open, no available allocation, or otherwise unknown), will NOT be processed until such time that the chassis can be ordered and assigned. Upon receipt of chassis VIN and firm chassis production schedule, or chassis receipt, the vehicle order can then be considered "buildable". Once entered into "buildable' order status and when loaded into the PL Custom production schedule, prioritized by order entry date, the body can then be processed for approval and priced on most current pricing and data release in place. This applies to both PL Custom and customer/dealer supplied chassis. 00-11-7075 1 | PLG < > 170" CLASSIC BODY, 75" Headroom, w/Drop Skirt Overall Vehicle Dimensions: Length: 308" Width: 99" Height: 115" (+/- 2") Exterior Modular Body Dimensions: Length: 170" Width: 97" Height: 94" terior Modular Body Dimensions: Length: 165" Width: 90 3/4" Height: 75" 03-00-1060 < > Chassis Type -Ford F-Series 1 | PLG Chassis paint must be reviewed/edited when changing chassis type **EXTERIOR PLG** 10-10-1100 Modular Body Construction 1 | PLG SAE J3057 Compliant

04/15/2025				0=1	_	Page 2
PART NO	S		DESCRIPTION	QTY		ID DI O
10-10-2000		<	Structural Integrity Warranty		1	PLG
			The structural integrity of the body shall be guaranteed for the life of the unit, as I	ong		
			as the original purchaser shall own it.			
10-10-2070			Finite Element Analysis		1	PLG
10-10-2070			Compartments, Aluminum Brushed Finish, welded			PLG
10-10-2165		<	*****Engineering - process-note, Non-Diamond compartments selected			PLG
10-10-2103			Engineering configuration alert -		•	FLG
			Non-Diamond compartments slected			
			Non-Diamond compartments siected			
10-12-2000			Type I, Classic, Cab to body Pass-thru		1 I	PLG
10-15-4000			Body mounting, Type I, rubber donuts, L-Duty			PLG
10-20-3300			Lowered Body Skirts, with Intermediate Step			PLG
10-30-1000		<	Curbside 6" Dropskirt			PLG
10 00 1000			Drop skirt on curb side to be 6" i/l/o 3"		1	. 20
			Requires Side skin change, stepwell change, Entrance door height change and "	D"		
			door height change	_ 	Т	
					Ġ	
10-30-1100		<	Streetside 6" Dropskirt	,	1	PLG
			Drop skirt on street side to be 6" i/l/o 3"			
			Requires Side skin change, "A" door height change and "B" door height change.		Т	
					Ė	
10-30-2000		<	Custom Body length, 1"-6"	,	1	PLG
			The Body shall be: 176			
			Note: Compartment size customization to be charged separately. This charge is	for	1	
			the base structure modifications only.			
			•		1	
			EXTERIOR DOORS, AMBULANCE			PLG
11-10-1060		<	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	,	1 [PLG
			The door system shall include emergency override latch levers in upper and low	/er		
			locations of each entrance door. Levers are visible with red coating and intended	for	1	
			emergency use in the event of a non-functioning handle.			
11-10-4060		<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6)		1	PLG
			Tied to OEM Power Door Lock Switch			
				l .		
11-10-4500		<	Keyless Entry Touch Pad, Side Entrance Door	Í	1	PLG
			Lock/Unlock both Entrance Doors and Cab Doors.	ı		
44 40 140 40			.,			
11-10-V010		<	Keyless Entry Touchpad, Rear Entrance Door		1	PLG
			Keyless entry touchpad will be mounted to right of rear entrance door, between to	ırn		
			signal and window level light.	ı		
44.00.4000						DI O
11-20-1800		>	Gas Spring Pneumatic Door Checks -Classic & Titan			PLG
11-20-2020			Compart. "A" Door to Check Past 90 Degrees			PLG
11-20-2030			Compart. "C" Door to Check Past 90 Degrees			PLG
11-20-2050			Compart. "E" Door to Check Past 90 Degrees			PLG
11-20-3000			Compart. "D" Door to Check Past 90 Degrees			PLG
11-20-5000			Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum			PLG
		<	COMPARTMENT LAYOUT			PLG
			Exterior compartment dimensions reflect wall to wall measurements.			
12-10-4XSV	S		A loft front 20w x 20h x21d (w/oxygon window)		 1	PLG
12-10-4/20	3	\ /	A left front 20w x 89h x21d (w/oxygen window)		'	rLG
			Dimensions: Width 20"		J	
					7	
			Height 89" Penth 21" with Ovygen window			
			Depth 21" with Oxygen window		7	
12-16-8XSS	S	<i>-</i>	R left side 1/2 High 43w v 45h v 20d		1	PLG
12-10-0/33	3	` _	B left side 1/2 High - 43w x 45h x 20d Dimensions:		'	LG
			инопоюна.			

04/15/2025					Page 3
PART NO	S		DESCRIPTION	QTY	ID
			Width 43		
			Height 45		
			Depth 20		
12-20-100A			"C" Left Rear, 1/2 High -31w x 39h x 20d	1 1	PLG
12-25-7XSS	S	< >	D Right Front, In-Out Access - 20w x 58h x 33d above floor - 10d below floor		PLG
			Dimensions:	1	
			Width 20		
			Height 58		l
			Depth 33d above floor 10 d below floor	1	
			Deptil 33d above floor to dibelow floor	1	l
12-30-150B			"F" Dight Door with In/out to Contor Aigle 2444 y 92h y 94d	1	PLG
			"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d		
12-35-1000			"F" Left Side, Over Wheel, Pull-Out Drawer -32w x 5h x 16d	1	PLG
			COMPARTMENT DOOR PANELS, MATS, DECKING		PLG
13-20-2080			All Compartment Door Panels, Alum, Brushed Finish -(w/ Chevron Design)		PLG
13-30-1P10			Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub	1	PLG
			Rails,Black		
13-30-2000			Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000			Dri-Dek, Floors of Compartment, Black	1	PLG
13-40-2500			Rubber Mat, Shelves, Exterior Compartment	1	PLG
13-40-2800			Turtle Tile Slip Resistant Stepwell Mat (removable)		PLG
10 10 2000			COMPARTMENT CONFIGURATIONS AND EQUIPMENT		PLG
13-41-0160			Oxy Bracket, w/Adjustable Shelf, Compartment A, (No Light Under Shelf)	1 1	PLG
13-42-0300			(2) Adjustable Shelves, for compartment "B"		PLG
13-42-0300					PLG
		_	(2) Adjustable Shelves, for compartment C		
13-47-0450		<	· · · · · · · · · · · · · · · · · · ·	1	PLG
			Long Equipment Storage Compartment "E"		
			Divider to be 12" off front wall w/10" shelves.		
13-70-0210			Bulbous mounts 3" for (2) backboards compt. "E" (i/l/o std)		PLG
13-70-0700			Hanger for Ferno EXL or #65 Scoop Compartment "E"	1	PLG
			REAR STEP BUMPER		PLG
14-10-2780		< >	Lift-up Rear Step, Recessed, (2) 4" Lts w/ Lic Plate Center	1	PLG
			4" recessed Lights to activate when vehicle is in reverse or rear doors open.		
14-10-9500		<	**** Rear Step Bumper 4" LED Lights have been selected	1	PLG
			See 44-30-4200 for Options		
14-20-1000			Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
			ALUMINUM DIAMOND PLATE ACCESSORIES		PLG
15-10-1000			Front Corner Stone Guards, Polished Diamond Plate	1 1	PLG
15-15-1000			Front Body Stone Guard, Polished Diamond Plate		PLG
15-20-1050		>	Rub-Rails, C-Channel, Offset, Satin Finish		PLG
15-30-2500			Running Boards, Flare type, Non-Slip Dia.Plate w/grip strut (F450/F550 2-Door)		PLG
15-52-0100			Rear Diamond Plate Panel & Corner Guards		PLG
13-32-0100				' '	
16 10 1000			EXTERIOR TRIM	1 4	PLG
16-10-1000			Fenderettes, Rolled, Polished Stainless Steel		PLG
16-30-1550			License Plate Holder, Chrome on rear step riser w/LED Light		PLG
16-35-1010			Fuel Fill Housing, Cast products, Polished (F-Series)		PLG
16-36-1010			DEF Fill Housing, Cast products, Polished (F-Series)		PLG
16-55-1000		>	Tow Hooks, Rear Behind Step Riser, Painted	1	PLG
			EXTERIOR, MISCELLANEOUS		PLG
17-50-1000			Undercoat Body	1	PLG
			BODY WINDOWS		PLG
18-10-1000		<	Window, Side Door (18"W x 22"H), Sliding, 31% Tint	1 1	PLG
			Transportation Products Inc. Window.		
				1	
18-20-2000		<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint	1	PLG
			Transportation Products Inc. Windows.	1	
			·		

04/15/2025				Page 4
PART NO S			QTY	ID DI C
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors INTERIOR CONSTRUCTION	1	PLG PLG
20-00-1000		Interior Construction Type - Standard Cabinets	1 '	PLG
20 00 1000		INSULATION		PLG
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body	1 !	PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors		PLG
20-10-3000		Sound Deadened, Compartment Doors	1 !	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer	1	PLG
		FRONT BULKHEAD		PLG
21-10-0520	<	Type I, Classic, Cab to body Pass-thru, Hinged Window	1	PLG
		Hinged Clear Acrylic window.	·	
		With standard, wood cabinet construction, the window will open and rest against	st	ı
		Right Front Cabinet.		
		The window will rest against rubber gasketing lining the window frame when closed.		1
21-30-1000		Climate Control Unit Over Cab to Body Passage	1 '	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat		PLG
21 10 1000		Black polycoat cover with an access panel with flush locking trigger latches		
		Plack peryodat devel man access panel man hash lestang angger latence		
21-40-5250		Front Bulkhead cabinet, 1/2" acrylic doors, 2 shlvs	1 !	PLG
21-40-8200	< >	Solid Surface counter, 1" lip, Front bulkhead cabinet	1	PLG
		Specify Color: Midnight Melange 9091ML	ŀ	
		RIGHT FRONT CABINET		PLG
21-45-V066	<	Supply and Install "Knox Box" Med Vault, RF Upper	1	PLG
		Recessed mount with standard WiFi. Model #5530H3RK		
		right side in the middle of the cabinet		ı
24 45 1/067	_	Madi Kaal MK Miana/I I Miana Danth Hingad an left year communication w/ Kit Lack	1	PLG
21-45-V067	<	Medi-Kool MK-Micro/H Micro Depth, Hinged on left, rear compressor, w/ Kit Lock A Mermaid MK-Micro/H Horizontal, left hinged system is to be installed in the Rig		PLG
		Front Upper cabinet. Compressor will be on the rear. Includes Kit Lock 12.65"W		
		10.15"h x 21" deep.	^	
		10.13 11 λ 21 αθεφ.		
21-50-1000		Right front Lower, inside/outside storage	1 '	PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves		PLG
		Shelves to be lined with ribbed rubber mat.	ľ	
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors	1	PLG
		RIGHT SIDE BENCH LAYOUT		PLG
22-00-1000		Squad Bench, Right side		PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt		PLG
22-24-1000	<	3 Glove Box Holder Cabinet at Head of Squad Bench	l.	PLG
		There is to be a cabinet at the head of the squad bench used to house a 3 glove bo		1
		storage unit that faces the stepwell. Cabinet to be 5" wide. Fits: (3) *Large Boxe\$ 9-5/8" x 5" x 3-1/8" ea.	<u>a</u>	
		3-3/0 A 3 A 3-1/0 Ed.	ı	
22-25-4130	<	Auxiliary Switch Panel, On Curbside Wall	1	PLG
	•	Auxiliary location for dual switching of (6) momentary switch functions.		5
		Includes: Rectangular Lights, Left Dome, Right Dome, Door Lock/Unlock, Heat / A	C	I
		Fan Speed and Oxygen Solenoid -(if selected)	ľ	
		Note: Patient Procedure lights (if selected), will be tied to the Rectangular Light Swit	ch	
		Switches to be mounted horizontally in black HDPE spacer.		
22-25-4600	< >	Recessed "D" bottles, head of Squad Bench, at stepwell	1	PLG
		See "D" bottle storage brackets selected in section # 80-43-XXXX		
22 20 2000		Converd hamabilid Desitive hald desire desites	4	DI C
22-30-2000 22-35-3040		Squad bench lid, Positive hold down device	T 4	PLG PLG
22-35-3040	_ \	Drop in sharps/trash, w/Lexan Lids at head of squad bench Overhead cabinet 13-1/4" OAH-Life Defender lift-up re-stocking doors	1	PLG
22-40-1010	\ /	Includes 1 adjustable shelf	I	FLG
		molados i adjustable stieli		

04/15/2025	DECORPTION .	OTV	Page 5
PART NO	S DESCRIPTION	QTY	ID
22-50-0700	< Dry erase writing surface, right rear (forward facing) wall		PLG
	The right rear (forward facing)wall of the compartment "E" facia cabinet shall	be	
	laminated in high gloss white laminate.		
	LEFT SIDE MIDDLE (Base Cabinet)		PLG
23-10-1000	Left side attendant seat-(CPR Seat)	1	PLG
23-10-3060	> Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt		PLG
23-10-5000	Seat cushion, fixed- (Single CPR Seat)	1	PLG
	LIFE SUPPORT STATION	1 4	PLG
23-30-2000 23-30-2010	Switch pod, above counter, vinyl covered		PLG PLG
23-30-2010	Rear Main Switch Panel Located in Life Support Station Switch Pod **No Radio Cut-Outs to be provided in LSS**		PLG
23-31-1500	Cabinet head of switch pod, hinged door, 1 shelf		PLG
23-32-1090	< > (Increased Hgt) Upper cab.Squared off, Life Defender lift-up restock, 1 shelf		PLG
	The Interior Height of this cabinet will approximately be 18-1/2" High		
	Pass thru opening approx. 15-1/2".		
23-34-1524	> Colid Curfose counter 4" lin Loft front Color, Midnight Molonge 0004MI	. 1	PLG
23-34-1524	 Solid Surface counter, 1" lip, Left front, Color: Midnight Melange 9091ML Pull-out writing surface/storage drawer, L/S/S 		PLG
20-00-7000	Not Available with in/out to Compt. "B"		
	Tree, transporting man in out to compare 2	ı	I
23-37-0050	< *Custom "Box-out" into compartment required (MASTER ONLY)		PLG
	Note: This is used with any special request for any compartment "Box-Out"	for,	
	Trash, Sharps, ALS unitetc.		
	C compartment		1
	LEFT REAR STORAGE CABINET		PLG
23-40-1010	< Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf	1 1	PLG
	Includes Austin Life Defender Lift Up Restocking Door.		
23-40-2000	< > Left rear full cabinet, middle, Life Defender sliding doors, 1 shelf	1	PLG
	Not available with Aft Meganite Counter Top #23-42-xxxx Delete the Aft Meganite Counter Top		
	12V & 115V outlets on the Left rear must be deleted		
	Includes Austin Life Defender Sliding Doors.	ı	
	· · · · · · · · · · · · · · · · · · ·	'	
23-42-1524	> Solid Surface counter, 1" lip, Left rear, Color: Midnight Melange 9091ML		PLG
23-44-2010	< > Trash/Sharps Combo, tip out, below left rear counter	1	PLG
	Sharps Container 1qt. Not available w/pull-out drawer option #12-35-10		1
	Not available w/puil-out drawer option #12-33-10		
	RIGHT REAR CABINET	'	PLG
23-70-0850	< Right Rear In/out to Compartment "E", Facing Center Aisle	1	PLG
	In / Out:		
	Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom)	ı	1
	Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door		
	With Fillinged Actylic Book	1	
	INTERIOR CABINET DOORS		PLG
24-10-4M00	Cabinet doors, Polycarbonate/Acrylic, Clear		PLG
24-15-1000	< Handles, full length, sliding doors	1	PLG
	SAE J3058 Compliant		
24-20-1000	Positive closure devices hinged doors	1	PLG
24-25-1000	Unistrut, interior cabinet shelves, "Mini"		PLG
	ENTRANCE DOORS		PLG
24-30-2080	Ent. Door Panels, 3 section, Brushed Alum, Lowers, w/Chevron Design		PLG
	Brushed Aluminum Lower panel to replace diamond to accommodate Chevro)n	

04/15/2025			Page 6
PART NO S		QTY	ID
	Striping	1	
24-30-V017	< Side Entrance Door Trash can - 13QT rubbermaid	1 1	PLG
24-30-7017			ILLO
	Hoop style trash can holder mounted on inboard side of lower diamond plate d panel. Includes (1) Rubbermaid 13qt. trash can	JUI 	
	parier. Includes (1) Nubberniald 154t. trasifican	1	
	ABOVE DOOR HEAD BUMPERS	1	PLG
24-35-0100	Side Door Head Bumper		PLG
24-35-0500	Rear Door Head Bumper		PLG
	GRAB RAILS	•	PLG
25-10-2675	Safety Yellow Grab Rail, 120" length, over squad bench	1	PLG
25-10-2775	Safety Yellow Grab Rail, 120" length, over cot		PLG
25-10-3575	 Grab rail, Yellow, L shaped, Facing Stepwell - (Requires a fwd Cabinet) 		PLG
	Grab rail mounted on the "step area" side of the forward custom squad ber	ich	
	cabinet.		
05 40 0000			LDLO
25-10-3800	Safety Yellow Grab rail, 18", at rear entrance doors, (2)		PLG
25-11-1C00	Grab rail, 45 deg, Safety Yellow, side entrance door, (1)		PLG
25-11-2200	> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)	1	PLG PLG
25-50-2000	SEAT BELTS Seat belt, attendant seat, Qty (1)	1 1	PLG PLG
25-50-2000	Seat belt, attendant seat, Qty (1) < > Patient restraint strap, squad bench, Qty (3), for use with six point seat belts		PLG
25-51-1100	Feasibility of this option is based on seat positions and options in squad bench factors.		LG
	Patient restraint straps are not provided on bench with length shorter than 72".	, ⊢.	
	Fatient restraint straps are not provided on bench with length shorter than 72.	I	
25-51-2021	(2) Six point Seat Belt Harnesses w/ Comfort Pads - Curbside Seating	1	PLG
25-51-2031	(1) Six point Seat Belt Harness w/ Comfort Pads - Street Side Seat		PLG
	COT MOUNT and COT MODEL	1	PLG
26-35-1235	< Power Load Install PL Supp Floor Plate, w/ Circuit, w/ Mini Rail Plate (SAE)	1	PLG
	Stryker Power Load Floor Plate		
	All components provided by PL Custom.		
	PL Custom will supply and install a Stryker Power Load Floor Plate and Mini	Rail	
	Plate.		
	Includes charging circuit for use with Power Load fasteners. Circuit will remain H	ot at	
	all times.		
	Includes cutout in the floor for the installation of a Mini Rail Plate.		
	LV HOLDED	1	DI O
26-50-1M10	I.V. HOLDER Rubber I.V. holder, dual, recessed, over cot	1 1	PLG PLG
26-50-2100	Rubber I.V. holder, dual, recessed, over squad bench		PLG
20-30-2100	INTERIOR COLORS		PLG
27-10-1000	Ceiling, white Thermoplastic		PLG
27-10-1500	Upper Laminate - Fashion Grey D381-60		PLG
27-10-4200	Lower Laminate - Fashion Grey D381-60		PLG
	INTERIOR UPHOLSTERY		PLG
27-20-5000	Upholstery, Flat-Seamless		PLG
27-20-5600	Upholstery Color: Gray		PLG
	ATTENDANT SEAT		PLG
27-36-5540	Ash Gray Attn Seat, EVS 18806B, 6pt restraint, Child Seat, Vac Formed		PLG
27-37-0100	** Confirm Seat color** - GRAY is the vehicle upholstery color		PLG
	FLOORING		PLG
27-52-4340	Loncoin II Flecks (disc), Moonstone Topseal (C157TS)		PLG
27-55-2000	Flooring rolled up side walls 3"	1	PLG
07.70.4040	CAB CONSOLE		PLG
27-72-1010	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series)		PLG
	NOTE: (2) Cup holders are NOT included in the console. The cupholders are par	i Of	
	the map-box	ļ	ļ
	(See PDF)	1	
27-75-0100	**No Radio Cut-Outs to be provided in Cab Console**	1	PLG
21-10-0100	140 Madio Gal-Gals to be provided in Gab Gonsole		1 20

04/15/2025				Page 7
PART NO S	DESCRIPTION	QT		ID
27-75-2050	< > Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series)		1	PLG
	includes (1) lexan divider - See PDF			
	. ,	I		
	MISCELLANEOUS INTERIOR			PLG
28-40-1000	Wall protection, stainless steel, left side, 9 1/8"h	I	1	PLG
28-40-2000	Wall protection, stainless steel, right side, 7 5/8"h	1		PLG
28-45-1350	Solve box holder for (3) Boxes, recessed -over Rear ent. doors	1		PLG
20-43-1330		 	•	FLG
	Storage for (3) glove boxes over rear entrance door with a hinged, lexan door a	ına		
	front facing access holes.	1		
	Fits: (3) *Boxes @ 9-5/8" x 5" x 3-1/8" ea.	1		
	All rear-head bumper options are not feasible when this option is requested.			
28-50-1000	Fasten Seat Belt/No Smoking Sign		1	PLG
	OXYGEN AND SUCTION			PLG
30-10-1000	Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	I	1	PLG
30-10-2000	Oxy Outlet, Amico, single, right side- In Overhead Cabinet			PLG
30-20-1000	Oxygen Solenoid, Amico, w/ manual override & switch	I		PLG
30-30-1000	Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1		PLG
30-30-2400	Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1		PLG
30-40-3000	 PL Oxygen Monitoring System 	1		PLG
30-40-3000		1	•	I LO
	Analog pressure gauge with low pressure indicator and alarm	1		
20 50 2005	4 > 00 Camian 7100 Oviale Balance Overman Tank Lift Ovators		4	DI C
30-50-3005	< > O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System			PLG
	With ZICO hand-held switch mounted in compartment. ZICO tank lift comes			
	hydraulic ram that can be "back driven." This prevents the ram from being damage	ged		
	if it is extended, and the air ride is lowered			
		l		
30-50-3850	***Attention: Please Specify Tank Letter Size used within this shop note		1	PLG
	Oxygen Tank Size is:	1		
	(example; M tank steel, M tank aluminum, H tank steel)			
		1		
	This will allow the factory to preset the adjustable mounts for your customer.	No		
	selection will result in the mounts being set for an Aluminum M tank	1		
30-60-4000	Regulator, Oxygen, Large Tank, (PLC-9662)		1	PLG
30-80-1100	< Wrench, Oxy Cylinder -(for EZE Loader)		1	PLG
	Oxygen wrench to be attached to compartment door			
	ELECTRICAL			PLG
40-00-0500	< Electrical System Warranty		1	PLG
	The Electrical System shall be warranted for the life of the unit, as long as the ori	ginal		
	purchaser shall own it.			
40-00-1200	Electrical 12 VDC, Classic-Series		1	PLG
40-00-1900	Electrical 12 VDC Specifications	I	1	PLG
	CAB ELECTRICAL	•		PLG
41-10-0100	Alternator, Dual with 410 amp combined output, OEM Ford F-Series	I	1	PLG
41-20-0800	Batteries, Dual Ford OEM, 1500CCA -(under hood)	1		PLG
41-30-3750	Module Activation, Ignition Switch	1		PLG
41-50-1000	Cab Under hood & Fender Electrical Connectors - Deutsch Type	1		PLG
41 00 1000	SWITCH PANEL	1	•	PLG
42-10-1000	Voltmeter, Digital 8 to 18 volt, lighted	1	1	PLG
42-10-1000	Low Voltage Alarm,Indicator & Cancel Switch			PLG
42-15-2500				PLG
	> Rocker Switches, Carling Contura V			
42-20-0500	Battery On indicator light	1		PLG
42-20-1000	Warning Indicator, Door open, Red			PLG
42-20-2000	Warning Indicator, Compt open, Amber		1	
42-20-3000	Warning Indicator, Audible alarm, Door/Compt		1	PLG

04/15/2025		Page 8
PART NO S	DESCRIPTION	QTY ID
42-20-4200	Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	1 PLG
42-21-0900	** Gooseneck Light Not Included with Vehicle **	1 PLG
42-25-6000	< High Idle Activation, Ford OEM - F-Series	1 PLG
	Activated by front console switch, requires park brake to be applied	
		_, _
42-30-1000	Back-up alarm, w/resetting cancel switch	1 PLG
42-45-2200	< > Load Manager/Sequencer, PL Custom/Kussmaul (full time)	1 PLG
	RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP	
	FULL TIME Load Management of Emergency Lights	
42-60-2400	Air Horn, (2) Buell 1062, bumper valance mount , 1/4 hp compressor	1 PLG
42-60-5000	< Air Horn activation, Carling Momentary in Front Switch Panel	1 PLG
	Switch will have white rocker for easy identification.	
	Requires PL provided air horn system or 42-60-2800 PL Activation of chast	sis
	supplied air horns.	
42-65-1300	Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	1 PLG
42-65-1500	< > Remote Keyless Entry w/Chassis Power Door Lock Control	1 PLG
	OEM door switches control cab & body doors.	
42-65-2010	Power Door Lock Switch, Side Entrance Door	1 PLG
42-65-2020	Power Door Lock Switch, Rear Entrance Doors	1 PLG
42-65-2200	< > Pwr Door Lock Concealed Override Switch, Grille-(KKK)	1 PLG
	Located in front grille area.	
	This switch location is KKK compliant	
40.05.0000		4 51 0
42-65-3000	> Keyless Entry Touch Pad, at Side Entr Door	1 PLG
	EMERGENCY WARNING EQUIPMENT	PLG
40.00.4050	SIREN	PLG
43-20-4G50	> Siren, Whelen 295SLSA1, w/diag.	1 PLG
43-20-5000	Siren-Horn Switch	1 PLG
40.04.4040	SIREN SPEAKERS	PLG
43-31-4310	< > Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2023-on	1 PLG
	Chassis equipped with OE fog lights will have fog lights removed and discarded	to
	accommodate speaker mounting.	
	EDON'T LIGHT DAD	l DL C
42 40 0500	FRONT LIGHT BAR	PLG
43-40-0500	-No front Lightbar required-	1 PLG
42 FO 4000	REAR LIGHT BAR	PLG
43-50-1000	-No rear Lightbar required-	1 PLG
43-51-V011	Whelen Traffic Advisor Control Head Only for (5) Rear Lights Traffic Advisor bond to control road to the lights are to fleely in regid road.	1 PLG
	Traffic Advisor head to control rear LED Lights. Lights are to flash in rapid rand	
	flash pattern when Emergency lights are on and Traffic Advisor head is off. Traffic Advisor head is to override flashing pattern when turned on.	IIIC
	Whelen Traffic Advisor Control Head Only for (5) Rear Lights	
	Whelen Trailic Advisor Control Head Only for (5) Real Lights	I
	> CAB MOUNTED LIGHTS	PLG
43-68-A200	> Whelen Independent CAB Flashing Lights, CLEAR Lens package	1 PLG
43-68-A210	** (4) Whelen ION Grille Lights Package	1 PLG 1 PLG
43-71-1440	(4) Whelen TON Grille Lights Package < > (2) Upper Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS,	1 PLG
75-7 1-1440	Chrome Flang	I FLG
	Please state which color in which location:	l
	Upper pass-side color:	
	Opper pass-side color	ı
	Upper driver-side color:	
	opper unver-side color	ı
43-71-1624	< *** Flange & Backing Plate included with TION Light ***	1 PLG
70-7 1-1024	Backing Plate Required for mounting in grille	ı ı LG
	Dacking Flate Nequired for Industring in grille	

04/15/2025			Page 9
PART NO 43-71-3340	DESCRIPTION < > (2) Lower Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS,	QTY	I D PLG
43-71-3340	Chrome Flang	'	ILEG
	Please state which color in which location:		
	Lower pass-side color:	1	i
	Lower driver-side color:	1	<u> </u>
	Editor divor dide dolor.	1	1
43-71-3628	< *** Flange & Backing Plate included with TION Light ***	1	PLG
	Backing Plate Required for mounting in grille		l
		1	1
43-71-4500	(2) Whelen TION LED Fender Light, Red, CLEAR LENS, Chrome Flange	1	PLG
43-71-7501	< *** Flange included with ION Light ***	1	PLG
	No Fender Flange Provided		1
43-72-V087	< Tracer Lights, Cab Runing Boards, Red/White DUO (WCX)	1	PLG
43-12-1001	WCX (WECAN control) 4 module tracer, (1) each side	1	1 LO
	Will flash red/white in emergency mode		•
	All lights illuminate white steady when cab door is opened		
	BODY LIGHTING -<(Full Catalog PDF here)>	1	PLG
	FRONT BODY VEHICLE LIGHTS -(Non-Emergency)	1	PLG
43-A1-1700	(2) M6-Whelen, Directionals -LED,Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	1	PLG
43-A2-0050	* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)		PLG
43-A2-0250	** (7) Front Upper Lights & Directionals The (4) lights outboard of the Contex light position shall energie from (4) context.		PLG
	The (4) lights, outboard of the Center light position, shall operate from (1) con switch.	Sole	ĺ
	OWIGH.	1	I
		1	[
43-A4-2440	*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens	1	PLG
43-A5-0030	package < > Independent - Flash - No Vehicle Flasher - Non Synchronized	1	PLG
10 710 0000	All lightheads are flashed randomly using internal flashing program, without light		
	light synchronization.		
43-A5-0060	Cragram Floobing Lights to "Action Coon"		 PLG
43-A3-0000	Program Flashing Lights to "Action Scan" Whelen flash pattern	1	PLG I
	Lighthead will scroll through all available patterns and repeat	1	I
43-A7-1100	> FRONT BODY WARNING LIGHTS < All Whelen M9 Flanges, Chrome -(M9FC)	1 1	PLG
43-A7-1100	M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange	'	PLG
	mo remote agrice endarge equipped mand tribles more elemente hange		
43-B0-A250	< > M9-Whelen,Split Sup-LED, Red/White, Front - (Loc: F1)	1	PLG
	M-series split lights cannot be dimmed		
43-B0-A900	M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	1 1	PLG
43-B0-B400	< > M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F3)		PLG
	M-series split lights cannot be dimmed		
43-B0-B550	MO Wholen Sun LED Bod Front (Los: E4)	1 1	PLG
43-B0-B350 43-B0-C750	M9-Whelen, Sup-LED, Red, Front - (Loc: F4) < > M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F5)		PLG
	M-series split lights cannot be dimmed	I	
40 DC CC55	MOMIN		LDI C
43-B0-C850 43-B0-D350	M9-Whelen, Sup-LED, Red, Front - (Loc: F6) < > M9-Whelen, Split Sup-LED, Red/White, Front - (Loc: F7)		PLG PLG
70-D0 - D000	M-series split lights cannot be dimmed		
		1	1
40 50 0050	M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)		PLG
43-F0-C250	< > M9-Whelen,Split, Sup-LED, Red/ White, Left Side - (Loc: LS1) M-series split lights cannot be dimmed	1	PLG
	wi-series spiit lights cannot be untimed		

			Page 10
PART NO S 43-F0-D250	<pre></pre>	QTY 1	I D PLG
43-F4-C250	< > M9-Whelen,Split, Sup-LED, Red/ White, Right Side - (Loc: RS1) M-series split lights cannot be dimmed	1	PLG
43-F4-D250	< > M9-Whelen, Split, Sup-LED, Red/White, Right Side - (Loc: RS4) M-series split lights cannot be dimmed	1	PLG
43-H1-0500 43-H5-C120 43-S1-0250	REAR BODY WARNING (Flashing) LIGHTS **M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens M9 -REAR LIGHT LAYOUT -(No Lightbar or Traffic Advisor) (PDF>) (3) Rear Upper Lights & (2) Window Level Lights < > M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1) M-series split lights cannot be dimmed	1	PLG PLG PLG PLG PLG
43-S1-2000	< > M9-Whelen,Split, Sup-LED, Red/White, Rear - (Loc: R7) M-series split lights cannot be dimmed	1	PLG
43-S1-C350 43-S1-D100 43-S6-V002	M9-Whelen Sup-LED, Red, Rear - (Loc: R10B) M9-Whelen Sup-LED, Red, Rear - (Loc: R11B) 7x3 WhelenRear upper and lower lightsSOPR (R2 Upper) - 7x3 whelen - Amber light (R2 Lower) - 7x3 whelen - Scene Light (R3 Upper) - 7x3 whelen - Amber light (R3 Lower) - 7x3 whelen - Red light (R4 Upper) - 7x3 whelen - Red light (R4 Lower) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Scene light	1	PLG PLG PLG PLG
43-T5-1200 43-T5-1930 43-T5-3680	*** Side Body Flashing Lights, Over Rear Wheel Package M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS < > Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails Five on each side; (3) in Front Rub Rail, (2) in Rear Rub Rail, Whelen TLI2D DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. Lights will flash R-W-R-W-R then W-R-W-R-W	1	PLG PLG PLG
43-T6-1520	< > Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti Lights are active anytime power is on and doors are open	1	PLG
43-T6-1530	< > Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation Lights are active anytime power is on and doors are open	1	PLG
43-T6-2400	< > Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea Safety lights to operate independently with each compartment door open and mast battery switch on.		PLG
	Qty: (5), Loc: Compartments "A", "B", "C", "D", and "E"		
44-10-1500	REAR NON-EMERGENCY LIGHTS < > Stop/Tail and Turn Signal-Light heads with clear lenses Exterior vehicle Rear Stop/Tail &Turn light heads will have Clear Lenses.	1	PLG PLG

04/15/2025			Page 11
PART NO S	DESCRIPTION	QTY	ID
44-26-0150	Stop/Tail, (2) M6 -Whelen Super LED -(clear Lens) w/Flange		PLG
44-26-0300	Back-up, (2) M6 - Whelen Super LED w/Flange		PLG
44-26-0550	Directional, (2) Whelen M6 Super LED -(clear Lens) Populated Arrow	1	PLG
44.00.4000	AUXILIARY NON-EMERGENCY LIGHTS		PLG
44-30-1000	> HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides		PLG
44-30-3000 44-30-4200	> Lower Side Marker, Flash w/Directionals, (2) ea side < Rear Step Bumper, 4" LED Lights (2)		PLG
44-30-4200	. tod top - dpo.,go (-)	!	PLG
	Lights: Whelen 2G LED	1	
44-30-5500	Running Board Illum Lights, (2), Heavy Duty LED 4" Recessed	1	PLG
44-35-1000	< > Rear Red Flasher/Brake Light Priority - (Rear Uppermost Lights)		PLG
44 00 1000	For Lights located in the upper most portion of the body	, ,	11.20
	Tot Eighto located in the apper most portion of the body		
	Not available with CENCOM	1	1
	Tiot available that our toom		
	FLOOD LIGHTS	1	PLG
44-50-22B0	(2) M9 - Whelen, Super LED Scenelight, (2), Left side-(Loc:LS2, LS3)	1	PLG
44-50-24B0	(2) M9 - Whelen, Super LED Scenelight, (2), Right side-(Loc:RS2, RS3)		PLG
44-50-6550	< Add'nl - Whelen Pioneer Plus Floods(PFP1) - (1) Lft. (1) Rt	1	PLG
	Location: centered left and right side of truck		
	These lights will operate on an independent switch.		
44-50-7000	20" Hi-Viz 15 LED Mini Brow Light White, Front Body Condenser Mounted		PLG
44-60-1000	Right Side Scene Lights on with Side Door & Switch in Console		PLG
44-60-2000	Left Side Scene Lights w/On-Off Switch Console		PLG
44-60-3000	Rear Scene Lights on w/Rear Door Open/Reverse		PLG
44-60-4000	< Rear Scene Lights, On-Off Switch in Console	1	PLG
	Rear floods switch shall also activate reverse lights.		
		١.,	
44-60-5000	Right Side Scene Light Cancel Switch		PLG
44-60-6000	Rear Door Scene Light Cancel Switch		PLG
44-60-7000	Left/Right & Rear Flood Lights, On In Reverse		PLG
45-10-1000	CLIMATE CONTROL		PLG PLG
45-30-3N00	Ventilation, Flow-Thru, (2) Speed, Cast Products Rear CowlSuper-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L		PLG PLG
43-30-31100	DIESEL F		ILEG
	12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Eng	dine	
	TM 16 Auxiliary Compressor dedicated to body system	ynic	1
	Condenser mounted front of body,		
	Digital Thermostat	1	I
	- g		
45-30-4500	Super-Cool, Aux. A/C Condenser, 12V, Location: Front body	1	PLG
45-35-1100	Auxiliary Coolant Pump Climate Control System		PLG
45-35-V028	< 110v/12v Evap unit right Front Cabinet (E, F, Ram)	1	PLG
	A standalone auxiliary evaporator unit shall be installed in the right front up		
	cabinet. The evaporator will be tied into the OEM AC system. The heat coil will no	ot be	
	plumbed		
	The evaporator shall be controlled by its own thermostat located on the right fr		
	cabinet . The Thermostat will allow for a preset temperature. When the ambient		
	reaches the preset temperature, the unit will turn off. This unit will also operate of		
	an independent 110v shoreline via an auxiliary 110V compressor and condens	er	
	underbody mounted.		
45-38-1080	> Condender Front Rody Mounted on DL Tray Proclest w/ Hi Viz Providing	1	PLG
45-39-1020	 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light ** Front Body Condenser Stainless MIII FInish 		PLG PLG
70-00-1020	CEILING CONFIGURATION	1	PLG
45-99-0100	Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	1	PLG PLG
10 00 0100	INTERIOR LIGHTS	'	PLG
46-10-1L00	(6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR)	1	PLG
46-10-2000	Dome Lights Switched to LOW Mode w/Door Open		PLG
	g		

04/15/2025			Page 12
PART NO S	DESCRIPTION	QTY	ID
46-10-4010	< Tecniq E41 Strip Lights, Ceiling Raceway, Blue		PLG
	Tecniq E41 LED strip lights shall be mounted the length of the raceway, both sides.		
	Lights will be controlled by a single switch in the rear main switch panel.		
	EXTEDIOD COMPARTMENT LICUTE		DI C
46-20-1075	EXTERIOR COMPARTMENT LIGHTS < Lights, Ext. Compartments, TecNig LED E44 Strip Lights	1	PLG PLG
40-20-1075	 Lights, Ext. Compartments, TecNiq LED E44 Strip Lights (Vertical Linear Lights) 		FLG
	(Vertical Linear Lights)		
46-20-1350	Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1 '	PLG
40 20 1000	AUXILIARY INTERIOR LIGHTING	•	PLG
46-20-2000	Heavy Duty LED panel Light, (Life Support Station Area)	1 '	PLG
46-20-2550	Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel		PLG
46-20-4100	< Whelen PSRASXCR - Brake/Tail/Turn - Interior, Above Rear Doors		PLG
	Mounted above rear entry doors		_
	,		
46-25-1000	Interior Cabinet Lights, TecNiq E44 LED Strip Lights, White	6	PLG
	Specify individual cabinets requiring lights (do not list "all")		
	Splint Cabinet		
	Left rear upper		
	Left rear middle		
	LSS Upper		
	Cabinet head of LSS		
	RFC Lower		
40.00.4400	0, 11, 1, 150 1 , 1, 10, 151 51 5		I DI O
46-30-1100	Stepwell Light, LED, Located at Side Entrance Door		PLG PLG
46-40-1P00 46-40-3M00	TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4) < Windup "checkout" Timer, Side Door, Shoreline only		PLG
40-40-31/100	Windup "checkout" Timer, Side Door, Shoreline only 60 minute windup timer at side door, active with shoreline only	1	PLG
	oo minute windup timer at side door, active with shoreline only	,	
46-40-4000	Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000	Dome Light Switch, (1) Left, (1) Right		PLG
10 00 1000	MEDICAL OUTLETS	•	PLG
47-20-1000	12 volt Medical Outlet, Power Point, Loc: LSS Wall	1 '	PLG
47-20-2000	12 volt Medical Outlet, Power Point, Loc: Right Front In/out		PLG
47-20-2600	Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear		PLG
47-50-2P20	< > USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Cab Switch Panel		PLG
	For USB charging, Hot with body power or shoreline		
	Max Output: 45 Watts (USB-C) / 18 Watts (USB-A)		
	Will occupy one switch space.		
47-50-2P30	< > USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Rear Main Switch	1	PLG
	Panel		
	For USB charging, Hot with body power or shoreline		
	Max Output: 45 Watts (USB-C) / 18 Watts (USB-A)		
	Will occupy one switch space.		
	ANTENNA/COMMUNICATION DADIO		DI C
47-60-0300	ANTENNA/COMMUNICATION RADIO < (3) Antenna Leads, Body Roof - (See PDF)	1	PLG PLG
T1-00-0000	Unless otherwise specified, lead will route to:		1 20
	(1) Front console		
	(1) LSS	I	
	(1) Behind Driver's Seat		
47-60-6200	< > Radio Power Lead, Rear Main Switch Panel	1	PLG
	Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge		
	marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.		
47-60-6500	< > Radio Power Lead 30 Amp, 10 ga. Cab Console	1	PLG
	Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched	/ire	

04/15/2025			Page 13
PART NO S	DESCRIPTION QT with 20 amp circuit protection.	Υ	ID
47-60-7000	< > Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt switched wire w/fuse holder and 40 amp fuse.	1	PLG
	MISCELLANEOUS 12 VOLT ELECTRICAL	ı	PLG
48-15-1885	< FRC In View 360 HD Camera System (Black Housing) with DVR, Interior Camera		PLG
	Includes 5 HD cameras Camera locations: (1) front grille, (1) rear body, (2) side body -one per side, (1) interior camera to be located on the front head bumper. ECU location: Behind Driver's Seat. GPS Receiver: On top of dash. The system shall provide split video feed with bird's-eye view and individual camera views. It shall be capable of integrating with an existing vehicle system for an automatic camera view, which seamlessly switches from front/left/right/rear views based on turn signal and reverse activation. It shall also feature a switch module that allows the operator to override the default camera view. View and Event buttons will be installed on front switch panel. The system has a built-in DVR for recording. (SD		
	card not included)	l	
48-20-2000 48-50-3050	> Speakers w/ On/Off Control Rear Sw Panel < Intellitec, Clock over rear doors i/l/o LSS Location: Above rear entry doors, centered on rear headbumper		PLG PLG
40.00.0700		1	DI O
48-60-3700 48-60-3720	Liquid Spring Control Left Rear Door Open w/ Override switch < Liquid Spring Control Side Entrance Door with override switch (Front suspension) Override switch at side door, will prevent side door from lowering front/ rear suspension		PLG PLG
48-80-5000	< > 12 Volt Hot power lead, Utility, behind drivers seat The vehicle shall be pre-wired with a 12 volt HOT power lead terminating behind the driver's seat. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled.	1	PLG
	Location: Behind the driver's seat with 6ft lead.		
	Connected to common 12V hot circuit. Total capacity of all connected leads/ power points is 20 amps.		
48-80-5020	< 12 Volt Hot power lead, Utility, front console The vehicle shall be pre-wired with a 12 volt HOT power lead terminating inside the cab front console. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled.	1	PLG
	Location: Inside the cab front console with 6ft lead.		
	Connected to common 12V hot circuit. Total capacity of all connected leads/ power points is 20 amps.		
48-80-5050	Power lead, dedicated for Knox Box or Medvault fused at 5 amps, hot at all times PL will provide a dedicated wire fused at 5 amps, wired to Knox Box/ Medvault Location. Wire will be Hot at all times. right front cabinet	1	PLG
48-80-5060	< > 12 Volt Hot power lead, Utility, exterior compartment "B" The vehicle shall be pre-wired with a 12 volt HOT power lead terminating in the exterior compartment "B". The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled.	1	PLG

Location: Upper Rear Right Comer of compartment with 6ft lead exposed in the compartment. Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. 8-80-5090 < > 12 Volt Hot power lead, Utility, interior other The vehicle shall be pre-wired with a 12 volt HOT power lead terminating in the specified location. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled. Location: Front Header patient module - for Sentinel 300 air ionizer system Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. ELECTRICAL 115 VOLT AC Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1-20-7055 Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1-20-7055 Shoreline, 20amp Auto-Eject Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline. Shoreline - Amber Indicator Battery Charger - Green Indicator Lights Battery Charger - Green Indicator Lights Shoreline - Amber Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator Lights Shoreline - Amber Indicator Battery
Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. 18-80-5090
Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. 18-80-5090
Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. 18-80-5090 Society PLG
points is 20 amps. R-80-5090 S 12 Volt Hot power lead, Utility, interior other
1 PLG 1 PL
The vehicle shall be pre-wired with a 12 volt HOT power lead terminating in the specified location. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled. Location: Front Header patient module - for Sentinel 300 air ionizer system
The vehicle shall be pre-wired with a 12 volt HOT power lead terminating in the specified location. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled. Location: Front Header patient module - for Sentinel 300 air ionizer system
specified location. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled. Location: Front Header patient module - for Sentinel 300 air ionizer system Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. ELECTRICAL 115 VOLT AC PLG 51-20-5012 Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 < > Add'l Shoreline, 20amp Auto-Eject, Dedicated to 110/12 Volt Heat/AC Unit, BLUE 1 PLG Location: Left Side Mounted Next to 20 Amp Shoreline. 51-30-1500 < Shoreline/ Battery Charging Dual Indicator Lights 1 PLG Shoreline - Amber Indicator Battery Charger - Green Indicator Battery Charger - Green Indicator 51-32-2000 Power Distr Box, 115v, w/20 amp Circuit Bkr 1 PLG S2-10-1200 Hospital Grade Lighted Outlet, Location: L/S/S Wall 1 PLG S2-10-3000 Hospital Grade Lighted Outlet, Location: Right Front In/out 1 PLG BATTERY CHARGER / INVERTER CHARGER PLG S5-10-1225 < > Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes SefCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on tear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Conductor encased loom. The ends shall be capped, and the circuit labeled. Location: Front Header patient module - for Sentinel 300 air ionizer system Connected to common 12V hot circuit. Total capacity of all connected leads/ polwer points is 20 amps. ELECTRICAL 115 VOLT AC PLG 51-20-5012 Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 > Add'l Shoreline, 20amp Auto-Eject, Dedicated to 110/12 Volt Heat/AC Unit, BLUE 1 PLG Location: Left Side Mounted Next to 20 Amp Shoreline. Shoreline - Amber Indicator Battery Charger - Green Indicator Battery Charger - Green Indicator Power Distr Box, 115v, w/20 amp Circuit Bkr 1 PLG Shoreline Grade Lighted Outlet, Location: L/S/S Wall Delete Hospital Grade Lighted Outlet, Location: Left Rear 1 PLG S2-10-2500 Delete Hospital Grade Lighted Outlet, Location: Right Front In/out 1 PLG BATTERY CHARGER / INVERTER CHARGER PLG S5-10-1225 > Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Connected to common 12V hot circuit. Total capacity of all connected leads/ power points is 20 amps. ELECTRICAL 115 VOLT AC Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 > Add'l Shoreline, 20amp Auto-Eject, Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline. 1 PLG Shoreline - Amber Indicator 1 PLG Sc-10-1200 1 PLG Sc-10-1
Connected to common 12V hot circuit. Total capacity of all connected leads/ power points is 20 amps. ELECTRICAL 115 VOLT AC Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 > Add'l Shoreline, 20amp Auto-Eject, Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline. 1 PLG Shoreline - Amber Indicator 1 PLG Sc-10-1200 1 PLG Sc-10-1
ELECTRICAL 115 VOLT AC ELECTRICAL 115 VOLT AC Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 < > Add" Shoreline, 20amp Auto-Eject , Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline. 51-30-1500 < Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator 51-32-2000 Power Distr Box, 115v, w/20 amp Circuit Bkr Hospital Grade Lighted Outlet, Location: L/S/S Wall PLG 52-10-2500 Delete Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER S5-10-1225 <> Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG PLG PLG PLG PLG PLG PLG PL
ELECTRICAL 115 VOLT AC ELECTRICAL 115 VOLT AC Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 < > Add" Shoreline, 20amp Auto-Eject , Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline. 51-30-1500 < Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator 51-32-2000 Power Distr Box, 115v, w/20 amp Circuit Bkr Hospital Grade Lighted Outlet, Location: L/S/S Wall PLG 52-10-2500 Delete Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER S5-10-1225 <> Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG PLG PLG PLG PLG PLG PLG PL
Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 1 Shoreline, 20 amp Auto-Eject, Dedicated to 110/12 Volt Heat/AC Unit, BLUE 1 PLG Location: Left Side Mounted Next to 20 Amp Shoreline.
Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED 1 PLG 51-20-7055 1 Shoreline, 20 amp Auto-Eject, Dedicated to 110/12 Volt Heat/AC Unit, BLUE 1 PLG Location: Left Side Mounted Next to 20 Amp Shoreline.
S1-20-7055 S Add'l Shoreline, 20amp Auto-Eject , Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline. S1-30-1500 Shoreline Battery Charging Dual Indicator Lights Shoreline - Amber Indicator Battery Charger - Green Indicator Battery Charger - Green Indicator Battery Charger - Green Indicator S1-32-2000 Power Distr Box, 115v, w/20 amp Circuit Bkr 1 PLG Push P
Location: Left Side Mounted Next to 20 Amp Shoreline. Shoreline Shoreline Battery Charging Dual Indicator Lights 1 PLG Shoreline - Amber Indicator Battery Charger - Green Indicator
Shoreline - Amber Indicator Battery Charger - Green Indicator Battery Charger - Green Indicator S1-32-2000 Power Distr Box, 115v, w/20 amp Circuit Bkr Hospital Grade Lighted Outlet, Location: L/S/S Wall Delete Hospital Grade Lighted Outlet, Location: Left Rear Delete Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER S5-10-1225 S-10-1225
Shoreline - Amber Indicator Battery Charger - Green Indicator 51-32-2000 Power Distr Box, 115v, w/20 amp Circuit Bkr 52-10-1200 Hospital Grade Lighted Outlet, Location: L/S/S Wall Delete Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER FINVERTER CHARGER Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Battery Charger - Green Indicator Power Distr Box, 115v, w/20 amp Circuit Bkr 1 PLG 52-10-1200 Hospital Grade Lighted Outlet, Location: L/S/S Wall 1 PLG 52-10-2500 Delete Hospital Grade Lighted Outlet, Location: Left Rear 1 PLG 52-10-3000 Hospital Grade Lighted Outlet, Location: Right Front In/out 1 PLG
Power Distr Box, 115v, w/20 amp Circuit Bkr 1 PLG 52-10-1200 Hospital Grade Lighted Outlet, Location: L/S/S Wall 1 PLG 52-10-2500 Delete Hospital Grade Lighted Outlet, Location: Left Rear 1 PLG 52-10-3000 Hospital Grade Lighted Outlet, Location: Right Front In/out 1 PLG 62-10-3000 BATTERY CHARGER / INVERTER CHARGER PLG 65-10-1225 Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger PLG 65-10-1225 Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PLG 65-10-125 PLG 65-125 PLG 65-12
Hospital Grade Lighted Outlet, Location: L/S/S Wall Delete Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Right Front In/out Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER PLG S5-10-1225 Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Hospital Grade Lighted Outlet, Location: L/S/S Wall Delete Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Left Rear Hospital Grade Lighted Outlet, Location: Right Front In/out Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER PLG S5-10-1225 Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Delete Hospital Grade Lighted Outlet, Location: Left Rear 1 PLG 52-10-3000 Hospital Grade Lighted Outlet, Location: Right Front In/out 1 PLG BATTERY CHARGER / INVERTER CHARGER PLG 55-10-1225 Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger PLG Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PLG PAINT LUSTRE PLG
Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER 55-10-1225 < > Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
55-10-1225 < > Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Includes activation switch in rear switch panel (Standard Electric)) or Button on lear Vista Screen (VMUX Electric) PAINT LUSTRE PLG
Vista Screen (VMUX Electric) PAINT LUSTRE PLG
NI-UI-UIUD I EN Year Paint Warranti (Paint Liistre)
60-00-0007 Paint Adhesion Testing 1 PLG
BODY AND CAB PRIMARY PAINT PLG
60-10-0210 *Body and Cab Same Single Color 1 PLG
60-10-1800 < **Modular Body Paint Color Other Than Unit Standard White 1 PLG
Provide Paint Code
60-10-1995 < > Paint Rear Body Primary Color Only (for Chevron Application) 1 PLG
 S0-10-1995 Paint Rear Body Primary Color Only (for Chevron Application) Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the solid
single, primary color(for Chevron application)-
50-13-0900 < Modular Body Paint Color Red 1 PLG
Provide Paint Code
60-15-0850 < > *OEM Standard Chassis Color -order other than white 1 PLG
NOT ALL PAINT COLORS AVAILABLE FROM CHASSIS MANUFACTURER
Check current OEM paint color chart. CHECK WITH PL FACTORY ON
AVAILABILITY.
(Price to be adjusted when the factory verifies the Chassis can be ordered in color
specified)
60-15-1492 < ***Indicate here: Chassis OEM (non-white) color 1 PLG
INPUT: OEM Chassis Color: RACE RED

04/15/2025			Page 15
PART NO S	DESCRIPTION	QTY	ID
	INPUT: OEM Chassis Color Code:		
	ADDITIONAL VEHICLE PAINT, SECONDARY		PLG
61-05-0005	>>>Choose additional paint required>>>>		PLG
61-80-2210	Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails	1	PLG
	(*Note*)		
65-50-4020	< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors	1	PLG
	Reflective White 3/4" Outline		
	This provides the 60 sq.inch required for both general safety and KKK.		,
	REFLECTIVE CHEVRONS		PLG
65-65-0300	> Dia Grade 6" Chevron Rear Body +Upper CTR panel, no doors. Red /Fluor	1	PLG
	Yellow-Grn		
65-65-2086	 Dia. Grade Chevron Design, Inverted "V", (Red/Fluor, Yellow-Green), Compt. 	1	PLG
	Panels		
	Diamond Grade Chevron Design, all Inner Compartment Door Panels		
65-65-3110	< Dia.Grade Chevron Design, Inverted "V", (Red/Fluor.Yellow-Green) Ent. Doors	1	PLG
	Diamond Grade Chevron Design, all Lower Entrance Door Panels		
	TECHNICAL RADIO INSTALLATION		PLG
70-10-0500	No Technical Radio Installation	1	PLG
	CHASSIS EQUIPMENT		PLG
75-10-1S00	Stainless Steel Wheel Inserts F- 08+, with -19" wheel		PLG
75-30-1100	< Liquid Spring Suspension System (F550)	1	PLG
	Liq Spring for F550 with 18,000 GVW - DS147FS3		
75-30-2900	< > Liquid Spring Suspension, Front Axle, Ford F450/F550	1	PLG
	Front System requires rear Liquid Spring suspension.		
		ĺ	
	As per Liquid Spring, The left rear door activation will lower the rear suspension of	only.	
	Even when a vehicle is equipped with both front and rear Liquid Spring suspension		
	The Liquid Spring suspension will be lowered, front and rear, by a dedicated	bin	
	switch in the side door with an override switch located at the side door.	P	l
	Children and clad accidental and cromac children accidental accidental	Ĭ	
75-45-3550	> Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	< Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass		PLG
10 00 1200	Include Integrated clearance lights and turn signals.		0
	moldde megrated oledrande lights and tarn dighals.	İ	l
75-60-1000	Mud Flaps, Rear, Light Duty Chassis	1	PLG
75-95-2500	Ford Series Front End-Caster Camber Align		PLG
73-33-2300	EQUIPMENT	'	PLG
80-43-7000	< Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle)	1 1	PLG
00-43-7000	Model QA1205-DUAL-D-1 Located in the recessed stepwell area	, ,	ILLO
	•	Ī	1
	Qty (1)	l	
00 50 4000	David Oleves () Detail Makinla for Delivers		I DI C
80-50-1000	Prep, Clean & Detail Vehicle for Delivery	1	PLG
05 40 0404	CHASSIS		PLG
95-10-010A	< ** Chassis Model Year is not currently available to order	1	PLG
	Estimated pricing only		ı
	Pricing and specs subject to change chassis is available.	l	
05.40.0551			I DI G
95-12-255L	< 2025 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel	1	PLG
	Ford F550 Chassis Cab Four Wheel Drive		
	Wheelbase 193" - 108" CA Dual Rear		
	G.V.W. 18,000 lbs.		
	Powertrain/Functional:		
	Engine: 6.7L "Powerstroke" Turbo Diesel V8 300		

04/15/2025			Page 16
PART NO S	DESCRIPTION	QTY	ID
	hp @2800 RPM, 660 lbs torque @1600 RPM		
	Single Stage Turbo Charger		
	Instant Start Glow Plugs for quick engine starts		
	Diesel Emissions Fluid 6 gallon tank - mounted		
	behind frame rail on drivers side		
	Intelligent Oil Life Monitor		
	Engine block heater		
	Water Pump with 125 gallons per minute flow rate	ı	
	Transportation III and Duty "Transportity" Transportation		
	Transmission: Heavy Duty "TorqShift" Ten Speed Automatic	ı	1
	with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow		
	Electronic Shift on the Elywith outematic looking	I	ı
	Electronic Shift on the Fly with automatic locking front hubs with manual override.		
	HOIR Hubs with Haridal Overhue.	ı	
	Brakes - 4 wheel Anti-lock Braking System		
	Traction Control - DRW Models	l	ı
	Traction Control - Bitty Woods	I	Į.
	Fuel Capacity: 40 gallon single tank (aft axle)	1	
	Table Supusity. To guillott single tariit (ait axio)	I	Į.
	Front Axle: 7,000 lb. Monobeam, Dana Super 60	1	
	Rear Axle: 13,660lb. Full Floating Dana S110	1	I
	2 and 0 10		ı
	Suspension:	1	I
	Heavy Duty Front Coil Springs		
	Rear Leaf Springs, main & auxiliary		
	Shock absorbers, front & rear 1.38"		
	Stabilizer bar, front and rear		,
	Power Steering		
	Steering Damper		
	Instrumentation: multifunction switch message center -		
	Gauges: Oil Pressure, Coolant Temperature, Trans Temp,		
	w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost,		
	water in fuel warning light, low/contaminated diesel exhaust		
	fluid warning lights, glow plug preheat indicator	1	
	A 1 1 B B 1 11 EBA 0 11 E 1 1 1 4 E 1 1 1 4 E 1 1 1 1 1 E 1 1 1 1		
	Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L		1
	Engine Calibration significantly reduces the possibility of depower mode wher	ıl ın	
	stationary PTO mode	d /	
	Operator Commanded regen allowed down to 30% of DPF filter full instead of 100	γο	
	Stationary elevated idle control (SEIC) is built into the engine control module Must meet definition of Emergency Vehicle; ambulance or fire truck in the fed	lbrol	1
		ıeı aı	
	register		
	Rear axle 4.10 Limited Slip	1	l
	Dual OEM HD Alternators (total 410 amps) 67B		
	Dual 750 CCA Batteries	I	l
	Operated Commanded Regeneration (OCR) #98R		
	Special Communication (CON) Hour		1
			1
	Safety/Security:		
	Driver/Passenger frontal and side air bag/curtain		,
	Passenger side air bag deactivation switch		
	Belt-Minder - chime & flashing warning light on instrument panel if belts not buckle	ed	
	Safety Belts - color coordinated with height adjustment (front outboard seat		
	positions only)		
	SOS Post-Crash Alert System		
	Securi-lock Anti Theft Ignition		

04/15/2025			Page 1	7
PART NO S	DESCRIPTION	QTY	ID	I
	Tires:			Į
	Front & Rear LT225/70R 19.5G All Position (6) #THB		ı	
	Spare Tire: LT225/70R 19.5G (All Position)		ļ	ł
	Wheels; 10 hole Disc, 19.5" x 6" Steel		ı	
	Exterior Trim:		l	ı
	Dual Electric Horns		ı	
	Chrome Front Bumper & Grille Surround		l	ı
	Front Tow Hooks		I	١
	Lights - roof/marker clearance lights		I	ľ
	Dual Beam Jewel Effect Headlights			h
	High Mount Stop Light		1	Ī
	g			ı
	Mirrors: Black POWER Telescoping Trailer Tow with		1	ſ
	Power Heated Glass, Integrated clearance lights,			Ì
	Turn signals, LED security approach lights,			ſ
	Utility lighting System (LED side mirror spotlights) #54F			Ì
				ſ
	XLT Interior Cab Trim: #663A			ı
	Air Conditioning			ſ
	Cloth Headliner, Map Pockets			I
	AM/FM Radio w /MP3			I
				ı
	SYNC 4			
	4.2" LCD Productivity Screen in IPC (Instrument Panel Cluster)			ı
	8" LCD Touchscreen with Swipe Capability in DASH			
				J
	Overhead Console with dual storage bin and map lights			L
	Outside Temperature Display			Į
	Interval Windshield Wipers			L
	Tilt Steering Wheel/Speed Control - steering wheel mounted			Į
	Power Windows/Door Locks			L
	Black Vinyl Floor (No Floor Mats)			ŀ
	Headlights on audible alarm		1	Ļ
	Dual overhead Map Light			Į
	Daytime Running Lights		ı	Ļ
	Front seats, high series cloth - 40/20/40 #3S			ŀ
	Dalisan Assist Teshnolom		ı	
	Driver Assist Technology			ł
	Audible Lane Departure Warning	\ \ \	ı	ļ
	Pre-Collision Assist with Automatic Emergency Braking and forward collision warnin	ıg		ł
	Automatic High Beam Headlights		ı	ļ
	Color Scheme:		l	ł
	Exterior Color: Oxford White #Z1		1	١
	Interior Color: MEDIUM DARK SLATE		l	ľ
	Interior Color: MEDIOW DANK CEATE		I	١
95-12-6100	< > F450/F550 Aluminum Wheels Option (#64D)	1	PLG	ľ
00 12 0100	This option, when selected, takes precedence over the option in the standar		1	١
	chassis spec:	ŭ	1	ľ
	WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D			١
	REQUIRES SPECIAL ORDER CHASSIS		1	ſ
				ı
95-12-6151	< > F350/F450/F550 OEM Race Red (PQ)	1	PLG	Ī
	This option, when selected, takes precedence over the option in the standar			ı
	chassis spec:			ſ
	· ·			Ì
	OEM Race Red			ſ
				þ
	REQUIRES SPECIAL ORDER CHASSIS			
				J
				-

PART NO	S DESCRIPTION	QTY	ID
96-10-4099	SSChappin angial ordered to match had yealer CODD phagain required	4 1	DI C
90-10-4099	>>>Chassis special ordered to match body color, SOPR chassis required<<< Fuel "Full Tank" -F-Series	1	PLG PLG
96-32-1500	Fuel "Full Lank" -F-Series	1	PLG

Member Information

Indian River County

1801 27th Street

Vero Beach, FL 32960-3365

Jennifer L. Hyde, NIGP-CPP, CPPO, FCCM

Purchasing Manager

jhyde@indianriver.gov

(772) 226-1416

Member ID #85556

Department Information

Indian River County Fire Rescue Division

Emergency Services District

4225 43rd Avenue

Vero Beach, FL 32967

(772) 226-3900

Steve Greer, Asst. Fire Chief - EMS

sgreer@indianriver.gov





Contract Holder

P.L. Custom Body and Equipment Co., Inc. 2201 Atlantic Avenue

Manasquan, NJ 08736

Chad Newsome

National Sales Manager cnewsome@plcustom.com

(732) 223 1411

Sourcewell Contract # 122123-PLC

Dealer Information

South Florida Emergency Vehicles Kevin Burke 4655 Cummins Ct. Fort Myers, FL 33905

(239) 267-5300

kburke@sflev.com





13-May-25

P.L. Custom Body and Equipment Co., Inc. is the contract holder with Sourcewell. Our contract number is #122123 (award date 2.28.24). The model we are basing our quote on is PLC13.

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
PLC13	Type I AD Classic 170, Ford F-550 4x4 diesel, Body Length 170"	\$305,289.00	\$290,204.55
	Option Content Above Base Contract Model (PLC13).		
	See attached base specifications.		
	Published Option Pricing shown per contract #122123		
	Options in Green are part of Base Contract Model (PLC13).		
	Options in Blue are published option content		
	Options in RED are unpublished content.		
00-11-7075	170" CLASSIC BODY, 75" Headroom, w/Drop Skirt	\$3,158.00	\$3,000.00
03-00-1060	Chassis Type -Ford F-Series	\$0.00	\$0.00
	EXTERIOR		
10-10-1100	Modular Body Construction	\$0.00	\$0.00
10-10-2000	Structural Integrity Warranty	\$0.00	\$0.00
10-10-2070	Finite Element Analysis	\$0.00	\$0.00
10-10-2150	Compartments, Aluminum Brushed Finish, welded	\$421.00	\$400.00
10-10-2165	*****Engineering - process-note, Non-Diamond compartments selected	\$0.00	\$0.00
10-12-2000	Type I, Classic, Cab to body Pass-thru	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
10-15-4000	Body mounting, Type I, rubber donuts, L-Duty	\$0.00	\$0.00
10-20-3300	Lowered Body Skirts, with Intermediate Step	\$0.00	\$0.00
10-30-1000	Curbside 6" Dropskirt	\$1,053.00	\$1,000.00
10-30-1100	Streetside 6" Dropskirt	\$1,053.00	\$1,000.00
10-30-2000	Custom Body length, 1"-6"	\$5,264.00	\$5,001.00
	EXTERIOR DOORS, AMBULANCE		
11-10-1060	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	\$0.00	\$0.00
11-10-4060	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6)	\$0.00	\$0.00
11-10-4500	Keyless Entry Touch Pad, Side Entrance Door	\$1,000.00	\$950.00
11-10-V010	Keyless Entry Touchpad, Rear Entrance Door	\$1,089.00	\$1,034.00
11-20-1800	Gas Spring Pneumatic Door Checks -Classic & Titan	\$0.00	\$0.00
11-20-2020	Compart. "A" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-2030	Compart. "C" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-2050	Compart. "E" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-3000	Compart. "D" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-5000	Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum COMPARTMENT LAYOUT	\$0.00	\$0.00
12-10-4XSV	A left front 20w x 89h x21d (w/oxygen window)	\$1,974.00	\$1,874.54
12-16-8XSS	B left side 1/2 High - 43w x 45h x 20d	\$1,579.00	\$1,500.00
12-20-100A	"C" Left Rear, 1/2 High -31w x 39h x 20d	\$0.00	\$0.00
12-25-7XSS	D Right Front, In-Out Access - 20w x 58h x 33d above floor - 10d below floor	\$1,579.00	\$1,500.00
12-30-150B	"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	\$0.00	\$0.00
12-35-1000	"F" Left Side, Over Wheel, Pull-Out Drawer -32w x 5h x 16d	\$992.00	\$942.00
	COMPARTMENT DOOR PANELS, MATS, DECKING		
13-20-2080	All Compartment Door Panels, Alum, Brushed Finish -(w/ Chevron Design)	\$263.00	\$250.00
13-30-1P10	Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	\$0.00	\$0.00
13-30-2000	Vent Compartments to Exterior of Vehicle	\$0.00	\$0.00
13-40-1000	Dri-Dek, Floors of Compartment, Black	\$0.00	\$0.00
13-40-2500	Rubber Mat, Shelves, Exterior Compartment	\$0.00	\$0.00
13-40-2800	Turtle Tile Slip Resistant Stepwell Mat (removable)	\$0.00	\$0.00
	COMPARTMENT CONFIGURATIONS AND EQUIPMENT	γο.σσ	φ0.00
13-41-0160	Oxy Bracket, w/Adjustable Shelf, Compartment A, (No Light Under Shelf)	\$195.00	\$185.00
13-42-0300	(2) Adjustable Shelves, for compartment "B"	\$0.00	\$0.00
13-43-0300	(2) Adjustable Shelves, for compartment C	\$0.00	\$0.00
13-47-0450	Full Height Divider w/(2) Adjustable Shelves, Compartment "E"	\$574.00	\$545.00
13-70-0210	Bulbous mounts 3" for (2) backboards compt. "E" (i/l/o std)	\$174.00	\$165.00
13-70-0700	Hanger for Ferno EXL or #65 Scoop Compartment "E"	\$0.00	\$0.00
	REAR STEP BUMPER		
14-10-2780	Lift-up Rear Step, Recessed, (2) 4" Lts w/ Lic Plate Center	\$126.00	\$120.00
14-10-9500	**** Rear Step Bumper 4" LED Lights have been selected	\$0.00	\$0.00
14-20-1000	Rear Dock Bumpers, Bolted to Bumper Ends	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
	ALUMINUM DIAMOND PLATE ACCESSORIES		
15-10-1000	Front Corner Stone Guards, Polished Diamond Plate	\$0.00	\$0.00
15-15-1000	Front Body Stone Guard, Polished Diamond Plate	\$0.00	\$0.00
15-20-1050	Rub-Rails, C-Channel, Offset, Satin Finish	\$0.00	\$0.00
15 20 2500	Running Boards, Flare type, Non-Slip Dia. Plate w/grip strut (F450/F550 2-	¢1 FFC 00	ć1 470 00
15-30-2500	Door)	\$1,556.00	\$1,478.00
15-52-0100	Rear Diamond Plate Panel & Corner Guards	\$0.00	\$0.00
	EXTERIOR TRIM		
16-10-1000	Fenderettes, Rolled, Polished Stainless Steel	\$0.00	\$0.00
16-30-1550	License Plate Holder, Chrome on rear step riser w/LED Light	\$0.00	\$0.00
16-35-1010	Fuel Fill Housing, Cast products, Polished (F-Series)	\$0.00	\$0.00
16-36-1010	DEF Fill Housing, Cast products, Polished (F-Series)	\$0.00	\$0.00
16-55-1000	Tow Hooks, Rear Behind Step Riser, Painted	\$431.00	\$409.00
	EXTERIOR, MISCELLANEOUS		
17-50-1000	Undercoat Body	\$0.00	\$0.00
	BODY WINDOWS		
18-10-1000	Window, Side Door (18"W x 22"H), Sliding, 31% Tint	\$0.00	\$0.00
18-20-2000	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint	\$0.00	\$0.00
18-50-1000	Privacy Tint, Mylar, Side and Rear Doors	\$368.00	\$350.00
	INTERIOR CONSTRUCTION		
20-00-1000	Interior Construction Type - Standard Cabinets	\$0.00	\$0.00
	INSULATION		
20-10-1200	Super Insulation Package, additional Radiant Barrier to Interior Body	\$0.00	\$0.00
20-10-2000	Sound Deadened Insulation, Entrance Doors	\$0.00	\$0.00
20-10-3000	Sound Deadened, Compartment Doors	\$0.00	\$0.00
20-10-5000	Sub-Floor, Expanded PVC Polymer	\$0.00	\$0.00
	FRONT BULKHEAD		
21-10-0520	Type I, Classic, Cab to body Pass-thru, Hinged Window	\$474.00	\$450.00
21-30-1000	Climate Control Unit Over Cab to Body Passage	\$0.00	\$0.00
21-40-1500	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat	\$0.00	\$0.00
21-40-5250	Front Bulkhead cabinet, 1/2" acrylic doors, 2 shlvs	\$947.00	\$900.00
21-40-8200	Solid Surface counter, 1" lip, Front bulkhead cabinet	\$567.00	\$539.00
	RIGHT FRONT CABINET		
21-45-V066	Supply and Install "Knox Box" Med Vault, RF Upper	\$2,748.00	\$2,610.00
21-45-V067	Medi-Kool MK-Micro/H Micro Depth, Hinged on left, rear compressor, w/ Kit Lock	\$3,949.00	\$3,750.00
21-50-1000	Right front Lower, inside/outside storage	\$0.00	\$0.00
21-50-2000	Right front Lower, (2) adjustable shelves	\$0.00	\$0.00
21-60-1000	Right front cabinet Lower, 1/2" acrylic doors	\$0.00	\$0.00
	RIGHT SIDE BENCH LAYOUT		
22-00-1000	Squad Bench, Right side	\$0.00	\$0.00
22-21-0100	Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	\$0.00	\$0.00
22-24-1000	3 Glove Box Holder Cabinet at Head of Squad Bench	\$726.00	\$690.00
22-25-4130	Auxiliary Switch Panel, On Curbside Wall	\$947.00	\$900.00
22-25-4600	Recessed "D" bottles, head of Squad Bench, at stepwell	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
22-30-2000	Squad bench lid, Positive hold down device	\$0.00	\$0.00
22-35-3040	Drop in sharps/trash, w/Lexan Lids at head of squad bench	\$679.00	\$645.00
22-45-1015	Overhead cabinet 13-1/4" OAH-Life Defender lift-up re-stocking doors	\$447.00	\$425.00
22-50-0700	Dry erase writing surface, right rear (forward facing) wall	\$316.00	\$300.00
	LEFT SIDE MIDDLE (Base Cabinet)		
23-10-1000	Left side attendant seat-(CPR Seat)	\$0.00	\$0.00
23-10-3060	Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	\$0.00	\$0.00
23-10-5000	Seat cushion, fixed- (Single CPR Seat)	\$0.00	\$0.00
	LIFE SUPPORT STATION		
23-30-2000	Switch pod, above counter, vinyl covered	\$0.00	\$0.00
23-30-2010	Rear Main Switch Panel Located in Life Support Station Switch Pod	\$0.00	\$0.00
23-30-2250	**No Radio Cut-Outs to be provided in LSS**	\$0.00	\$0.00
23-31-1500	Cabinet head of switch pod, hinged door, 1 shelf	\$0.00	\$0.00
23-32-1090	(Increased Hgt) Upper cab.Squared off, Life Defender lift-up restock, 1 shelf	\$500.00	\$475.00
23-34-1524	Solid Surface counter, 1" lip, Left front, Color: Midnight Melange 9091ML	\$1,006.00	\$956.00
23-36-7000	Pull-out writing surface/storage drawer, L/S/S	\$947.00	\$900.00
23-37-0050	*Custom "Box-out" into compartment required (MASTER ONLY)	\$274.00	\$260.00
	LEFT REAR STORAGE CABINET	,	·
23-40-1010	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf	\$500.00	\$475.00
23-40-2000	Left rear full cabinet, middle, Life Defender sliding doors, 1 shelf	\$474.00	\$450.00
23-42-1524	Solid Surface counter, 1" lip, Left rear, Color: Midnight Melange 9091ML	\$418.00	\$397.00
23-44-2010	Trash/Sharps Combo, tip out, below left rear counter RIGHT REAR CABINET	\$382.00	\$363.00
23-70-0850	Right Rear In/out to Compartment "E", Facing Center Aisle	\$263.00	\$250.00
	INTERIOR CABINET DOORS		
24-10-4M00	Cabinet doors, Polycarbonate/Acrylic, Clear	\$0.00	\$0.00
24-15-1000	Handles, full length, sliding doors	\$0.00	\$0.00
24-20-1000	Positive closure devices hinged doors	\$0.00	\$0.00
24-25-1000	Unistrut, interior cabinet shelves, "Mini" ENTRANCE DOORS	\$0.00	\$0.00
24-30-2080	Ent. Door Panels, 3 section, Brushed Alum, Lowers, w/Chevron Design	\$158.00	\$150.00
24-30-V017	Side Entrance Door Trash can - 13QT rubbermaid	\$226.00	\$215.00
	ABOVE DOOR HEAD BUMPERS		
24-35-0100	Side Door Head Bumper	\$0.00	\$0.00
24-35-0500	Rear Door Head Bumper	\$0.00	\$0.00
	GRAB RAILS		
25-10-2675	Safety Yellow Grab Rail, 120" length, over squad bench	\$575.00	\$546.00
25-10-2775	Safety Yellow Grab Rail, 120" length, over cot	\$575.00	\$546.00
25-10-3575	Grab rail, Yellow, L shaped, Facing Stepwell - (Requires a fwd Cabinet)	\$265.00	\$252.00
25-10-3800	Safety Yellow Grab rail, 18", at rear entrance doors, (2)	\$428.00	\$407.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
25-11-1C00	Grab rail, 45 deg, Safety Yellow, side entrance door, (1)	\$542.00	\$498.00
25-11-2200	Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2) SEAT BELTS	\$742.00	\$705.00
25-50-2000	Seat belt, attendant seat, Qty (1)	\$0.00	\$0.00
25-51-1100	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts	\$632.00	\$600.00
25-51-2021	(2) Six point Seat Belt Harnesses w/ Comfort Pads - Curbside Seating	\$0.00	\$0.00
25-51-2031	(1) Six point Seat Belt Harness w/ Comfort Pads - Street Side Seat COT MOUNT and COT MODEL	\$0.00	\$0.00
26-35-1235	Power Load Install PL Supp Floor Plate, w/ Circuit, w/ Mini Rail Plate (SAE)	\$2,651.00	\$2,518.00
	I.V. HOLDER		
26-50-1M10	Rubber I.V. holder, dual, recessed, over cot	\$0.00	\$0.00
26-50-2100	Rubber I.V. holder, dual, recessed, over squad bench	\$0.00	\$0.00
27-10-1000	INTERIOR COLORS Ceiling, white Thermoplastic	\$0.00	\$0.00
27-10-1000 27-10-1500	Upper Laminate - Fashion Grey D381-60	\$0.00	\$0.00
27-10-1300 27-10-4200	Lower Laminate - Fashion Grey D381-60	\$0.00	\$0.00
27-10-4200	INTERIOR UPHOLSTERY	\$0.00	Ş0.00
27-20-5000	Upholstery, Flat-Seamless	\$0.00	\$0.00
27-20-5600	Upholstery Color: Gray	\$0.00	\$0.00
27 20 3000	ATTENDANT SEAT	φο.σσ	γο.σσ
27-36-5540	Ash Gray Attn Seat, EVS 18806B, 6pt restraint, Child Seat, Vac Formed	\$2,714.00	\$2,578.00
27-37-0100	** Confirm Seat color** - GRAY is the vehicle upholstery color FLOORING	\$0.00	\$0.00
27-52-4340	Loncoin II Flecks (disc), Moonstone Topseal (C157TS)	\$935.00	\$888.00
27-55-2000	Flooring rolled up side walls 3" CAB CONSOLE	\$0.00	\$0.00
27-72-1010	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series)	\$0.00	\$0.00
27-75-0100	**No Radio Cut-Outs to be provided in Cab Console**	\$0.00	\$0.00
27-75-2050	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) MISCELLANEOUS INTERIOR	\$0.00	\$0.00
28-40-1000	Wall protection, stainless steel, left side, 9 1/8"h	\$711.00	\$675.00
28-40-2000	Wall protection, stainless steel, right side, 7 5/8"h	\$711.00	\$675.00
28-45-1350	Glove box holder for (3) Boxes, recessed -over Rear ent. doors	\$526.00	\$500.00
28-50-1000	Fasten Seat Belt/No Smoking Sign OXYGEN AND SUCTION	\$0.00	\$0.00
30-10-1000	Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	\$0.00	\$0.00
30-10-2000	Oxy Outlet, Amico, single, right side- In Overhead Cabinet	\$0.00	\$0.00
30-20-1000	Oxygen Solenoid, Amico, w/ manual override & switch	\$0.00	\$0.00
30-30-1000	Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	\$0.00	\$0.00
30-30-2400	Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	\$0.00	\$0.00
30-40-3000	PL Oxygen Monitoring System	\$922.00	\$876.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
30-50-3005	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System	\$4,918.00	\$4,672.00
30-50-3850	***Attention: Please Specify Tank Letter Size used within this shop note	\$0.00	\$0.00
30-60-4000	Regulator, Oxygen, Large Tank, (PLC-9662)	\$0.00	\$0.00
30-80-1100	Wrench, Oxy Cylinder -(for EZE Loader)	\$0.00	\$0.00
	ELECTRICAL		
40-00-0500	Electrical System Warranty	\$0.00	\$0.00
40-00-1200	Electrical 12 VDC, Classic-Series	\$0.00	\$0.00
40-00-1900	Electrical 12 VDC Specifications	\$0.00	\$0.00
	CAB ELECTRICAL		
41-10-0100	Alternator, Dual with 410 amp combined output, OEM Ford F-Series	\$0.00	\$0.00
41-20-0800	Batteries, Dual Ford OEM, 1500CCA -(under hood)	\$0.00	\$0.00
41-30-3750	Module Activation, Ignition Switch	\$0.00	\$0.00
41-50-1000	Cab Under hood & Fender Electrical Connectors - Deutsch Type	\$0.00	\$0.00
	SWITCH PANEL		
42-10-1000	Voltmeter, Digital 8 to 18 volt, lighted	\$0.00	\$0.00
42-10-2400	Low Voltage Alarm, Indicator & Cancel Switch	\$0.00	\$0.00
42-15-2500	Rocker Switches, Carling Contura V	\$0.00	\$0.00
42-20-0500	Battery On indicator light	\$0.00	\$0.00
42-20-1000	Warning Indicator, Door open, Red	\$0.00	\$0.00
42-20-2000	Warning Indicator, Compt open, Amber	\$0.00	\$0.00
42-20-3000	Warning Indicator, Audible alarm, Door/Compt	\$0.00	\$0.00
42-20-4200	Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	\$0.00	\$0.00
42-21-0900	** Gooseneck Light Not Included with Vehicle **	\$0.00	\$0.00
42-25-6000	High Idle Activation, Ford OEM - F-Series	\$0.00	\$0.00
42-30-1000	Back-up alarm, w/resetting cancel switch	\$0.00	\$0.00
42-45-2200	Load Manager/Sequencer, PL Custom/Kussmaul (full time)	\$0.00	\$0.00
42-60-2400	Air Horn, (2) Buell 1062, bumper valance mount, 1/4 hp compressor	\$2,799.00	\$2,659.00
42-60-5000	Air Horn activation, Carling Momentary in Front Switch Panel	\$0.00	\$0.00
42-65-1300	Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	\$0.00	\$0.00
42-65-1500	Remote Keyless Entry w/Chassis Power Door Lock Control	\$0.00	\$0.00
42-65-2010	Power Door Lock Switch, Side Entrance Door	\$0.00	\$0.00
42-65-2020	Power Door Lock Switch, Rear Entrance Doors	\$0.00	\$0.00
42-65-2200	Pwr Door Lock Concealed Override Switch, Grille-(KKK)	\$0.00	\$0.00
42-65-3000	Keyless Entry Touch Pad, at Side Entr Door	\$0.00	\$0.00
	EMERGENCY WARNING EQUIPMENT		
	SIREN		
43-20-4G50	Siren, Whelen 295SLSA1, w/diag.	\$0.00	\$0.00
43-20-5000	Siren-Horn Switch	\$0.00	\$0.00
	SIREN SPEAKERS		
43-31-4310	Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2023-on	\$0.00	\$0.00
	FRONT LIGHT BAR		
43-40-0500	-No front Lightbar required-	\$0.00	\$0.00
1			

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
	REAR LIGHT BAR		
43-50-1000	-No rear Lightbar required-	\$0.00	\$0.00
43-51-V011	Whelen Traffic Advisor Control Head Only for (5) Rear Lights	\$1,573.00	\$1,494.00
	CAB MOUNTED LIGHTS		
43-68-A200	Whelen Independent CAB Flashing Lights, CLEAR Lens package	\$0.00	\$0.00
43-68-A210	** (4) Whelen ION Grille Lights Package	\$0.00	\$0.00
43-71-1440	(2) Upper Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS,	\$540.00	\$513.00
43-71-1440	Chrome Flang	γ 5-τ0.00	
43-71-1624	*** Flange & Backing Plate included with TION Light ***	\$0.00	\$0.00
43-71-3340	(2) Lower Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS,	\$540.00	\$513.00
	Chrome Flang		
43-71-3628	*** Flange & Backing Plate included with TION Light ***	\$0.00	\$0.00
43-71-4500	(2) Whelen TION LED Fender Light, Red, CLEAR LENS, Chrome Flange	\$0.00	\$0.00
43-71-7501	*** Flange included with ION Light ***	\$0.00	\$0.00
43-72-V087	Tracer Lights, Cab Runing Boards, Red/White DUO (WCX)	\$3,370.00	\$3,200.00
	BODY LIGHTING -<(Full Catalog PDF here)>		
	FRONT BODY VEHICLE LIGHTS -(Non-Emergency)		
43-A1-1700	(2) M6-Whelen, Directionals -LED, Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	\$465.00	\$442.00
43-A2-0050	* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	\$0.00	\$0.00
43-A2-0250	** (7) Front Upper Lights & Directionals	\$105.00	\$100.00
42 44 2440	*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens	ć0.00	¢0.00
43-A4-2440	package	\$0.00	\$0.00
43-A5-0030	Independent - Flash - No Vehicle Flasher - Non Synchronized	\$0.00	\$0.00
43-A5-0060	Program Flashing Lights to "Action Scan"	\$0.00	\$0.00
	FRONT BODY WARNING LIGHTS		
43-A7-1100	All Whelen M9 Flanges, Chrome -(M9FC)	\$0.00	\$0.00
43-B0-A250	M9-Whelen, Split Sup-LED, Red/White, Front - (Loc: F1)	\$464.00	\$441.00
43-B0-A900	M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	\$402.00	\$382.00
43-B0-B400	M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F3)	\$464.00	\$441.00
43-B0-B550	M9-Whelen, Sup-LED, Red, Front - (Loc: F4)	\$402.00	\$382.00
43-B0-C750	M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F5)	\$464.00	\$441.00
43-B0-C850	M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	\$402.00	-
43-B0-D350	M9-Whelen, Split Sup-LED, Red/White, Front - (Loc: F7)	\$464.00	
43-F0-C250	M9-Whelen, Split, Sup-LED, Red/White, Left Side - (Loc: LS1)	\$464.00	· ·
43-F0-D250	M9-Whelen, Split, Sup-LED, Red/White, Left Side - (Loc: LS4)	\$464.00	\$441.00
43-F4-C250	M9-Whelen, Split, Sup-LED, Red/ White, Right Side - (Loc: RS1)	\$464.00	
43-F4-D250	M9-Whelen, Split, Sup-LED, Red/White, Right Side - (Loc: RS4)	\$464.00	\$441.00
42 114 0500	REAR BODY WARNING (Flashing) LIGHTS	\$0.00	¢0.00
43-H1-0500	**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	\$0.00	
43-H5-C120	(3) Rear Upper Lights & (2) Window Level Lights	\$0.00	· ·
43-S1-0250	M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1)	\$464.00	•
43-S1-2000	M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7)	\$464.00	\$441.00
43-S1-C350	M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	\$402.00	\$382.00
43-S1-D100	M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	\$402.00	\$382.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
43-S6-V002	7x3 WhelenRear upper and lower lightsSOPR	\$3,770.00	\$3,580.00
43-T5-1200	*** Side Body Flashing Lights, Over Rear Wheel Package	\$0.00	\$0.00
43-T5-1930	M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	\$745.00	\$708.00
43-T5-3680	Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails	\$4,120.00	\$3,914.00
43-T6-1520	Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti	\$368.00	\$350.00
43-T6-1530	Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation	\$263.00	\$250.00
43-T6-2400	Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea (5) REAR NON-EMERGENCY LIGHTS	\$870.00	\$825.00
44-10-1500	Stop/Tail and Turn Signal-Light heads with clear lenses	\$0.00	\$0.00
44-26-0150	Stop/Tail, (2) M6 -Whelen Super LED -(clear Lens) w/Flange	\$253.00	\$240.00
44-26-0300	Back-up, (2) M6 - Whelen Super LED w/Flange	\$431.00	\$409.00
44-26-0550	Directional, (2) Whelen M6 Super LED -(clear Lens) Populated Arrow AUXILIARY NON-EMERGENCY LIGHTS	\$167.00	\$159.00
44-30-1000	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	\$0.00	\$0.00
44-30-3000	Lower Side Marker, Flash w/Directionals, (2) ea side	\$0.00	\$0.00
44-30-4200	Rear Step Bumper, 4" LED Lights (2)	\$337.00	\$320.00
44-30-5500	Running Board Illum Lights, (2), Heavy Duty LED 4" Recessed	\$389.00	\$370.00
44-35-1000	Rear Red Flasher/Brake Light Priority - (Rear Uppermost Lights) FLOOD LIGHTS	\$263.00	\$250.00
44-50-22B0	(2) M9 - Whelen, Super LED Scenelight, (2), Left side-(Loc:LS2, LS3)	\$1,232.00	\$1,170.00
44-50-24B0	(2) M9 - Whelen, Super LED Scenelight, (2), Right side-(Loc:RS2, RS3)	\$1,232.00	\$1,170.00
44-50-6550	Add'nl - Whelen Pioneer Plus Floods(PFP1) - (1) Lft. (1) Rt	\$2,726.00	\$2,590.00
44-50-7000	20" Hi-Viz 15 LED Mini Brow Light White, Front Body Condenser Mounted	\$1,263.00	\$1,200.00
44-60-1000	Right Side Scene Lights on with Side Door & Switch in Console	\$0.00	\$0.00
44-60-2000	Left Side Scene Lights w/On-Off Switch Console	\$0.00	\$0.00
44-60-3000	Rear Scene Lights on w/Rear Door Open/Reverse	\$0.00	\$0.00
44-60-4000	Rear Scene Lights, On-Off Switch in Console	\$0.00	\$0.00
44-60-5000	Right Side Scene Light Cancel Switch	\$0.00	\$0.00
44-60-6000	Rear Door Scene Light Cancel Switch	\$0.00	\$0.00
44-60-7000	Left/Right & Rear Flood Lights, On In Reverse CLIMATE CONTROL	\$0.00	\$0.00
45-10-1000	Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	\$0.00	\$0.00
45-30-3N00	Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L DIESEL F	\$6,960.00	\$6,612.00
45-30-4500	Super-Cool, Aux. A/C Condenser, 12V, Location: Front body	\$0.00	\$0.00
45-35-1100	Auxiliary Coolant Pump Climate Control System	\$0.00	\$0.00
45-35-V028	110v/12v Evap unit right Front Cabinet (E, F, Ram)	\$7,898.00	\$7,500.00
45-38-1080	Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light	\$1,000.00	\$950.00
45-39-1020	** Front Body Condenser Stainless MIII Finish	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
	CEILING CONFIGURATION		
45-99-0100	Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	\$0.00	\$0.00
	INTERIOR LIGHTS		
46-10-1L00	(6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR)	\$0.00	\$0.00
46-10-2000	Dome Lights Switched to LOW Mode w/Door Open	\$0.00	\$0.00
46-10-4010	Tecniq E41 Strip Lights, Ceiling Raceway, Blue	\$852.00	\$809.00
	EXTERIOR COMPARTMENT LIGHTS		
46-20-1075	Lights, Ext. Compartments, TecNiq LED E44 Strip Lights	\$0.00	\$0.00
46-20-1350	Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	\$0.00	\$0.00
	AUXILIARY INTERIOR LIGHTING		
46-20-2000	Heavy Duty LED panel Light, (Life Support Station Area)	\$0.00	\$0.00
46-20-2550	Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	\$0.00	\$0.00
46-20-4100	Whelen PSRASXCR - Brake/Tail/Turn - Interior, Above Rear Doors	\$300.00	\$285.00
46-25-1000	Interior Cabinet Lights, TecNiq E44 LED Strip Lights, White (6)	\$1,044.00	\$990.00
46-30-1100	Stepwell Light, LED, Located at Side Entrance Door	\$0.00	\$0.00
46-40-1P00	TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	\$0.00	\$0.00
46-40-3M00	Windup "checkout" Timer, Side Door , Shoreline only	\$0.00	\$0.00
46-40-4000	Rectangular Lights on "Checkout" Timer Circuit	\$0.00	\$0.00
46-50-1000	Dome Light Switch, (1) Left, (1) Right	\$0.00	\$0.00
	MEDICAL OUTLETS	4	40.00
47-20-1000	12 volt Medical Outlet, Power Point, Loc: LSS Wall	\$0.00	\$0.00
47-20-2000	12 volt Medical Outlet, Power Point, Loc: Right Front In/out	\$0.00	\$0.00
47-20-2600	Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	-\$20.00	-\$20.00
47-50-2P20	USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Cab Switch Panel	\$174.00	\$165.00
47-50-2P30	USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Rear Main Switch	\$174.00	\$165.00
47-30-21 30	Panel	Ş17 4 .00	7105.00
	ANTENNA/COMMUNICATION RADIO		
47-60-0300	(3) Antenna Leads, Body Roof - (See PDF)	\$0.00	\$0.00
47-60-6200	Radio Power Lead, Rear Main Switch Panel	\$0.00	\$0.00
47-60-6500	Radio Power Lead 30 Amp, 10 ga. Cab Console	\$0.00	\$0.00
47-60-7000	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat	\$0.00	\$0.00
	MISCELLANEOUS 12 VOLT ELECTRICAL FROM Niew 200 LID Compare Sustains (Block Housing) with DVB Interior		
48-15-1885	FRC In View 360 HD Camera System (Black Housing) with DVR, Interior Camera	\$5,532.00	\$5,255.00
48-20-2000	Speakers w/ On/Off Control Rear Sw Panel	\$0.00	\$0.00
48-50-3050	Intellitec, Clock over rear doors i/I/o LSS	\$442.00	\$420.00
48-60-3700	Liquid Spring Control Left Rear Door Open w/ Override switch	\$526.00	\$500.00
48-60-3720	Liquid Spring Control Side Entrance Door with override switch (Front suspension)	\$263.00	\$250.00
48-80-5000	12 Volt Hot power lead, Utility, behind drivers seat	\$263.00	\$250.00
48-80-5020	12 Volt Hot power lead, Utility, front console	\$263.00	\$250.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
48-80-5050	Power lead, dedicated for Knox Box or Medvault fused at 5 amps, hot at all	\$263.00	\$250.00
48-80-3030	times	\$205.00	\$250.00
48-80-5060	12 Volt Hot power lead, Utility, exterior compartment "B"	\$263.00	\$250.00
48-80-5090	12 Volt Hot power lead, Utility, interior other	\$263.00	\$250.00
	ELECTRICAL 115 VOLT AC		
51-20-5012	Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED	\$405.00	\$385.00
51-20-7055	Add'l Shoreline, 20amp Auto-Eject ,Dedicated to 110/12 Volt Heat/AC Unit,	\$564.00	\$536.00
31-20-7033	BLUE	\$304.00	\$330.00
51-30-1500	Shoreline/ Battery Charging Dual Indicator Lights	\$0.00	\$0.00
51-32-2000	Power Distr Box, 115v, w/20 amp Circuit Bkr	\$0.00	\$0.00
52-10-1200	Hospital Grade Lighted Outlet, Location: L/S/S Wall	\$0.00	\$0.00
52-10-2500	Delete Hospital Grade Lighted Outlet, Location: Left Rear	-\$25.00	-\$25.00
52-10-3000	Hospital Grade Lighted Outlet, Location: Right Front In/out	\$0.00	\$0.00
	BATTERY CHARGER / INVERTER CHARGER		
55-10-1225	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charge	\$2,040.00	\$1,938.00
	PAINT LUSTRE		
60-00-0005	Ten Year Paint Warranty (Paint Lustre)	\$0.00	\$0.00
60-00-0007	Paint Adhesion Testing	\$0.00	\$0.00
	BODY AND CAB PRIMARY PAINT		
60-10-0210	*Body and Cab Same Single Color	\$0.00	\$0.00
60-10-1800	**Modular Body Paint Color Other Than Unit Standard White	\$1,579.00	\$1,500.00
60-10-1995	Paint Rear Body Primary Color Only (for Chevron Application)	\$0.00	\$0.00
60-13-0900	Modular Body Paint Color Red	\$526.00	\$500.00
60-15-0850	*OEM Standard Chassis Color -order other than white	\$0.00	\$0.00
60-15-1492	***Indicate here: Chassis OEM (non-white) color	\$0.00	\$0.00
	ADDITIONAL VEHICLE PAINT, SECONDARY		
61-05-0005	>>>>Choose additional paint required>>>>	\$0.00	\$0.00
64 00 2240	Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails	¢0.00	¢0.00
61-80-2210	(*Note*)	\$0.00	\$0.00
CE EO 4030	Deflective White Tare String 2/4" Outline on interior of Fatrones Deers	¢0.00	¢0.00
65-50-4020	Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors	\$0.00	\$0.00
	REFLECTIVE CHEVRONS		
CE CE 0200	Dia Grade 6" Chevron Rear Body +Upper CTR panel, no doors. Red /Fluor	¢2.000.00	¢2 F2C 00
65-65-0300	Yellow-Grn	\$2,669.00	\$2,536.00
CE CE 200C	Dia. Grade Chevron Design, Inverted "V", (Red/Fluor, Yellow-Green), Compt.	¢2.722.00	¢2 F0F 00
65-65-2086	Panels	\$2,732.00	\$2,595.00
CE CE 2110	Dia.Grade Chevron Design, Inverted "V", (Red/Fluor.Yellow-Green) Ent.	¢1 047 00	¢005.00
65-65-3110	Doors	\$1,047.00	\$995.00
	TECHNICAL RADIO INSTALLATION		
70-10-0500	No Technical Radio Installation	\$0.00	\$0.00
	CHASSIS EQUIPMENT		
75-10-1S00	Stainless Steel Wheel Inserts F- 08+, with -19" wheel	\$0.00	\$0.00
75-30-1100	Liquid Spring Suspension System (F550)	\$13,448.00	\$12,776.00
75-30-2900	Liquid Spring Suspension, Front Axle, Ford F450/F550	\$7,632.00	\$7,250.00
75-45-3550	Reserve Air Tank 5 Gallon	\$0.00	\$0.00

Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass	\$0.00	¢0.00
	70.00	\$0.00
Mud Flaps, Rear, Light Duty Chassis	\$0.00	\$0.00
Ford Series Front End-Caster Camber Align EQUIPMENT	\$0.00	\$0.00
Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle)	\$0.00	\$0.00
Prep, Clean & Detail Vehicle for Delivery CHASSIS	\$0.00	\$0.00
** Chassis Model Year is not currently available to order	\$0.00	\$0.00
2027 Chassis Model Year Upgrade	\$15,791.00	\$15,000.00
F450/F550 Aluminum Wheels Option (#64D)	\$1,153.00	\$1,095.00
F350/F450/F550 OEM Race Red (PQ)	\$0.00	\$0.00
>>>Chassis special ordered to match body color, SOPR chassis required<<<	\$0.00	\$0.00
2027 Body Model Upgrade	\$47,372.00	\$45,000.00
Fuel "Full Tank" -F-Series	\$0.00	\$0.00
SUBTOTAL	\$520,797.00	\$494,902.09
DEALER SUPPLIED ITEMS		
Stryker cot - install customer supplied cot system	\$2,106.00	\$2,000.00
SFEV Supply / Install Sentinel 300 Air Ionizer	\$4,212.00	\$4,000.00
Radio Install - install customer supplied radios - (2)	\$3,686.00	\$3,500.00
Supply and install department graphics package - includes (4) placards	\$7,898.00	\$7,500.00
Travel - Inspection trips for (2) department personnel at factory	\$4,212.00	\$4,000.00
PDI - Pre-delivery inspection	\$2,106.00	\$2,000.00
Pickup and delivery	\$3,686.00	\$3,500.00
UNIT PRICE	\$548,703.00	\$521,402.09
(4) Matching Units	\$2,194,812.00	\$2,085,608.36
	Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle) Prep, Clean & Detail Vehicle for Delivery CHASSIS ** Chassis Model Year is not currently available to order 2027 Chassis Model Year Upgrade F450/F550 Aluminum Wheels Option (#64D) F350/F450/F550 OEM Race Red (PQ) >>>Chassis special ordered to match body color, SOPR chassis required<<< 2027 Body Model Upgrade Fuel "Full Tank" -F-Series SUBTOTAL DEALER SUPPLIED ITEMS Stryker cot - install customer supplied cot system SFEV Supply / Install Sentinel 300 Air Ionizer Radio Install - install customer supplied radios - (2) Supply and install department graphics package - includes (4) placards Travel - Inspection trips for (2) department personnel at factory PDI - Pre-delivery inspection Pickup and delivery UNIT PRICE	Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle) \$0.00 Prep, Clean & Detail Vehicle for Delivery \$0.00 CHASSIS ** Chassis Model Year is not currently available to order \$0.00 2027 Chassis Model Year Upgrade \$15,791.00 F450/F550 Aluminum Wheels Option (#64D) \$1,153.00 F350/F450/F550 OEM Race Red (PQ) \$0.00 >>>Chassis special ordered to match body color, SOPR chassis required<<< \$0.00 2027 Body Model Upgrade \$47,372.00 Fuel "Full Tank" -F-Series \$0.00 SUBTOTAL \$520,797.00 DEALER SUPPLIED ITEMS Stryker cot - install customer supplied cot system \$2,106.00 SFEV Supply / Install Sentinel 300 Air Ionizer \$4,212.00 Radio Install - install customer supplied radios - (2) \$3,686.00 Supply and install department graphics package - includes (4) placards \$7,898.00 Travel - Inspection trips for (2) department personnel at factory \$4,212.00 PDI - Pre-delivery inspection \$2,106.00 Pickup and delivery \$3,686.00 UNIT PRICE \$548,703.00