

April 2004

Tripson Trail

Traffic Impact Analysis

Prepared for:

Adrian Home Communities, Ltd.
2450 S.W. 137th Avenue, Suite 228
Miami, FL 33175

Prepared by:

Kimley-Horn and Associates, Inc.
601 21st Street, Suite 400
Vero Beach, FL 32960



Kimley-Horn
and Associates, Inc.

Stan Boling

From: Jeanne Bresett
Sent: Tuesday, August 17, 2004 1:15 PM
To: Stan Boling
Cc: Chris Mora; Geoff Bass
Subject: FW: Tripson Trail

In addition to the below improvements, the developer must enter into a formal agreement to share in the cost of upcoming improvements to the 43rd Avenue and SR60 intersection.

Jeanne

-----Original Message-----

From: Jeanne Bresett
Sent: Tuesday, August 17, 2004 9:26 AM
To: Stan Boling
Cc: Chris Mora; Geoff Bass
Subject: RE: Tripson Trail

Stan:

The required improvements for the above referenced project are as follows and need to be included as conditions of site plan approval:

- 1) Southbound right-turn on 43rd Avenue at 21st Street SW
- 2) Northbound left-turn lane on 43rd Avenue at 21st Street SW
- 3) Eastbound left-turn lane on 21st Street SW at 43rd Avenue
- 4) Westbound left-turn lane on 21st Street SW to serve south project entrance
- 5) Westbound right-turn lane at project entrance to serve north project entrance
- 6) Dual egress lanes at both of the project entrances on 21st Street SW
- 7) 40' corner clip at 25th Street SW and 43rd Avenue (northwest corner)
- 8) 40' corner clips at 21st Street SW and 43rd Avenue (northwest and southwest corners)
- 9) \$25,000.00 developer's contribution for future traffic signal at 21st Street SW and 43rd Avenue

If you have any questions, please contact me.

Jeanne Bresett, Traffic Analyst
 Indian River County Traffic Engineering
 1840 25th Street
 Vero Beach, FL 32960
 (772) 567-8000, ext. 1326

-----Original Message-----

From: Stan Boling
Sent: Tuesday, August 17, 2004 8:52 AM
To: Jeanne Bresett
Subject: RE: Tripson Trail

Yes. It'll go to PZC next week; I'm writing it up this week. Could you let me know all conditions? Thanks.....Stan

-----Original Message-----

From: Jeanne Bresett
Sent: Monday, August 16, 2004 10:10 AM
To: Stan Boling
Subject: Tripson Trail


Based on results of the traffic study and in accordance with IRCLDR's, a southbound left-turn lane is required on 43rd Avenue at the project entrance. In addition, dual egress lanes are required at the project entrance.

Tripson Trail Traffic Impact Analysis

Prepared for:
Adrian Home Communities, Ltd.
Miami, FL 33175

Prepared by:
Kimley-Horn and Associates, Inc.
Vero Beach, Florida

April 2004



Brian Good, P.E.
Date: 4/27/04
Florida Registration No. 56939
Engineering Business No. 696

0475500021100

*The entirety of this report, including text and images, is property of
Kimley-Horn and Associates, protected under U.S. copyright law.
Copyright © 2004 Kimley-Horn and Associates, Inc.*

Table of Contents

	<u>Page</u>
Introduction.....	1
Project Traffic	3
Trip Generation.....	3
Trip Distribution and Assignment	4
Area of Influence	4
Study Area	4
Existing Traffic Conditions.....	6
Future Traffic Conditions	11
Arterial Analysis.....	19
Site Access.....	20
Conclusions.....	22
Appendix	

List of Figures


Figure 1 - Location Map	2
Figure 2 - Existing Peak-Season Peak-Hour Intersection Volumes	7
Figure 3 - 2007 Peak-Season Peak-Hour Intersection Volumes Without Project	12
Figure 4 - 2007 Peak-Season Peak-Hour Intersection Volumes With Project	16
Figure 5 - Total Driveway Volumes	21

List of Tables

Table 1 - Total Project Traffic	3
Table 2 - Determination of Study Intersections.....	5
Table 3 - Existing Peak-Season Peak-Hour Intersection Conditions.....	8
Table 4 - Existing Peak-Season Peak-Hour Roadway Conditions	9
Table 5 - 2007 Peak-Season Peak-Hour Intersection Conditions without Project	11
Table 6 - 2007 Peak-Season Peak-Hour Roadway Conditions without Project	13
Table 7 - 2007 Peak-Season Peak-Hour Intersection Conditions with Project	15
Table 8 - 2007 Peak-Season Peak-Hour Roadway Conditions with Project	17
Table 9 – HCS Arterial Level of Service Evaluation 2007 P.M. Peak Hour with Project	19

Introduction

Adrian Home Communities is proposing to construct 288 single family residences. The parcel proposed for development is located on the west side of 43rd Avenue south of Oslo Road at 21st Street S.W. A location map depicting the proposed project is provided as *Figure 1*. In accordance with Indian River County Land Development Regulations, a traffic impact analysis is required to document the external traffic impacts of this proposed development.



PROJECT LOCATION



Project Traffic

The anticipated traffic impacts associated with the proposed development were derived using a process of trip generation, distribution, and assignment in accordance with the requirements of the FDOT and Indian River County Land Development Regulations for the proposed development.

Trip Generation

A projection of the new trips associated with the proposed development was derived.

The estimate of these new trips was developed using the methodology and equations contained in the Institute of Transportation Engineers (ITE) *Trip Generation*, Seventh Edition, 2003 and the Indian River County Land Development Regulations. The trip generation characteristics of the 288 single family dwelling units were based on ITE Land Use 210: Single Family Detached Housing. The anticipated number of daily and PM peak hour trips is shown in *Table 1*.

Table 1 - Total Project Traffic

ITE	Land Use	Scale (d.u.)	Daily	PM Peak Hour		
				Enter	Exit	Total
210	Single Family	288	2,756	175	103	278
	New Project Trips		2,756	175	103	278

Project trips were determined for the buildout conditions. Entering and exiting percentages were based on those provided by ITE *Trip Generation* 7th Edition.

Trip Distribution and Assignment

The distribution and assignment of project trips was derived through a gravity model based on the transportation planning modeling programs contained in the Florida Standard Urban Transportation Modeling Structure (FSUTMS). The FSUTMS programs were employed to provide an objective distribution and assignment of project trips on the roadway network.

Area of Influence

In accordance with the Indian River County Land Development Regulations, an Area of Influence was determined for the project. This Area of Influence includes all thoroughfare network links impacted by the lesser of 5% of project traffic or 50 daily trips. For this project, 50 daily trips was the more restrictive criteria, therefore, it was the determining volume. PM peak-season peak-hour directional project traffic projections are provided under separate cover on the Concurrency Management System's Project Trip Assignment Form for the entire area of influence.

Study Area

The determination of study area intersections was also based on Indian River County Land Development Regulation criteria. Each intersection at which project traffic will exceed 2% of the FDOT Generalized level of service (LOS) capacities for LOS C of any approach link was included in the study area.

A table developed to identify study intersections is provided as *Table 2*.

Table 2 - Determination of Study Intersections

Intersection	Classification	LOS C Volume	2% LOS C	Approach Direction	Project Traffic	Project > 2% LOS C
20 th Avenue / Oslo Road	2 Ln Undiv	480	10	NB	0	No
	2 Ln Undiv	480	10	SB	2	No
	2 Ln Undiv	480	10	EB	10	Yes
	2 Ln Undiv	480	10	WB	16	Yes
27 th Avenue / Oslo Road	2 Ln Undiv	480	10	NB	0	No
	2 Ln Undiv	480	10	SB	0	No
	2 Ln Undiv	480	10	EB	20	Yes
	2 Ln Undiv	480	10	WB	18	Yes
27 th Avenue / 4 th Street	2 Ln Undiv	480	10	NB	7	Yes
	2 Ln Undiv	480	10	SB	12	Yes
	2 Ln Undiv	480	10	EB	0	No
	2 Ln Undiv	480	10	WB	0	No
27 th Avenue / 8 th Street	2 Ln Undiv	480	10	NB	7	No
	2 Ln Undiv	480	10	SB	9	No
	2 Ln Undiv	480	10	EB	0	No
	2 Ln Undiv	480	10	WB	4	No
27 th Avenue / 12 th Street	2 Ln Undiv	480	10	NB	5	No
	2 Ln Undiv	480	10	SB	7	No
	2 Ln Undiv	480	10	EB	0	No
	2 Ln Undiv	480	10	WB	2	No
43 rd Avenue / Oslo Road	2 Ln Undiv	480	10	NB	81	Yes
	2 Ln Undiv	480	10	SB	67	Yes
	2 Ln Undiv	480	10	EB	35	Yes
	2 Ln Undiv	480	10	WB	35	Yes
43 rd Avenue / 4 th Street	2 Ln Undiv	480	10	NB	38	Yes
	2 Ln Undiv	480	10	SB	61	Yes
	2 Ln Undiv	480	10	EB	0	No
	2 Ln Undiv	480	10	WB	4	No
43 rd Avenue / 8 th Street	2 Ln Undiv	480	10	NB	36	Yes
	2 Ln Undiv	480	10	SB	54	Yes
	2 Ln Undiv	480	10	EB	4	No
	2 Ln Undiv	480	10	WB	4	No
43 rd Avenue / 12 Street	2 Ln Undiv	480	10	NB	32	Yes
	2 Ln Undiv	480	10	SB	47	Yes
	2 Ln Undiv	480	10	EB	4	No
	2 Ln Undiv	480	10	WB	4	No
43 rd Avenue / 16 th Street	2 Ln Undiv	480	10	NB	28	Yes
	2 Ln Undiv	480	10	SB	40	Yes
	2 Ln Undiv	480	10	EB	4	No
	2 Ln Undiv	480	10	WB	4	No
43 rd Avenue / SR 60	2 Ln Undiv	480	10	NB	23	Yes
	2 Ln Undiv	480	10	SB	5	No
	6 Ln Div	2720	54	EB	18	No
	6 Ln Div	2720	54	WB	18	No
43 rd Avenue / 26 th Street	2 Ln Undiv	480	10	NB	3	No
	2 Ln Undiv	480	10	SB	5	No
	2 Ln Undiv	480	10	EB	0	No
	2 Ln Undiv	480	10	WB	0	No
Old Dixie Highway / Oslo Road	2 Ln Undiv	480	10	NB	5	No
	2 Ln Undiv	480	10	SB	2	No
	2 Ln Undiv	480	10	EB	6	No
	4 Ln Div	1120	22	WB	4	No
58 th Avenue / Oslo Road	2 Ln Undiv	480	10	NB	0	No
	4 Ln Div	1120	22	SB	30	Yes
	2 Ln Undiv	480	10	EB	5	No
	2 Ln Undiv	480	10	WB	21	Yes
66 th Avenue / Oslo Road	2 Ln Undiv	480	10	NB	0	No
	2 Ln Undiv	480	10	SB	0	No
	2 Ln Undiv	480	10	EB	5	No
	2 Ln Undiv	480	10	WB	3	No

Based on *Table 2*, the following intersections were determined to comprise the extent of the study area where detailed intersection analyses were required:

58 th Avenue / Oslo Road	43 rd Street / 16 th Street
43 rd Avenue / Oslo Road	43 rd Avenue / SR 60
43 rd Avenue / 4 th Street	27 th Avenue / Oslo Road
43 rd Street / 8 th Street	27 th Avenue / 4 th Street
43 rd Avenue / 12 th Street	20 th Avenue / Oslo Road

Existing Traffic Conditions


Indian River County Land Development Regulations require that ten intersections be analyzed. A summary of pertinent information regarding these counts is provided in the following table:

Traffic Count Information

Intersection	Count Date	PM Peak Hour	Peak Season Factor
58 th Avenue / Oslo Road	12/15/03	4:15 – 5:15	1.05
43 rd Avenue / Oslo Road	4/14/04	4:30 – 5:30	1.02
43 rd Avenue / 4 th Street	6/5/03	4:15 – 5:15	1.06
43 rd Avenue / 8 th Street	12/18/03	4:45 – 5:45	1.05
43 rd Avenue / 12 th Street	2/24/04	4:45 – 5:45	.98
43 rd Avenue / 16 th Street	5/29/03	5:00 – 6:00	1.06
43 rd Avenue / SR 60	7/29/03	3:15 – 4:15	1.07
27 th Avenue / Oslo Road	4/13/04	5:00 – 6:00	1.01
27 th Avenue / 4 th Street	9/9/03	4:45 – 5:45	1.06
20 th Avenue / Oslo Road	4/13/04	4:00 – 5:00	1.01

The peak hour volumes were the basis of the existing conditions analysis as well as the future traffic analysis as required by the Indian River County Land Development Regulations. The raw turning movement counts, which are included in the *Appendix* for reference, were converted to peak season levels using FDOT weekly adjustment factors as required by Indian River County and FDOT. *Figure 2* illustrates the existing peak-season peak-hour volumes at the study intersections.

Peak season volumes were used to perform an analysis of existing intersection operating conditions. These intersection analyses were performed using the signalized methodology contained in the *2000 Highway Capacity Manual*. The intersections were each analyzed as signalized. It was found that the study intersections are operating at acceptable levels of service during the existing peak season as shown in *Table 3*. Intersection analysis worksheets are included in the *Appendix*.



Kimley-Horn
and Associates, Inc.
601 21st Street, Suite 400, Vero Beach, FL 32960
Phone (772)562-7981 Fax (772)562-9689

DATE:
APR 15
SCALE:
NTS
D.N.

TRIPSON TRAIL
EXISTING PEAK-SEASON PEAK-HOUR
INTERSECTION VOLUMES

FIGURE NO:
2
PAGE

Table 3 - Existing Peak-Season Peak-Hour Intersection Conditions

Intersection	Existing LOS
58 th Avenue / Oslo Road	C
43 rd Avenue / Oslo Road ¹	C
43 rd Avenue / 4 th Street	B
43 rd Avenue / 8 th Street	B
43 rd Avenue / 12 th Street	B
43 rd Avenue / 16 th Street	B
43 rd Avenue / SR 60	D
27 th Avenue / Oslo Road	D
27 th Avenue / 4 th Street	C
20 th Avenue / Oslo Road	C

Notes: 1. Intersections improvements presently under construction have been incorporated into intersection analysis.

A summary of the peak-season peak-hour volumes and corresponding levels of service for the roadway links in the study area are shown in *Table 4*. This summary demonstrates that there are adequate levels of service on the roadway links. Level of service on all facilities is based on a Class Ia two-way arterial for state designated roadway segments and non-state roadways for city/county roadways.

Table 4 - Existing Peak-Season Peak-Hour Roadway Conditions

Roadway	Direction	PM Peak Hour Volume	LOS
58th Avenue:			
North of Oslo Road	NB	266	C
	SB	261	C
South of Oslo Road	NB	8	B
	SB	21	B
43rd Avenue:			
North of SR 60	NB	447	C
	SB	454	C
SR 60 to 16 th Street	NB	674	D
	SB	776	E
16 th Street to 12 th Street	NB	521	D
	SB	722	D
12 th Street to 8 th Street	NB	485	D
	SB	687	D
8 th Street to 4 th Street	NB	475	C
	SB	680	D
4 th Street to Oslo Road	NB	442	C
	SB	508	D
South of Oslo Road	NB	340	C
	SB	318	C
27th Avenue:			
North of 4 th Street	NB	491	D
	SB	770	E
4 th Street to Oslo Road	NB	484	D
	SB	686	D
South of Oslo Road	NB	527	D
	SB	665	D
20th Avenue:			
North of Oslo Road	NB	274	C
	SB	343	C
South of Oslo Road	NB	225	C
	SB	333	C
Oslo Road:			
West of 58 th Avenue	EB	214	C
	WB	155	C

Table 4 - Existing Peak-Season Peak-Hour Roadway Conditions (*continued*)

Roadway	Direction	PM Peak Hour Volume	LOS
58 th Avenue to 43 rd Avenue	EB	398	C
	WB	349	C
43 rd Avenue to 27 th Avenue	EB	513	D
	WB	531	D
27 th Avenue to 20 th Avenue	EB	446	C
	WB	578	D
East of 20 th Avenue	EB	473	C
	WB	658	D
4th Street			
West of 43 rd Avenue	EB	288	C
	WB	309	C
43 rd to 27 th Avenue	EB	315	C
	WB	352	C
East of 27 th Avenue	EB	330	C
	WB	454	C
8th Avenue			
West of 43 rd Avenue	EB	141	C
	WB	215	C
East of 43 rd Avenue	EB	217	C
	WB	317	C
12th Street			
West of 43 rd Avenue	EB	130	C
	WB	171	C
East of 43 rd Avenue	EB	191	C
	WB	279	C
16th Street			
West of 43 rd Avenue	EB	197	C
	WB	301	C
East of 43 rd Avenue	EB	256	C
	WB	380	C
SR 60			
West of 43 rd Avenue	EB	1363	C
	WB	1430	C
East of 43 rd Avenue	EB	1228	C
	WB	1291	C

Future Traffic Conditions

Tripson Trail Development is targeted to be complete in 2007. Accordingly, traffic conditions in 2007, with and without traffic from the proposed development, were evaluated.

Non-Project Traffic


Future traffic without the project was derived for 2007 peak season conditions. Existing peak season volumes were increased to reflect three years of projected growth in traffic volumes. An annual growth rate of 3.22% was utilized for the study area based on historical traffic data prepared by Indian River County for 43rd Avenue and Oslo Road. Growth rates were compounded annually to buildout.

Non-project traffic volume projections at the study intersection was analyzed using the signalized methodology contained in the 2000 *Highway Capacity Manual*. The 2007 peak-season hour volumes at the study intersection is provided in *Figure 3*. A summary of the future non-project level of service at the study intersection is provided in *Table 5*, while 2007 without project roadway conditions are provided in *Table 6*.

Table 5 - 2007 Peak-Season Peak-Hour Intersection Conditions Without Project

Intersection	LOS
58 th Avenue / Oslo Road	C
43 rd Avenue / Oslo Road ¹	C
43 rd Avenue / 4 th Street	B
43 rd Avenue / 8 th Street	B
43 rd Avenue / 12 th Street	B
43 rd Avenue / 16 th Street	C
43 rd Avenue/ SR 60	D
27 th Avenue / Oslo Road	D
27 th Avenue / 4 th Street	D
20 th Avenue / Oslo Road	D

Notes: 1. Intersections improvements presently under construction have been incorporated into intersection analysis.



**Kimley-Horn
and Associates, Inc.**
601 21st Street, Suite 400, Vero Beach, FL 32960
Phone (772)562-7981 Fax (772)562-9689

© 2003

DATE:
APR 15
SCALE:
NTS
D.N.

TRIPSON TRAIL
2007 PEAK-SEASON PEAK-HOUR
INTERSECTION VOLUMES WITHOUT PROJECT

FIGURE NO:
3
PAGE

Table 6 – 2007 Peak-Season Peak-Hour Roadway Conditions Without Project

Roadway	Direction	PM Peak Hour Volume	LOS
58th Avenue:			
North of Oslo Road	NB	293	C
	SB	287	C
South of Oslo Road	NB	9	B
	SB	24	B
43rd Avenue:			
North of SR 60	NB	447	C
	SB	454	C
SR 60 to 16 th Street	NB	665	D
	SB	776	E
16 th Street to 12 th Street	NB	573	D
	SB	794	E
12 th Street to 8 th Street	NB	533	D
	SB	755	D
8 th Street to 4 th Street	NB	522	D
	SB	747	D
4 th Street to Oslo Road	NB	486	D
	SB	558	D
South of Oslo Road	NB	374	C
	SB	349	C
27th Avenue:			
North of 4 th Street	NB	539	D
	SB	846	E
4 th Street to Oslo Road	NB	532	D
	SB	704	D
South of Oslo Road	NB	579	D
	SB	732	D
20th Avenue:			
North of Oslo Road	NB	303	C
	SB	377	C
South of Oslo Road	NB	249	C
	SB	367	C
Oslo Road:			
West of 58 th Avenue	EB	237	C
	WB	171	C

Table 6 – 2007 Peak-Season Peak-Hour Roadway Conditions Without Project
(continued)

Roadway	Direction	PM Peak Hour Volume	LOS
58 th Avenue to 43 rd Avenue	EB	437	C
	WB	384	C
43 rd Avenue to 27 th Avenue	EB	564	D
	WB	584	D
27 th Avenue to 20 th Avenue	EB	490	D
	WB	635	D
East of 20 th Avenue	EB	521	D
	WB	723	D
4th Street			
West of 43 rd Avenue	EB	316	C
	WB	340	C
43 rd Avenue to 27 th Avenue	EB	346	C
	WB	387	C
East of 27 th Avenue	EB	362	C
	WB	399	C
8th Avenue			
West of 43 rd Avenue	EB	154	C
	WB	238	C
East of 43 rd Avenue	EB	239	C
	WB	349	C
12th Street			
West of 43 rd Avenue	EB	142	C
	WB	198	C
East of 43 rd Avenue	EB	210	C
	WB	306	C
16th Street			
West of 43 rd Avenue	EB	218	C
	WB	331	C
East of 43 rd Avenue	EB	281	C
	WB	418	C
SR 60			
West of 43 rd Avenue	EB	1498	B
	WB	1574	C
East of 43 rd Avenue	EB	1350	B
	WB	1420	B


Total Traffic

Non-project future traffic and project trips were combined to provide 2007 peak season-peak hour traffic volumes. Project volumes and total volumes in 2007 are illustrated in *Figure 4*. These total volumes at the study intersection were evaluated using methodology contained in the *2000 Highway Capacity Manual*. The level of the study intersection at buildout is summarized in Table 7. Analysis worksheets are included in the Appendix.

Table 7 - 2007 Peak-Season Peak-Hour Intersection Conditions With Project

Intersection	LOS
58 th Avenue / Oslo Road	C
43 rd Avenue / Oslo Road ¹	C
43 rd Avenue / 4 th Street	B
43 rd Avenue / 8 th Street	B
43 rd Avenue / 12 th Street	B
43 rd Avenue / 16 th Street	C
43 rd Avenue / SR 60	D
27 th Avenue / Oslo Road	D
27 th Avenue / 4 th Street	D
20 th Avenue / Oslo Road	D

Notes: 1. Intersections improvements presently under construction have been incorporated into intersection analysis.



Kimley-Horn
and Associates, Inc.
601 21st Street, Suite 400, Vero Beach, FL 32960
Phone (772)562-7981 Fax (772)562-9689

DATE:
APR 15
SCALE:
NTS
D.N.

FIGURE NO:
4
TRIPSON TRAIL
2007 PEAK-SEASON PEAK-HOUR
INTERSECTION VOLUMES WITH PROJECT

PAGE

Table 8 – 2007 Peak-Season Peak-Hour Roadway Conditions With Project

Roadway	Direction	PM Peak Hour Volume	LOS
58th Avenue:			
North of Oslo Road	NB	311	C
	SB	317	C
South of Oslo Road	NB	9	B
	SB	24	B
43rd Avenue:			
North of SR 60	NB	450	C
	SB	459	C
SR 60 to 16 th Street	NB	697	D
	SB	818	B*
16 th Street to 12 th Street	NB	601	D
	SB	842	B*
12 th Street to 8 th Street	NB	565	D
	SB	808	D
8 th Street to 4 th Street	NB	558	D
	SB	809	D
4 th Street to Oslo Road	NB	525	D
	SB	624	D
South of Oslo Road	NB	455	C
	SB	486	D
27th Avenue:			
North of 4 th Street	NB	546	D
	SB	858	B*
4 th Street to Oslo Road	NB	541	D
	SB	769	B*
South of Oslo Road	NB	579	D
	SB	729	D
20th Avenue:			
North of Oslo Road	NB	304	C
	SB	379	C
South of Oslo Road	NB	249	C
	SB	367	C
Oslo Road:			
West of 58 th Avenue	EB	242	C
	WB	174	C

**Table 8 – 2007 Peak-Season Peak-Hour Roadway Conditions With Project
(continued)**

Roadway	Direction	PM Peak Hour Volume	LOS
58 th Avenue to 43 rd Avenue	EB	472	C
	WB	405	C
43 rd Avenue to 27 th Avenue	EB	583	D
	WB	619	D
27 th Avenue to 20 th Avenue	EB	500	D
	WB	653	D
East of 20 th Avenue	EB	530	D
	WB	739	D
4th Street			
West of 43 rd Avenue	EB	316	C
	WB	340	C
43 rd Avenue to 27 th Avenue	EB	347	C
	WB	389	C
East of 27 th Avenue	EB	362	C
	WB	499	D
8th Avenue			
West of 43 rd Avenue	EB	158	C
	WB	240	C
East of 43 rd Avenue	EB	241	C
	WB	353	C
12th Street			
West of 43 rd Avenue	EB	146	C
	WB	200	C
East of 43 rd Avenue	EB	212	C
	WB	270	C
16th Street			
West of 43 rd Avenue	EB	222	C
	WB	333	C
East of 43 rd Avenue	EB	283	C
	WB	422	C
SR 60			
West of 43 rd Avenue	EB	1516	B
	WB	1584	C
East of 43 rd Avenue	EB	1360	B
	WB	1438	B

Note: * Demonstrated to operate at a higher level of service than the generalized tables as a result of arterial analysis.

Arterial Analysis

Traffic Volumes on Oslo Road, 27th Avenue and 43rd Avenue, exceed 70% of LOS “E”, as such, a more detailed arterial analysis was performed using *HCS 2000 Version 4.1d*, which is based on methodologies outlined in the *Highway Capacity Manual*. The analysis was performed on Oslo Road from 43rd Avenue to 20th Avenue in the eastbound direction, Old Dixie Highway to 43rd Avenue in the westbound direction, 27th Avenue from 8th Street to Oslo Road in the northbound and southbound directions, and 43rd Avenue from SR 60 to Oslo Road in the northbound and southbound directions.

The results of the detailed arterial analysis are reported in Table 9. The links that failed to meet the Generalized Level of Services are expected to operate at an acceptable level of service as demonstrated by the detailed arterial analysis. Analysis sheets are included in the Appendix.

Table 9 – HCS Arterial Level of Service Evaluation – 2007 Peak Season-Peak Hour with Project

Roadway Link	Direction	Speed (MPH)	LOS
Oslo Road between 43 rd Avenue and 20 th Avenue	Eastbound	25.1	C
Oslo Road between Old Dixie Highway and 43 rd Avenue	Westbound	20.2	D
27 th Avenue between 8 th Street and Oslo Road	Northbound	33.9	B
27 th Avenue between 8 th Street and Oslo Road	Southbound	33.6	B
43 rd Avenue between SR 60 and Oslo Road	Northbound	26.7	C
43 rd Avenue between SR 60 and Oslo Road	Southbound	30.0	B


Site Access

The Tripson Trail Development has one access drive onto 43rd Avenue. *Figure 5* depicts the total project trips in the immediate vicinity of the project.


At buildout, the improvements required at the site access are as follows:

- Project Access / 43rd Avenue – Southbound right-turn lane

PROJECT



LEGEND



© 2003

Kimley-Horn
and Associates, Inc.
601 21st Street, Suite 400, Vero Beach, FL 32960
Phone (772)562-7981 Fax (772)562-9689

DATE:	MAR 26
SCALE:	NTS
DN.	

TRIPSON TRAIL
TOTAL DRIVEWAY VOLUMES

FIGURE NO.	5
PAGE	

Conclusions

Adrian Home Communities proposes to develop 288 single family residences. The property is located on the west side of 43rd Avenue south of Oslo Road at 21st Street S.W. An analysis of the traffic impacts associated with the proposed development was performed in accordance with FDOT and Indian River County requirements. The roadways in the vicinity of the site, as well as the study intersections, were evaluated to determine the existing and future levels of service.


The results of this analysis indicate that acceptable levels of service will be maintained at all study intersections and roadways serving the project. Furthermore, the project meets the requirements of Indian River County Concurrency Management System.

G:\47550000\Tripson Trails\Tripson Trail TIA.doc

Appendix

Appendix

DINLIY-HORD 9FB PL




Comment Line 1
 Comment Line 2
 Comment Line 3
 Comment Line 4

These Are The Default Titles
 Change These In The Preferences Window
 File Name : 58 AV @ OSLO ROAD
 Press the 'Saved Titles' Right Arrow Site Code : 03000112
 To Add A New Set of Titles Start Date : 12/15/2003
 Page : 1

Start Time	Groups Printed: 1 - Unshifted															Int. Total					
	58 AV Southbound					OSLO ROAD Westbound					58 AV Northbound					OSLO ROAD Eastbound					
	Left	Thro	Righ	Ped	App.	Left	Thro	Righ	Ped	App.	Left	Thro	Righ	Ped	App.	Left	Thro	Righ	Ped	App.	
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	
06:45 AM	28	1	11	0	40	0	46	35	0	81	0	0	0	0	0	3	21	0	0	24	145
Total	28	1	11	0	40	0	46	35	0	81	0	0	0	0	0	3	21	0	0	24	145
07:00 AM	25	1	8	0	34	1	55	29	0	85	0	0	1	0	1	4	25	0	0	29	149
07:15 AM	29	1	5	0	35	1	48	37	0	86	0	1	2	0	3	2	28	0	0	30	154
07:30 AM	31	2	5	0	38	1	42	47	0	90	0	3	2	0	5	7	53	0	0	60	193
Total	85	4	18	0	107	3	145	113	0	261	0	4	5	0	9	13	106	0	0	119	496
04:15 PM	44	4	13	0	61	0	23	49	0	72	0	1	1	0	2	7	31	0	0	38	173
04:30 PM	70	2	2	0	74	0	35	50	0	85	1	0	1	0	2	7	28	1	0	36	197
04:45 PM	49	4	4	0	57	3	36	59	0	98	0	1	0	0	1	12	40	2	0	54	210
Total	163	10	19	0	192	3	94	158	0	255	1	2	2	0	5	26	99	3	0	128	580
05:00 PM	50	0	6	0	56	3	28	51	0	82	0	2	1	0	3	15	61	1	0	77	218
End Total	326	15	54	0	395	9	313	357	0	879	1	8	8	0	17	57	287	4	0	348	1439
Approch %	82.5	3.8	13.7	0.0		1.3	48.1	52.6	0.0		5.9	47.1	47.1	0.0		16.4	82.5	1.1	0.0		
Total %	22.7	1.0	3.8	0.0	27.4	0.6	21.8	24.8	0.0	47.2	0.1	0.8	0.6	0.0	1.2	4.0	19.9	0.3	0.0	24.2	

These Are The Default Titles
 Change These In The Preferences Window Name : 58 AV @ OSLO ROAD
 Press the 'Saved Titles' Right Arrow Site Code : 03000112
 To Add A New Set of Titles Start Date : 12/15/2003
 Page : 2

Start Time	58 AV Southbound					OSLO ROAD Westbound					58 AV Northbound					OSLO ROAD Eastbound					Int. Total
	Left	Thru	Right	Ped	App. Total	Left	Thru	Right	Ped	App. Total	Left	Thru	Right	Ped	App. Total	Left	Thru	Right	Ped	App. Total	
Peak Hour From 04:15 PM to 05:15 PM - Peak 1 of 1																					
Intersection 04:15 PM																					
Volume	213	10	25	0	248	6	122	209	0	337	1	4	3	0	8	41	160	4	0	205	798
Percent	85.9	4.0	10.1	0.0		1.8	36.2	62.0	0.0		12.5	50.0	37.5	0.0	8	20.0	78.0	2.0	0.0		
High Int.	04:30 PM					04:45 PM					05:00 PM					05:00 PM					
Volume	70	4	13	0	74	3	36	59	0	98	1	2	1	0	3	15	61	2	0	77	218
Peak Factor					0.838					0.850										0.666	0.915



**Indian River County
Traffic Engineering
Traffic Signal Timing Sheet**

Intersection Number: 5Intersection Name: OSLO RD @ 58 AVEController Type: Peek 3000Date: 08/26/03

PHASE	1	2	3	4	5	6	7	8
APPROACH	EB/LT	W/B	SB/LT	N/B	WB/LT	E/B		S/B
INITIAL	5	20	5	6	5	20		6
PASSAGE	3	5	3	4	3	5		4
YELLOW	4	4	4	4	4	4		4
ALL RED	2	2	1.7	2	2	2		2
MAX 1	15	45	25	20	15	45		25
MAX 2								
WALK		7						7
PED CLEAR		21						12
MIN RECALL	X					X		
MAX RECALL								
PED RECALL								
NON LOCK	X		X	X	X			X
CNA 1								

PRE-EMPTION TIMING	GREEN BEFORE	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2-6	NO	YES	YES	2-6	4-8
				1-5		

TIMING BY: ANKENY

APPROVED BY: _____

Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

Weather: Clear

Counted By: R.S.


Board No.: 047050

Location: 43rd Avenue & Oslo Road

File Name : 43rd Ave_Oslo Road
 Site Code : 44444441
 Start Date : 04/13/2004
 Page No : 1

Groups Printed- Unshifted

Start Time	43rd Avenue From North					Oslo Road From East					43rd Avenue From South					Oslo Road From West					
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0	
04:00 PM	6	53	35	0	94	22	57	13	0	92	5	50	22	0	77	22	68	4	0	94	357
04:15 PM	3	36	32	0	71	22	50	6	0	78	13	37	10	0	60	10	71	2	0	83	292
04:30 PM	4	47	29	0	80	26	65	9	0	100	5	51	20	0	76	22	77	2	0	101	357
04:45 PM	2	40	31	0	73	25	66	10	0	101	12	56	14	0	82	15	77	1	0	93	349
Total	15	176	127	0	318	95	238	38	0	371	35	194	66	0	295	89	293	9	0	371	1355
05:00 PM	3	48	37	0	88	21	67	11	0	99	8	51	17	0	76	20	83	6	0	109	372
05:15 PM	2	67	39	0	108	29	61	7	0	97	13	71	19	0	103	19	72	3	0	94	402
05:30 PM	6	37	39	0	82	26	54	6	0	86	9	53	14	0	76	16	67	1	0	84	328
05:45 PM	1	37	30	0	68	32	57	8	0	97	7	41	9	0	57	13	62	2	0	77	299
Total	12	189	145	0	346	108	239	32	0	379	37	216	59	0	312	68	284	12	0	364	1401
Grand Total	27	365	272	0	664	203	477	70	0	750	72	410	125	0	607	137	577	21	0	735	2756
Apprch %	4.1	55.0	41.0	0.0		27.1	63.6	9.3	0.0		11.9	67.5	20.6	0.0		18.6	78.5	2.9	0.0		
Total %	1.0	13.2	9.9	0.0	24.1	7.4	17.3	2.5	0.0	27.2	2.6	14.9	4.5	0.0	22.0	5.0	20.9	0.8	0.0	26.7	




Weather: Clear
 Counted By: R.S.
 Board No.: 047050
 Location: 43rd Avenue & Oslo Road

Kimley-Horn and Associates, Inc.
 601 21st Street
 Vero Beach, Florida 32960

File Name : 43rd Ave_Oslo Road
 Site Code : 44444441
 Start Date : 04/13/2004
 Page No : 2

Start Time	43rd Avenue From North					Oslo Road From East					43rd Avenue From South					Oslo Road From West					Int. Total
	Rig ht	Thru u	Left	Ped s	App. Total	Rig ht	Thru u	Left	Ped s	App. Total	Rig ht	Thru u	Left	Ped s	App. Total	Rig ht	Thru u	Left	Ped s	App. Total	
Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1																					
Intersection n 04:30 PM																					
Volume	11	202	136	0	349	101	259	37	0	397	38	229	70	0	337	76	309	12	0	397	1480
Percent	3.2	57.9	39.0	0.0		25.4	65.2	9.3	0.0		11.3	68.0	20.8	0.0		19.1	77.8	3.0	0.0		
05:15	2	67	39	0	108	29	61	7	0	97	13	71	19	0	103	19	72	3	0	94	402
Volume Peak Factor																					0.920
High Int.	05:15 PM				04:45 PM				05:15 PM				05:00 PM								
Volume Peak Factor	2	67	39	0	108	25	66	10	0	101	13	71	19	0	103	20	83	6	0	109	
					0.808					0.983						0.818					0.911



Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

Weather: Clear


Counted By: R.S.

Board No.: 047050

Location: 43rd Avenue & Oslo Road

File Name : 43rd Ave_Oslo Road
 Site Code : 44444441
 Start Date : 04/13/2004
 Page No : 3

Start Time	43rd Avenue From North					Oslo Road From East					43rd Avenue From South					Oslo Road From West					
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1																					
Approach	By	04:45 PM				04:30 PM					04:30 PM					04:30 PM					
Volume	13	192	146	0	351	101	259	37	0	397	38	229	70	0	337	76	309	12	0	397	
Percent	3.7	54.7	41.6	0.0		25.4	65.2	9.3	0.0		11.3	68.0	20.8	0.0		19.1	77.8	3.0	0.0	05:00 PM	
High Int.	05:15 PM					04:45 PM					05:15 PM					05:00 PM					
Volume	2	67	39	0	108	25	66	10	0	101	13	71	19	0	103	20	83	6	0	109	
Peak Factor					0.813					0.983					0.818						0.911



Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

File Name : 43rd AVE 4th Street

Site Code : 66662222

Start Date : 06/05/2003

Page No : 1

Weather:


Counted By:

Board No.:

Location:

Groups Printed- Unshifted

Start Time	From North					From East					From South					From West					
	Left	Thru	Rig ht	Ped s	App. Total	Left	Thru	Rig ht	Ped s	App. Total	Left	Thru	Rig ht	Ped s	App. Total	Left	Thru	Rig ht	Ped s	App. Total	Int Total
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		
04:00 PM	17	110	10	0	137	11	29	12	0	52	19	79	5	0	103	6	31	23	0	60	352
04:15 PM	30	115	12	0	157	5	24	7	0	36	29	89	6	0	124	5	30	26	0	61	378
04:30 PM	25	121	8	0	154	13	41	12	0	66	25	84	9	0	118	12	44	24	0	80	418
04:45 PM	32	106	8	0	146	9	29	14	0	52	31	96	9	0	136	6	48	25	0	79	413
Total	104	452	38	0	594	38	123	45	0	206	104	348	29	0	481	29	153	98	0	280	1561
05:00 PM	20	140	14	0	174	16	49	10	0	75	21	95	15	0	131	2	24	25	0	51	431
05:15 PM	19	105	15	0	139	20	35	14	0	69	15	74	7	0	96	2	16	8	0	26	330
05:30 PM	13	61	21	0	95	15	26	3	0	44	24	72	7	0	103	4	30	19	0	53	295
05:45 PM	14	86	5	0	105	7	20	17	0	44	19	65	10	0	94	6	40	26	0	72	315
Total	66	392	55	0	513	58	130	44	0	232	79	306	39	0	424	14	110	78	0	202	1371
Grand Total	170	844	93	0	1107	96	253	89	0	438	183	654	68	0	905	43	263	176	0	482	2932
Approch %	15. 4	76. 2	8.4 0.0			21. 9	57. 8	20. 3	0.0		20. 2	72. 3	7.5 0.0			8.9 6	54. 5	36. 0.0			
Total %	5.8 8	28. 3.2	0.0 0.0		37.8	3.3	8.6	3.0	0.0	14.9	6.2 3	22. 2.3	0.0		30.8	1.5	9.0	6.0	0.0		16.4



Comment Line 1
 Comment Line 2
 Comment Line 3
 Comment Line 4

These Are The Default Titles
 Change These In The Preferences Window
 Press the 'Saved Titles' Right Arrow
 To Add A New Set of Titles

File Name : 8 ST @ 43 AV
 Site Code : 03000010
 Start Date : 12/18/2003
 Page : 1


Groups Printed: 1 - Unshifted																
43 AV Southbound						8 ST Westbound			43 AV Northbound			8 ST Eastbound			Int. Total	
Start Time	Left	Thro	Righ	Ped	App. Total	Left	Thro	Righ	Ped	App. Total	Left	Thro	Righ	Ped	App. Total	
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		
07:45 AM	16	94	10	0	120	9	38	19	0	66	12	128	27	0	187	13
Total	16	94	10	0	120	9	38	19	0	66	12	128	27	0	187	13
08:00 AM	23	69	17	0	109	10	30	29	0	69	14	139	13	0	166	15
08:15 AM	11	63	19	0	93	5	44	21	0	70	20	124	21	0	185	16
08:30 AM	15	67	26	0	108	9	49	30	0	88	18	116	31	0	165	19
Total	49	199	62	0	310	24	123	80	0	227	52	379	65	0	496	50
04:45 PM	18	131	3	0	152	9	39	18	0	66	9	101	7	0	117	4
Total	18	131	3	0	152	9	39	18	0	66	9	101	7	0	117	4
05:00 PM	16	132	3	0	151	20	42	17	0	79	3	107	15	0	125	3
05:15 PM	11	150	11	0	172	21	41	16	0	78	5	112	9	0	126	4
05:30 PM	20	161	6	0	187	17	37	25	0	79	6	87	6	0	99	3
05:45 PM	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
Total	47	443	20	0	510	58	120	59	0	237	14	308	30	0	350	9
Grand Total	130	867	95	0	1092	100	320	176	0	596	87	914	129	0	1130	76
Approch %	11.9	79.4	8.7	0.0		16.8	53.7	29.5	0.0		7.7	80.9	11.4	0.0		20.5
Total %	4.1	27.2	3.0	0.0	34.2	3.1	10.0	5.5	0.0	18.7	2.7	28.7	4.0	0.0	35.4	2.4
																1.7
																0.0
																11.6

41.45 5.45

These Are The Default Titles
 Change These In The Preferences Window
 Press the 'Saved Titles' Right Arrow
 To Add A New Set of Titles

File Name : 8 ST @ 43 AV
 Site Code : 03000010
 Start Date : 12/18/2003
 Page : 2

Start Time	43 AV Southbound					8 ST Westbound					43 AV Northbound					8 ST Eastbound					
	Left	Thru	Right	Ped	App.	Left	Thru	Right	Ped	App.	Left	Thru	Right	Ped	App.	Left	Thru	Right	Ped	App.	Int. Total
Peak Hour From 04:45 PM to 05:45 PM - Peak 1 of 1																					
Intersection 04:45 PM																					
Volume	65	574	23	0	662	67	159	76	0	302	23	407	37	0	467	13	105	16	0	134	1565
Percent	9.8	86.7	3.5	0.0		22.2	52.6	25.2	0.0		4.9	87.2	7.9	0.0		9.7	78.4	11.9	0.0		
High Int.	05:30 PM					05:00 PM					05:15 PM					05:15 PM					05:15
Volume	20	161	11	0	187	21	42	25	0	79	9	112	15	0	126	4	33	6	0	40	416
Peak Factor					0.885					0.956					0.927					0.837	0.941



Indian River County

Traffic Engineering

Traffic Signal Timing Sheet

Intersection Number: 74
 Intersection Name: 8th St @ 43 Ave

Controller Type: TRANSYT 1880EL
 Date: 06/26/03

PHASE	1	2	3	4	5	6	7	8
APPROACH	E/WB	S/NB						
INITIAL	6	15						
PASSAGE	4	5						
YELLOW	4	4						
ALL RED	1.2	1.2						
MAX 1	25	45						
MAX 2								
WALK	7							
PED CLEAR	10							
MIN RECALL		X						
MAX RECALL								
PED RECALL								
NON LOCK								
CNA 1		X						

PRE-EMPTION TIMING	GREEN BEFORE	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2	NO	YES	NO	2	1

REMOVED NON-LOCK ON EB/WB

FLASH 00:00 - 06:00

TIMING BY: ANKENY

APPROVED BY: _____

**Indian River County
Traffic Engineering
Traffic Signal Timing Sheet**

74

8th St @ 43 Ave

COORDINATION

CYCLE	1	2	3	4	5	6
SECONDS	70	80	90			

SPLIT #	1	2	3	4	5	6	7	8
PHASE 1	40%	40%	40%	40%	40%			
PHASE 2	60%	60%	60%	60%	60%			
PHASE 3								
PHASE 4								
PHASE 5								
PHASE 6								
PHASE 7								
PHASE 8								

	70	80	90	0	0	0
OFFSET %	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
MID	1	2	3	4	5	6
OFFSET 1		54	64			
AM	80	28				
PM		16	2			
AMO	62	48				
PMO	16	16				

	70	80	90	0	0	0
SPLIT #	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
MID	1	2	3	4	5	6
OFFSET 1		1	1			
AM	2	2				
PM		3	3			
AMO	4	4				
PMO	5	5				

**Indian River County
Traffic Engineering
Traffic Signal Timing Sheet**

74

8th St @ 43 Ave

TIME OF DAY PLAN

BASE DAY 0		BASE DAY 1		BASE DAY 2		BASE DAY 3		BASE DAY 4		BASE DAY 5		BASE DAY 6	
TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S
0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH		
6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE		
7:15	1/2/M	9:00	1/4/M	11:00	1/5/M	7:15	2/2/M	9:00	2/4/M	12:00	2/5/M	11:00	2/5/M
9:00	1/4/M	12:00	1/5/M	16:00	FREE	9:00	2/4/M	12:00	2/5/M	16:00	FREE		
11:30	2/1/M	17:00	FREE			11:30	3/1/M	17:00	FREE				
15:45	2/3/M					15:45	3/3/M						
18:15	1/5/M					18:15	2/5/M						
19:30	FREE					19:30	FREE						
WEEK SUMR	SAT SUMR	SUN SUMR	WEEK WINTR	SAT WINTR	SUN WINTR								

WEEK PLAN

WEEK PLAN 1	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	2	0	0	0	0	0	1

SUMMER

WEEK PLAN 2	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	5	3	3	3	3	3	4

WINTER

WEEK PLAN 3	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 4	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 5	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

YEAR PLAN

WEEK #	PLAN #
18 - 49	1
50 - 17	2

WEEK #	PLAN #

Indian River County Traffic Engineering Traffic Signal Timing Sheet

Intersection Number: 74

Intersection Name: 8th St @ 43 Ave

SPECIAL DAY PLAN

SPECIAL D. 0	SPECIAL D. 1	SPECIAL D. 2	SPECIAL D. 3	SPECIAL D. 4	SPECIAL D. 5	SPECIAL D. 6					
TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S
0:00	FREE	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH		
		6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE		
		9:00	1/4/M	11:00	1/5/M	9:00	2/4/M	11:00	2/5/M		
		12:00	1/5/M	16:00	FREE	12:00	2/5/M	16:00	FREE		
		17:00	FREE			17:00	FREE				
SAT SUMR		SUN SUMR		SAT WINTR		SUN WINTR					

SPECIAL DAY IMPLEMENT

FOR YEAR

2003-2004

Date	Week	Day	Special	Type	Special Day Plan
9/1/2003	36	2	Labor	Sat - S	1
11/11/2003	46	3	Veteran's	Sat - S	1
11/27/2003	48	5	Thanksgiving	Sun - S	2
12/25/2003	52	5	Christmas	Sun - W	4
1/1/2004	1	5	New Year's	Sun - W	4
5/31/2004	23	2	Memorial	Sat - S	1
7/5/2004	28	2	4-Jul	Sat - S	1

Comment Line 1
Comment Line 2
Comment Line 3
Comment Line 4


These Are The Default Titles
Change These In The Preferences Window:
Press the 'Saved Titles' Right Arrow
To Add A New Set of Titles
Site Code : 04000016
Start Date : 02/24/2004
Page : 1

Start Time	Groups Printed: Unshifted																	
	43rd AVENUE Southbound				12th STREET Westbound				43rd AVENUE Northbound				12th STREET Eastbound					
Factor	Left	Through	Right	Peds	Left	Through	Right	Peds	Left	Through	Right	Peds	Left	Through	Right	Peds	Int. Total	
07:00 AM	7	69	0	0	6	15	13	0	3	109	19	0	1.0	1.0	1.0	1.0		
07:15 AM	15	62	2	0	14	21	9	0	6	151	29	0	3	15	4	0	263	
07:30 AM	7	87	3	0	11	25	22	0	11	173	16	0	7	34	5	0	355	
07:45 AM	14	95	2	0	16	32	14	0	9	163	7	0	4	24	4	0	387	
Total	43	313	7	0	47	93	58	0	29	596	71	0	24	104	21	0	1406	
04:45 PM	15	147	5	0	15	42	11	0	4	94	10	0	4	37	3	0		
Total	15	147	5	0	15	42	11	0	4	94	10	0	4	37	3	0	387	
05:00 PM	8	134	4	0	17	34	13	0	3	93	7	0	2	21	3	0		
05:15 PM	10	170	1	0	15	39	19	0	6	98	12	0	3	29	9	0	339	
05:30 PM	18	159	1	0	18	41	20	0	4	117	10	0	1	18	2	0	411	
Total	36	463	6	0	50	114	52	0	13	308	29	0	6	68	14	0	1159	
Grand Total	94	923	18	0	112	249	121	0	46	998	110	0	34	209	38	0		
Apprch %	9.1	89.2	1.7	0.0	23.2	51.7	25.1	0.0	4.0	86.5	9.5	0.0	12.1	74.4	13.5	0.0	2952	
Total %	3.2	31.3	0.6	0.0	3.8	8.4	4.1	0.0	1.6	33.8	3.7	0.0	1.2	7.1	1.3	0.0		

L1415 S-45

These Are The Default Titles
 Change These In The Preferences Window:
 Press the 'Saved Titles' Right Arrow
 To Add A New Set of Titles
 File Name: 43rd AVENUE @ 12th STREET
 Site Code : 04000016
 Start Date : 02/24/2004
 Page : 2

	43rd AVENUE Southbound					12th STREET Westbound					43rd AVENUE Northbound					12th STREET Eastbound					
Start Time	Left	Thro ugh	Right	Peds	App. Total	Left	Thro ugh	Right	Peds	App. Total	Left	Thro ugh	Right	Peds	App. Total	Left	Thro ugh	Right	Peds	App. Total	Int. Total
Peak Hour From 04:45 PM to 05:45 PM - Peak 1 of 1																					
Intersection 04:45 PM																					
Volume	51	610	11	0	672	65	156	63	0	284	17	402	39	0	458	10	105	17	0	132	1546
Percent	7.6	90.8	1.6	0.0		22.9	54.9	22.2	0.0		3.7	87.8	8.5	0.0		7.6	79.5	12.9	0.0		
High Int.	05:15 PM					05:30 PM					05:30 PM					04:45 PM					
Volume	18	170	5	0	181	18	42	20	0	79	6	117	12	0	131	4	37	9	0	44	05:15 411
Peak Factor					0.928					0.899						0.874					0.750 0.940



Indian River County Traffic Engineering Traffic Signal Timing Sheet

Intersection Number:

73

Intersection Name:

12 ST @ 43 AVE

Controller Type: TRANSYT 3000

Date:

06/26/03

PHASE	1	2	3	4	5	6	7	8
APPROACH		SB		WB		NB		EB
INITIAL		15		6		15		6
PASSAGE		5		4		5		4
YELLOW		4		4		4		4
ALL RED		1.3		1.1		1.3		1.1
MAX 1		45		25		45		25
MAX 2								
WALK		10		5		10		5
PED CLEAR				12				11
MIN RECALL		X				X		
MAX RECALL								
PED RECALL								
NON LOCK				X				
CNA 1		X				X		

PRE-EMPTION TIMING	GREEN BEFORE GREEN	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2-6	YES	YES	NO	2-6	4-8

FLASH 00:00 - 06:00

TIMING BY: ANKENY

APPROVED BY: _____

Indian River County Traffic Engineering Traffic Signal Timing Sheet

73

12 ST @ 43 AVE

COORDINATION

CYCLE	1	2	3	4	5	6
SECONDS	70	80	90			

SPLIT >>	1	2	3	4	5	6	7	8
0 PH 1								
SB PH 2	60%	60%	60%	60%	60%			
0 PH 3								
WB PH 4	40%	40%	40%	40%	40%			
0 PH 5								
NB PH 6	60%	60%	60%	60%	60%			
0 PH 7								
EB PH 8	40%	40%	40%	40%	40%			

TIME	70	80	90	0	0	0
	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
1	4	9				
AM	40	78				
PM		67	59			
AMO	18	0				
PMO	44	70				

TIME	70	80	90	0	0	0
	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
1	1	1				
AM	2	2				
PM		3	3			
AMO	4	4				
PMO	5	5				

Indian River County Traffic Engineering Traffic Signal Timing Sheet

73

12 ST @ 43 AVE

TIME OF DAY PLAN

BASE DAY 1		BASE DAY 2		BASE DAY 3		BASE DAY 4		BASE DAY 5		BASE DAY 6		BASE DAY 7	
TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S
0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH		
6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE		
7:15	1/2/M	9:00	1/4/M	11:00	1/5/M	7:15	2/2/M	9:00	2/4/M	11:00	2/5/M		
9:00	1/4/M	12:00	1/5/M	16:00	FREE	9:00	2/4/M	12:00	2/5/M	16:00	FREE		
11:30	2/1/M	17:00	FREE			11:30	3/1/M	17:00	FREE				
15:45	2/3/M					15:45	3/3/M						
18:15	1/5/M					18:15	2/5/M						
19:30	FREE					19:30	FREE						
WEEK SUMR	SAT SUMR	SUN SUMR		WEEK WINTR	SAT WINTR	SUN WINTR							
WEEK PLAN													

WEEK PLAN 1	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	3	1	1	1	1	1	2

SUMMER

WEEK PLAN 2	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	6	4	4	4	4	4	5

WINTER

WEEK PLAN 3	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 4	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 5	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

YEAR PLAN

WEEK #	PLAN #
18 - 49	1
50 - 17	2

WEEK #	PLAN #

LOCATION: 43RD AV @ 16TH ST
 COUNTED BY: RANDALL BRENNAN
 DAY OF WEEK: THURSDAY
 WEATHER: CLEAR

INDIAN RIVER COUNTY
 TRAFFIC ENGINEERING
 1840 25th STREET
 VERO BEACH, FL. 32960

File Name : untitled2
 Site Code : 03000026
 Start Date : 05/29/2003
 Page : 1

Groups Printed: Unshifted


End Time	43RD AV From North				16TH ST From East				43RD AV From South				16TH ST From West				
	Right	Throu gh	Left	Peds	Right	Throu gh	Left	Peds	Right	Throu gh	Left	Peds	Right	Throu gh	Left	Peds	Int. Total
Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
08:00	7	99	17	0	20	22	4	0	17	191	14	0	11	20	8	0	430
Total	7	99	17	0	20	22	4	0	17	191	14	0	11	20	8	0	430
08:15	8	87	20	0	20	20	9	0	15	128	14	0	14	15	10	0	361
08:30	7	92	11	0	30	25	12	0	18	155	13	0	9	15	8	0	393
08:45	2	72	18	0	21	35	11	0	23	126	10	0	14	37	11	0	378
Total	17	251	47	0	71	80	32	0	54	410	37	0	37	67	29	0	1132
17:00	7	149	21	0	26	43	10	0	11	97	11	0	15	29	8	0	425
Total	7	149	21	0	26	43	10	0	11	97	11	0	15	29	8	0	425
17:15	14	162	22	0	28	43	17	0	15	109	8	0	14	23	1	0	454
17:30	13	166	26	0	33	54	13	0	6	127	16	0	18	32	5	0	509
17:45	11	159	18	0	36	47	11	0	10	116	17	0	11	28	4	0	464
Total	38	483	66	0	95	144	43	0	31	352	41	0	43	83	10	0	1427
Grand Total	69	982	151	0	212	289	87	0	113	1050	103	0	106	199	53	0	3414
Apprch %	5.7	81.7	12.6	0.0	36.1	49.1	14.8	0.0	8.9	82.9	8.1	0.0	29.6	55.6	14.8	0.0	
Total %	2.0	28.8	4.4	0.0	8.2	8.5	2.5	0.0	3.3	30.8	3.0	0.0	3.1	5.8	1.6	0.0	

50 - 6

**INDIAN RIVER COUNTY
TRAFFIC ENGINEERING
1840 25th STREET
VERO BEACH, FL. 32960**

File Name : untitled2
Site Code : 03000026
Start Date : 05/29/2003
Page : 2

End Time	43RD AV From North					16TH ST From East					43RD AV From South					16TH ST From West					
	Right V ug h	Thru I	Left L	Ped s	App. Total	Right R	Thru I	Left L	Ped s	App. Total	Right R	Thru I	Left L	Ped s	App. Total	Right R	Thru I	Left L	Ped s	App. Total	Int. Total
Peak Hour From 08:00 to 09:00 - Peak 1 of 1																					
Intersection 08:00																					
Volume	24	350	64	0	438	91	102	36	0	229	71	601	51	0	723	48	87	37	0	172	1562
Percent	5.5	79.9	14.6	0.0		39.7	44.5	15.7	0.0		9.8	83.1	7.1	0.0		27.9	50.6	21.5	0.0		
High Int.	08:00					08:30					08:00					08:45					
Volume	8	99	20	0	123	30	35	12	0	67	23	191	14	0	222	16	37	11	0	62	430
Peak Factor					0.890					0.854					0.814					0.694	0.908




**INDIAN RIVER COUNTY
TRAFFIC ENGINEERING
1840 25th STREET
VERO BEACH, FL 32960**

File Name : untitled2
 Site Code : 03000026
 Start Date : 05/29/2003
 Page : 3

Frac - Total No. 14

1/2 Hour From 17:00 to 18:00 - Peak 1 of 1
 Intersection 17:00

	Outbound						Inbound					
	Vol	In	Thru	Left	Peds	Vol	In	Thru	Left	Peds	Vol	In
Volumes	45	632	87	0	784	121	187	51	0	359	42	449
Percent	5.9	82.7	11.4	0.0		33.7	52.1	14.2	0.0		7.7	82.7
High Int.	17:30					17:30					9.8	0.0
Volume	14	166	26	0	205	36	54	17	0	100	15	127
Peak Factor											17	0
												149
												18
												32
												6
												0
												55
												509
												0.845
												0.910



**Indian River County
Traffic Engineering
Traffic Signal Timing Sheet**

Intersection Number:

59

Intersection Name:

16th ST @ 43 AveController Type TRANSYT 1880EL

Date:

07/10/01

PHASE	NB/SB	EB/WB				
INITIAL	15	6				
PASSAGE	5	4				
YELLOW	4	4				
ALL RED	1.8	1				
MAX 1	45	25				
MAX 2						
WALK	7	5				
PED CLEAR	7	16				
MIN RECALL	X					
MAX RECALL						
PED RECALL						
NON LOCK		X				
CNA 1	X					

PRE-EMPTION TIMING	GREEN BEFORE	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2	NO	YES	NO	2	4

FLASH 00:00 - 06:00TIMING BY: ANKENY

APPROVED BY: _____

16ST@43AVE
7/13/01

Indian River County
Traffic Engineering
Traffic Signal Timing Sheet

59

16th ST @ 43 Ave

COORDINATION

CYCLE	1	2	3	4	5	6
SECONDS	70	80	90			

SPLIT #	1	2	3	4	5	6	7	8
PHASE 1								
PHASE 2	60%	60%	60%	60%	60%			
PHASE 3								
PHASE 4	40%	40%	40%	40%	40%			
PHASE 5								
PHASE 6								
PHASE 7								
PHASE 8								

OFFSET %	70	80	90	0	0	0
	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
	1	2	3	4	5	6
MID						
OFFSET 1		44	68			
AM	7	40				
PM		3	6			
AMO	35	58				
PMO	63	7				

SPLIT #	70	80	90	0	0	0
	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
	1	2	3	4	5	6
MID						
OFFSET 1		1	1			
AM	2	2				
PM		3	3			
AMO	4	4				
PMO	5	5				



Indian River County Traffic Engineering Traffic Signal Timing Sheet

59

18th ST @ 43 Ave

TIME OF DAY PLAN

BASE DAY 1		BASE DAY 2		BASE DAY 3		BASE DAY 4		BASE DAY 5		BASE DAY 6		BASE DAY 7	
TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S
0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	
6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE	6:00	
7:15	1/2/M	9:00	1/4/M	11:00	1/5/M	7:15	2/2/M	9:00	2/4/M	11:00	2/5/M		
9:00	1/4/M	12:00	1/5/M	16:00	FREE	9:00	2/4/M	12:00	2/5/M	16:00	FREE		
11:30	2/1/M	17:00	FREE			11:30	3/1/M	17:00	FREE				
15:45	2/3/M					15:45	3/3/M						
18:15	1/5/M					18:15	2/5/M						
19:30	FREE					19:30	FREE						
WEEK SUMR	SAT SUMR	SUN SUMR		WEEK WINTR	SAT WINTR	SUN WINTR							
WEEK PLAN													

WEEK PLAN 1	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	3	1	1	1	1	1	2

SUMMER

WEEK PLAN 2	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	6	4	4	4	4	4	5

WINTER

WEEK PLAN 3	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 4	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 5	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

YEAR PLAN

WEEK #	PLAN #
18 - 49	1
50 - 17	2

WEEK #	PLAN #

Indian River County Traffic Engineering Traffic Signal Timing Sheet

Intersection Number:

59

Intersection Name:

16th ST @ 43 Ave

SPECIAL DAY PLAN

SPECIAL D. 0		SPECIAL D. 1		SPECIAL D. 2		SPECIAL D. 3		SPECIAL D. 4		SPECIAL D. 5		SPECIAL D. 6	
TIME	C/O/S												
0:00	FREE	0:00	FLASH	0:00	FLASH	0:00	FLASH	0:00	FLASH				
		6:00	FREE	6:00	FREE	6:00	FREE	6:00	FREE				
		9:00	1/4/M	11:00	1/5/M	9:00	2/4/M	11:00	2/5/M				
		12:00	1/5/M	16:00	FREE	12:00	2/5/M	16:00	FREE				
		17:00	FREE			17:00	FREE						
SAT SUMR		SUN SUMR		SAT WINTR		SUN WINTR							

SPECIAL DAY IMPLEMENT

FOR YEAR 2001-2002

SPECIAL D. 0	SPECIAL D. 1	SPECIAL D. 2	SPECIAL D. 3	SPECIAL D. 4	SPECIAL D. 5	SPECIAL D. 6	
WEEK	DAY	WEEK	DAY	WEEK	DAY	WEEK	
Memorial		Thanksgiving		Christmas			
22	2	48	5	52	3		
4 of July				New Years			
27	5			1	2		
Labor							
36	2						
Veteran's							
46	2						
SUMMER SAT		SUMMER SUN		WINTER SUN			

Comment Line 1
 Comment Line 2
 Comment Line 3
 Comment Line 4

These Are The Default Titles
 Change These In The Preferences Window
 Press the 'Saved Titles' Right Arrow
 To Add A New Set of Titles


File Name : SR 60 @ 43 /
 Site Code : 03000083
 Start Date : 07/29/2003
 Page : 1

Start Time	Groups Printed: 1 - Unshifted																
	43 AV Southbound				SR 60 Westbound				43 AV Northbound				SR 60 Eastbound				
	Left	Throu g h	Right	Peds	Left	Throu g h	Right	Peds	Left	Throu g h	Right	Peds	Left	Throu g h	Right	Peds	Int. Total
Factor	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
11:00 AM	27	42	26	0	35	283	13	0	67	40	23	0	18	175	42	0	
11:15 AM	27	29	11	0	13	241	20	0	51	31	39	0	32	221	50	0	801
11:30 AM	20	32	15	0	18	264	17	0	67	37	35	0	24	245	47	0	765
11:45 AM	22	47	15	0	20	288	14	0	77	42	29	0	28	219	58	0	821
Total	96	150	67	0	86	1086	64	0	262	150	126	0	102	860	197	0	859
																	3246
03:15 PM	24	36	17	0	27	254	24	0	58	55	23	0	24	258	59	0	
03:30 PM	38	58	12	0	22	197	10	0	61	55	25	0	23	200	62	0	859
03:45 PM	30	51	10	0	27	302	24	0	72	50	25	0	26	246	70	0	763
Total	92	145	39	0	76	753	58	0	191	160	73	0	73	704	191	0	933
04:00 PM	33	53	24	0	35	263	21	0	67	46	27	0	22	218	65	0	2555
Grand Total	221	348	130	0	197	2102	143	0	520	356	226	0	197	1782	453	0	874
Apprch %	31.6	49.8	18.6	0.0	8.1	86.1	5.9	0.0	47.2	32.3	20.5	0.0	8.1	73.3	18.6	0.0	6675
Total %	3.3	5.2	1.9	0.0	3.0	31.5	2.1	0.0	7.8	5.3	3.4	0.0	3.0	26.7	6.8	0.0	

These Are The Default Titles
 Change These In The Preferences Window
 Press the 'Saved Titles' Right Arrow
 To Add A New Set of Titles

File Name : SR 60 @ 43 A
 Site Code : 03000083
 Start Date : 07/29/2003
 Page : 2

Start Time	43 AV Southbound					SR 60 Westbound					43 AV Northbound					SR 60 Eastbound					Int. Total
	Left	Thru ug h	Right	Ped s	App. Total	Left	Thru ug h	Right	Ped s	App. Total	Left	Thru ug h	Right	Ped s	App. Total	Left	Thru ug h	Right	Ped s	App. Total	
Peak Hour From 03:15 PM to 04:15 PM - Peak 1 of 1																					
Intersection 03:15 PM																					
Volume	125	198	63	0	386	111	1016	79	0	1206	258	206	100	0	564	95	922	256	0	1273	3429
Percent	32.4	51.3	16.3	0.0		9.2	84.2	6.6	0.0		45.7	36.5	17.7	0.0		7.5	72.4	20.1	0.0		
High Int.	04:00 PM					03:45 PM					03:45 PM					03:45 PM					
Volume	38	58	24	0	110	35	302	24	0	353	72	55	27	0	147	26	258	70	0	342	03:45 933
Peak Factor					0.877					0.854					0.959						0.931 0.919



Indian River County Traffic Engineering Traffic Signal Timing Sheet

Intersection Number: 16

Intersection Name: SR60 @ 43 AVE

Controller Type: TRANSYT 3000

Date:

06/26/03

PHASE	1	2	3	4	5	6	7	8
APPROACH	E BLT	WB	S BLT	NB	W BLT	EB	N BLT	SB
INITIAL	5	20	5	6	5	20	5	6
PASSAGE	4	4	3	4	4	4	3	4
YELLOW	4	4	4	4	4	4	4	4
ALL RED	1.5	2	1.4	1.5	1.6	2	1.2	1.5
MAX 1	25	45	25	40	30	45	30	40
MAX 2								
WALK		6		6		6		6
PED CLEAR		9		20		14		20
MIN RECALL		X				X		
MAX RECALL								
PED RECALL								
NON LOCK	X		X	X	X		X	X
CNA 1		X				X		

PRE-EMPTION TIMING	GREEN BEFORE	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2-6	YES	YES	YES	2-6	4-8
				3-7		

AUTO PERMISSIVE ACTIVATED

EASTBOUND LEFT = LAG; WESTBOUND LEFT = LEAD

TIMING BY: ANKENY

APPROVED BY: _____

Indian River County Traffic Engineering Traffic Signal Timing Sheet

16

SR60 @ 43 AVE

COORDINATION

CYCLE	1	2	3	4	5	6
SECONDS	140	160	180			

SPLIT #	1	2	3	4	5	6	7	8
PHASE 1	17%	15%	15%	15%	15%			
PHASE 2	39%	33%	35%	33%	35%			
PHASE 3	20%	22%	22%	22%	22%			
PHASE 4	24%	30%	28%	30%	28%			
PHASE 5	17%	15%	15%	15%	15%			
PHASE 6	39%	33%	35%	33%	35%			
PHASE 7	20%	22%	22%	22%	22%			
PHASE 8	24%	30%	28%	30%	28%			

MID	OFFSET %	140	160	180	0	0	0
		CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
AM	OFFSET 1		50	55			
PM	OFFSET 2	31	46				
AMO	OFFSET 3		61	30			
PMO	OFFSET 4	56	56				
	OFFSET 5	61	68				

MID	SPLIT #	140	160	180	0	0	0
		CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
AM	OFFSET 1		1	1			
PM	OFFSET 2	2	2				
AMO	OFFSET 3		3	3			
PMO	OFFSET 4	4	4				
	OFFSET 5	5	5				

Indian River County Traffic Engineering Traffic Signal Timing Sheet

16

SR60 @ 43 AVE

TIME OF DAY PLAN

BASE DAY 1		BASE DAY 2		BASE DAY 3		BASE DAY 4		BASE DAY 5		BASE DAY 6		BASE DAY 7	
TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S
0:00	FREE	0:00	FREE	0:00	FREE	0:00	FREE	0:00	FREE	0:00	FREE		
7:15	1/2/M	9:00	1/4/M	11:00	1/5/M	7:15	2/2/M	9:00	2/4/M	11:00	2/5/M		
9:00	1/4/M	12:00	1/5/M	16:00	FREE	9:00	2/4/M	12:00	2/5/M	16:00	FREE		
11:30	2/1/M	17:00	FREE			11:30	3/1/M	17:00	FREE				
15:45	2/3/M					15:45	3/3/M						
18:15	1/5/M					18:15	2/5/M						
19:30	FREE					19:30	FREE						
WEEK SUMR	SAT SUMR	SUN SUMR		WEEK WINTR	SAT WINTR	SUN WINTR							
WEEK PLAN													

WEEK PLAN 1	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	3	1	1	1	1	1	2
WEEK PLAN 2	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	6	4	4	4	4	4	5
WEEK PLAN 3	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							
WEEK PLAN 4	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							
WEEK PLAN 5	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

YEAR PLAN

WEEK #	PLAN #
18 - 49	1
50 - 17	2

WEEK #	PLAN #

Indian River County

Traffic Engineering

Traffic Signal Timing Sheet

Intersection Number: 16
 Intersection Name: SR60 @ 43 AVE
 SPECIAL DAY PLAN

SPECIAL D. 1	SPECIAL D. 2	SPECIAL D. 3	SPECIAL D. 4	SPECIAL D. 5	SPECIAL D. 6	SPECIAL D. 7			
TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S	TIME	C/O/S
	0:00	FREE	0:00	FREE		0:00	FREE	0:00	FREE
	9:00	1/4/M	11:00	1/5/M		9:00	2/4/M	11:00	2/5/M
	12:00	1/5/M	16:00	FREE		12:00	2/5/M	16:00	FREE
	17:00	FREE				17:00	FREE		
	SAT SUMR	SUN SUMR			SAT WINTR	SUN WINTR			

SPECIAL DAY IMPLEMENT FOR YEAR 2003-2004

Date	Week	Day	Special	Type	Special Day Plan	TOD	Base Day
9/1/2003	36	2	Labor	Sat - S	2	2	
11/11/2003	46	3	Veteran's	Sat - S	2	2	
11/27/2003	48	5	Thanksgiving	Sun - S	3	3	
12/25/2003	52	5	Christmas	Sun - W	6	6	
1/1/2004	1	5	New Year's	Sun - W	6	6	
5/31/2004	23	2	Memorial	Sat - S	2	2	
7/5/2004	28	2	4-Jul	Sat - S	2	2	

Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

Weather: Clear

Counted By: R.S.

Board No.: 047050

Location: 27th Avenue & Oslo Road


File Name : 27th Avenue_Oslo Road(1)

Site Code : 77711171

Start Date : 04/08/2004

Page No : 1

Start Time	Groups Printed- Unshifted																				
	27th Avenue From North					Oslo Road From East			27th Avenue From South			Oslo Road From West									
Factor	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
04:00 PM	12	94	30	0	136	17	72	26	0	115	12	58	42	0	112	42	67	22	0	131	494
04:15 PM	16	107	35	0	158	23	69	30	0	122	8	46	51	0	105	39	59	25	0	123	508
04:30 PM	16	82	31	0	129	24	80	14	0	118	18	65	39	0	120	31	65	15	0	111	478
04:45 PM	28	91	25	0	142	28	68	27	0	123	10	57	34	0	101	37	74	27	0	138	504
Total	70	374	121	0	565	92	289	97	0	476	46	226	166	0	438	149	265	89	0	503	1984
05:00 PM	31	72	37	0	140	31	93	23	0	147	16	73	52	0	141	60	69	32	0	161	589
05:15 PM	30	105	42	0	177	41	98	32	0	171	25	73	44	0	142	45	51	19	0	115	605
05:30 PM	35	103	31	0	169	36	77	28	0	141	19	49	45	0	113	47	67	21	0	135	558
05:45 PM	16	95	28	0	139	27	85	14	0	126	14	63	48	0	125	34	68	20	0	122	512
Total	112	375	138	0	625	135	353	97	0	585	74	258	189	0	521	186	255	92	0	533	2264
Grand Total	182	749	259	0	1190	227	642	194	0	1063	120	484	356	0	959	335	520	181	0	1036	4248
Apprch %	15.3	62.9	21.8	0.0		21.4	60.4	18.3	0.0		12.5	50.5	37.0	0.0		32.3	50.2	17.5	0.0		
Total %	4.3	17.6	6.1	0.0	28.0	5.3	15.1	4.6	0.0	25.0	2.8	11.4	8.4	0.0	22.6	7.9	12.2	4.3	0.0	24.4	



Kimley-Horn and Associates, Inc.

601 21st Street
Vero Beach, Florida 32960

Weather: Clear


Counted By: R.S.

Board No.: 047050

Location: 27th Avenue & Oslo Road

File Name : 27th Avenue_Oslo Road(1)
Site Code : 77711171
Start Date : 04/08/2004
Page No : 2

Start Time	27th Avenue From North						Oslo Road From East						27th Avenue From South						Oslo Road From West						
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total				
Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1																									
Intersection	05:00 PM																								
Volume	112	375	138	0	625	135	353	97	0	585	74	258	189	0	521	186	255	92	0	533	2264				
Percent	17.9	60.0	22.1	0.0		23.1	60.3	16.6	0.0		14.2	49.5	36.3	0.0		34.9	47.8	17.3	0.0						
05:15	30	105	42	0	177	41	98	32	0	171	25	73	44	0	142	45	51	19	0	115	605				
Volume																								0.836	
Peak Factor																									
High Int.	05:15 PM					05:15 PM					05:15 PM					05:00 PM									
Volume	30	105	42	0	177	41	98	32	0	171	25	73	44	0	142	60	69	32	0	161					
Peak Factor					0.883					0.855					0.917									0.828	



Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

Weather: Clear


Counted By: R.S.

Board No.: 047050

Location: 27th Avenue & Oslo Road

File Name : 27th Avenue_Oslo Road(1)
 Site Code : 77711171
 Start Date : 04/08/2004
 Page No : 3

Start Time	27th Avenue From North					Oslo Road From East					27th Avenue From South					Oslo Road From West					
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1																					
By Approach	04:45 PM					05:00 PM					05:00 PM					04:45 PM					
Volume	122	371	135	0	628	135	353	97	0	585	74	258	189	0	521	189	261	99	0	549	
Percent	19.4	59.1	21.5	0.0		23.1	60.3	16.6	0.0		14.2	49.5	36.3	0.0		34.4	47.5	18.0	0.0		
High Int.	05:15 PM					05:15 PM					05:15 PM					05:00 PM					
Volume	30	105	42	0	177	41	98	32	0	171	25	73	44	0	142	60	69	32	0	161	
Peak Factor					0.887					0.855					0.917					0.852	



Indian River County
Traffic Engineering
Traffic Signal Timing Sheet

Intersection Number:

3

Intersection Name:

Oslo Road @ 27 Avenue

Controller Type: 1880EL

Date:

06/15/99

PHASE	1	2	3	4	5	6	7	8
APPROACH	NBLT	SB	EBLT	WB	SBLT	NB	WBLT	EB
INITIAL	5	15	5	15	5	15	5	15
PASSAGE	3	4	3	4	3	4	3	4
YELLOW	4	4	4	4	4	4	4	4
ALL RED	1.7	1.5	1.4	1.9	1.5	1.5	1.1	1.9
MAX 1	20	40	15	40	15	40	15	40
MAX 2								
WALK		7		7		7		7
PED CLEAR		15		14		11		14
MIN RECALL		X		X		X		
MAX RECALL								
PED RECALL								
NON LOCK	X		X		X		X	X
CNA 1								

PRE-EMPTION TIMING	GREEN BEFORE	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2-6	YES	YES	YES	2-6	4-8
				1-3-5-7		

TIMING BY: _____


APPROVED BY: _____

Comment Line 1
Comment Line 2
Comment Line 3
Comment Line 4

These Are The Default Titles
Change These In The Preferences Window
Press the 'Saved Titles' Right Arrow
To Add A New Set of Titles

File Name : 4th ST @ 27th AV
Site Code : 03000002
Start Date : 09/09/2003
Page : 1


Start Time	Groups Printed: Unshifted															
	27TH AV Southbound			4th ST Westbound			27TH AV Northbound			4th ST Eastbound						
Left	Throu gh	Right	Peds	Left	Throu gh	Right	Peds	Left	Throu gh	Right	Peds	Left	Throu gh	Right	Peds	Int. Total
Factor	1.0			1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
07:30 AM	10	71	8	0	6	46	14	0	15	140	11	0	32	60	10	423
07:45 AM	7	46	11	0	7	55	18	0	15	144	10	0	32	74	13	432
Total	17	117	19	0	13	101	32	0	30	284	21	0	64	134	23	855
08:00 AM	3	52	17	0	4	54	21	0	23	127	11	0	35	75	20	442
08:15 AM	5	49	20	0	3	50	15	0	11	133	7	0	25	60	10	388
Total	8	101	37	0	7	104	38	0	34	260	18	0	60	135	30	830
04:45 PM	15	119	21	0	20	60	14	0	7	100	6	0	9	45	11	427
Total	15	119	21	0	20	60	14	0	7	100	6	0	9	45	11	427
05:00 PM	14	143	16	0	18	50	13	0	8	78	7	0	15	55	7	424
05:15 PM	16	163	32	0	28	90	10	0	11	98	17	0	9	59	13	546
05:30 PM	11	135	41	0	31	87	7	0	12	95	12	0	15	54	10	510
Total	41	441	89	0	77	227	30	0	31	271	36	0	39	168	30	1480
Grand Total	81	778	166	0	117	492	112	0	102	915	81	0	172	482	94	0
Apprch %	7.9	75.9	16.2	0.0	16.2	68.2	15.5	0.0	9.3	83.3	7.4	0.0	23.0	64.4	12.6	0.0
Total %	2.3	21.7	4.6	0.0	3.3	13.7	3.1	0.0	2.8	25.5	2.3	0.0	4.8	13.4	2.6	0.0



These Are The Default Titles
 Change These In The Preferences Window
 Press the 'Saved Titles' Right Arrow
 To Add A New Set of Titles

File Name : 4th ST @ 27th AV
 Site Code : 03000002
 Start Date : 09/09/2003
 Page : 2

Start Time	27TH AV Southbound					4th ST Westbound					27TH AV Northbound					4th ST Eastbound					Int. Total	
	Left	Thru	Right	Ped	App.	Left	Thru	Right	Ped	App.	Left	Thru	Right	Ped	App.	Left	Thru	Right	Ped	App.		
Peak Hour From 04:45 PM to 05:45 PM - Peak 1 of 1																						
Intersection 04:45 PM	Volume	56	580	110	0	726	87	287	44	0	428	38	371	42	0	451	48	213	41	0	302	1907
Percent	7.7	77.1	15.2	0.0			22.7	67.1	10.3	0.0		8.4	82.3	9.3	0.0		15.9	70.5	13.6	0.0		
High Int.	05:15 PM						05:15 PM					05:15 PM					05:15 PM					
Volume	16	163	41	0	211	31	90	14	0	128	12	100	17	0	126	15	58	13	0	61	548	
Peak Factor					0.860					0.836						0.895					0.932	0.873



Indian River County

Traffic Engineering

Traffic Signal Timing Sheet

Intersection Number: 58

Intersection Name: 4 ST @ 27 AVE

Controller Type: TRANSYT 1880EL

Date: 06/27/03

PHASE	1	2	3	4	5	6	7	8
APPROACH	NBLT	SB	EBLT	WB	SBLT	NB	WBLT	EB
INITIAL	5	15	5	6	5	15	5	6
PASSAGE	3	4	3	4	3	4	3	4
YELLOW	4	4	4	4	4	4	4	4
ALL RED	1.5	1.8	1.4	1.6	1.5	1.8	1.6	1.6
MAX 1	20	45	20	30	20	45	20	30
MAX 2								
WALK		7		7		7		7
PED CLEAR		10		10		10		10
MIN RECALL	X					X		
MAX RECALL								
PED RECALL								
NON LOCK	X		X	X	X		X	X
CNA 1		X				X		

PRE-EMPTION	GREEN	TRCK CL	TRCK CL	MIN	YELL	
TIMING	BEFORE	GREEN	YELL	DWELL	AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2-6	YES	YES	YES	2-6	4-8
				1-3-5-7		

Mid day, C2/S1 Hold phase 4 & 8 18seconds (Guaranteed green)

TIMING BY: ANKENY

APPROVED BY: _____

Indian River County Traffic Engineering Traffic Signal Timing Sheet

58

4 ST @ 27 AVE

COORDINATION

CYCLE	1	2	3	4	5	6	7	8
SECONDS	80	90	100					

SPLIT >>	1	2	3	4	5	6	7	8
NBLT φ 1	18%	14%	14%					
SB φ 2	34%	33%	40%					
EBLT φ 3	18%	20%	14%					
WB φ 4	30%	33%	32%					
SBLT φ 5	18%	14%	14%					
NB φ 6	34%	33%	40%					
WBLT φ 7	18%	14%	14%					
EB φ 8	30%	39%	32%					

	80	90	100	0	0	0
	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
MID	1	2	3	4	5	6
OFFSET 1		90				
AM	OFFSET 2			70		
PM	OFFSET 3			51		
AMO	OFFSET 4					
PMO	OFFSET 5					

	80	90	100	0	0	0
	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE	CYCLE
MID	1	2	3	4	5	6
OFFSET 1		1				
AM	OFFSET 2			2		
PM	OFFSET 3			3		
AMO	OFFSET 4					
PMO	OFFSET 5					

Indian River County Traffic Engineering Traffic Signal Timing Sheet

58

4 ST @ 27 AVE

TIME OF DAY PLAN

NOTE: TRANSYT 1880EL BASE DAY NUMBER STARTS AT #0

TRANSYT 3000 BASE DAY NUMBER STARTS AT #1

BASE DAY 0		BASE DAY 1		BASE DAY 2		BASE DAY 3		BASE DAY 4		BASE DAY 5		BASE DAY 6	
TIME	C/O/S												
0:00	FREE	0:00	FREE	0:00	FREE								
6:30	3/2/M	9:00	2/1/M	11:00	2/1/M								
9:00	2/1/M	17:00	FREE	16:00	FREE								
15:45	3/3/M												
18:15	2/1/M												
19:30	FREE												
<hr/>													
WEEK	SAT	SUN											
<hr/>													

WEEK PLAN

WEEK PLAN 0	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY	2	0	0	0	0	0	1

NOTE:

1880EL START AT #0

3000 START AT #1

WEEK PLAN 1	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 2	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 3	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

WEEK PLAN 4	SUN	MON	TUE	WED	THU	FRI	SAT
BASE DAY							

YEAR PLAN

WEEK #	PLAN #
ALL YEAR	0

WEEK #	PLAN #

OFF SEASON
SECOND WEEK IN
MAY
SEASON SECOND
WEEK IN DECEMBER

Indian River County Traffic Engineering Traffic Signal Timing Sheet

Intersection Number:

58

Intersection Name:

4 ST @ 27 AVE

SPECIAL DAY PLAN

SPECIAL D. 0		SPECIAL D. 1		SPECIAL D. 2		SPECIAL D. 3		SPECIAL D. 4		SPECIAL D. 5		SPECIAL D. 6	
TIME	C/O/S												
0:00	FREE	0:00	FREE	0:00	FREE								
		9:00	2/1/M	11:00	2/1/M								
		17:00	FREE	16:00	FREE								
Sat		Sun											

SPECIAL DAY IMPLEMENT

FOR YEAR

2003-2004

Date	Week	Day	Special	Type	Special Day Plan
9/1/2003	36	2	Labor	Sat	1
11/11/2003	46	3	Veteran's	Sat	1
11/27/2003	48	5	Thanksgiving	Sun	2
12/25/2003	52	5	Christmas	Sun	2
1/1/2004	1	5	New Year's	Sun	2
5/31/2004	23	2	Memorial	Sat	1
7/5/2004	28	2	4-Jul	Sat	1

Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

Weather: Clear

Counted By: J.O.


Board No.: 047050

Location: 20th Avenue & Oslo Road

File Name : 20th Avenue_Oslo Road(3)
 Site Code : 44444444
 Start Date : 04/13/2004
 Page No : 1

Groups Printed- Unshifted

Start Time	20th Avenue From North				Oslo Road From East				20th Avenue From South				Oslo Road From West				Int. Total				
	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total	Rig ht	Thru	Left	Ped s	App. Total						
Factor	1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0		1.0	1.0	1.0	1.0	1.0						
04:00 PM	13	24	24	0	61	14	85	13	0	112	6	27	13	0	46	12	70	3	0	85	304
04:15 PM	12	52	31	0	95	21	81	28	0	130	11	17	11	0	39	8	83	12	0	103	367
04:30 PM	15	43	24	0	82	22	104	22	0	148	11	34	13	0	58	12	93	14	0	119	407
04:45 PM	11	52	18	0	81	27	125	17	0	169	6	31	13	0	50	7	69	12	0	88	388
Total	51	171	97	0	319	84	395	80	0	559	34	109	50	0	193	39	315	41	0	395	1466
05:00 PM	17	44	26	0	87	25	116	27	0	168	13	39	8	0	60	11	83	9	0	103	418
05:15 PM	14	47	28	0	89	21	110	35	0	166	14	29	13	0	56	13	84	9	0	106	417
05:30 PM	21	51	27	0	99	18	85	34	0	137	13	36	18	0	65	7	76	13	0	96	397
05:45 PM	17	41	12	0	70	25	102	26	0	153	13	48	8	0	69	8	75	12	0	95	387
Total	69	183	93	0	345	89	413	122	0	624	53	152	45	0	250	39	318	43	0	400	1619
Grand Total	120	354	190	0	664	173	808	202	0	1183	87	261	95	0	443	78	633	84	0	795	3085
Apprch %	18.1	53.3	28.6	0.0		14.6	68.3	17.1	0.0		19.6	58.9	21.4	0.0		9.8	79.8	10.6	0.0		
Total %	3.9	11.5	6.2	0.0	21.5	5.6	26.2	6.5	0.0	38.3	2.8	8.5	3.1	0.0	14.4	2.5	20.5	2.7	0.0	25.8	



Kimley-Horn and Associates, Inc.

601 21st Street

Vero Beach, Florida 32960

Weather: Clear


Counted By: J.O.

Board No.: 047050

Location: 20th Avenue & Oslo Road

File Name : 20th Avenue_Oslo Road(3)
 Site Code : 44444444
 Start Date : 04/13/2004
 Page No : 2

	20th Avenue From North						Oslo Road From East						20th Avenue From South						Oslo Road From West						Int. Total	
	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	
Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1																										
Intersection n	04:30 PM																									
Volume	57	186	96	0	338	95	455	101	0	651	44	133	47	0	224	43	329	44	0	416	1630					
Percent	16.8	54.9	28.3	0.0		14.6	69.9	15.5	0.0		19.6	59.4	21.0	0.0		10.3	79.1	10.6	0.0							
05:00																										
Volume	17	44	26	0	87	25	116	27	0	188	13	39	8	0	60	11	83	9	0	103	418					
Peak Factor																										0.975
High Int.	05:15 PM					04:45 PM					05:00 PM					04:30 PM										
Volume	14	47	28	0	89	27	125	17	0	189	13	39	8	0	60	12	93	14	0	119						
Peak Factor					0.952					0.963					0.933											0.874




Weather: Clear
Counted By: J.O.
Board No.: 047050
Location: 20th Avenue & Oslo Road

Kimley-Horn and Associates, Inc.
601 21st Street
Vero Beach, Florida 32960

File Name : 20th Avenue_Oslo Road(3)
Site Code : 44444444
Start Date : 04/13/2004
Page No : 3

	20th Avenue From North					Oslo Road From East					20th Avenue From South					Oslo Road From West					
Start Time	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Rig ht	Thr u	Left	Ped s	App. Total	Int. Total
Peak Hour From 04:00 PM to 05:45 PM - Peak 1 of 1																					
By Approach	04:45 PM					04:30 PM					05:00 PM					04:30 PM					
Volume	63	194	99	0	356	95	455	101	0	651	53	152	45	0	250	43	329	44	0	416	
Percent	17.7	54.5	27.8	0.0		14.6	69.9	15.5	0.0		21.2	60.8	18.0	0.0		10.3	79.1	10.6	0.0		
High Int.	05:30 PM					04:45 PM					05:45 PM					04:30 PM					
Volume	21	51	27	0	99	27	125	17	0	169	13	48	8	0	69	12	93	14	0	119	
Peak Factor					0.899					0.963					0.806					0.874	



**Indian River County
Traffic Engineering
Traffic Signal Timing Sheet**

Intersection Number: 2 Controller Type: 1880EL
 Intersection Name: Oslo Road @ 20 Avenue Date: 10/27/97

PHASE	1	2	3	4	5	6	7	8
APPROACH	EBLT	WB		NB	WBLT	EB		SB
INITIAL	5	15		6	5	15		6
PASSAGE	3	4		4	3	4		4
YELLOW	4	4		4	4	4		4
ALL RED	1.2	1.2		1.2	1.2	1.2		1.2
MAX 1	20	45		35	15	45		35
MAX 2								
WALK		7		7				
PED CLEAR		10		11				
MIN RECALL		X				X		
MAX RECALL								
PED RECALL								
NON LOCK	X			X	X			X
CNA 1								

PRE-EMPTION TIMING	GREEN BEFORE	TRCK CL GREEN	TRCK CL YELL	MIN DWELL	YELL AFTER	
PHASE						
TIMING						

SPECIAL FUNCTION	START PHASE	DUAL ENTRY	INT+ PASS	DETECT SWITCH	OUT OF FLASH	INTO FLASH
	2-6	YES	YES	YES	2-6	4-8

TIMING BY: _____

APPROVED BY: _____

Kimley-Horn and Associates, Inc.
 KHA
 4431 Embarcadero Drive
 West Palm Beach, FL 33407

Phone: 561-845-0665 Fax: 561-863-8175
 E-Mail:

OPERATIONAL ANALYSIS

Analyst:
 Agency/Co.: KHA
 Date Performed: 4/16/2004
 Analysis Time Period: 2007 PM PK with project
 Urban Street: Oslo Road
 Direction of Travel: East-bound
 Jurisdiction:
 Analysis Year: 2007
 Project ID: Tripson Trail

Description of Arterial

Analysis period length 0.25 hr

Seg.	Cross street name	Length of street segment (mi)	Urban street class	Free flow speed (mph)	Running time (sec)	Section
0	43rd Avenue					
1	27th Avenue	0.94	2	40	84.9	1
2	20th Avenue	0.47	2	40	44.1	2

Intersection Delay Estimates

Seg	Cycle length	Green ratio	V/c ratio	Lane cap.	PVG if	Arr. type	I fac-	Unit ext.	Init. queue	Cntrl. delay	Other delay	Inter. LOS
C	C/g/C	X	C	Input	AT	tor	(sec)	(veh)	(sec)	(sec)	(sec)	
1	137.1	0.292	0.566	544		3	1.000	3.0	0	42.6	0.0	D
2	115.6	0.381	0.620	713		3	0.802	3.0	0	30.2*	0.0	C

Arterial Level of Service

Seg.	Sect.	Running time (sec)	Inter. control. delay (sec)	Other delay (sec)	Sum of time by section (sec)	Sum of length by section (mi)	Arterial speed (mph)	Arterial LOS by section
1	1	84.9	42.6	0.0	127.5	0.94	26.5	C
2	2	44.1	30.2*	0.0	74.3	0.47	22.8	C

Total travel time (x) = 201.8 sec
 Total length (y) = 1.41 miles
 Total travel speed, Sa = 3600 x (y)/(x) = 25.1 mph
 Total urban street LOS (Exhibit 15-2) = C

Intersection Files in the Analysis

1: P:\0475\50002\2007 with proj HCSV27&oslo with proj.hcs
 2: P:\0475\50002\2007 with proj HCSV20th-Oslo with proj .hcs

Kimley-Horn and Associates, Inc.
KHA
4431 Embarcadero Drive
West Palm Beach, FL 33407

Phone: 561-845-0665 Fax: 561-863-8175
E-Mail:

OPERATIONAL ANALYSIS

Analyst:
Agency/Co.:
Date Performed: 4/16/2004
Analysis Time Period: 2007 PM PK with project
Urban Street: Oslo Road
Direction of Travel: West-bound
Jurisdiction:
Analysis Year: 2007
Project ID: Tripson Trail

Description of Arterial

Analysis period length 0.25 hr

Seg.	Cross street name	Length of street segment (mi)	Urban street class	Free flow speed (mph)	Running time (sec)	Section
0	Old Dixie Highway					
1	20th Avenue	0.78	2	40	71.2	1
2	27th Avenue	0.47	2	40	44.1	2
3	43rd Avenue	0.94	2	40	84.9	3

Intersection Delay Estimates

Seg	Cycle length	Green ratio	v/c ratio	Lane cap.	PVG if	Arr. type	I fac-	Unit ext.	Init. queue	Cntrl. delay	Other delay	Inter. LOS
C	g/C	X	c	Input	AT		tor	(sec)	(veh)	(sec)	(sec)	
1	115.6	0.389	0.930	707		3		1.000	3.0	0	53.3*	0.0 D
2	137.1	0.292	1.130	522		3		0.251	3.0	0	113.9	0.0 F
3	90.0	0.344	0.470	642		3		0.090	3.0	0	23.6*	0.0 C

Arterial Level of Service

Seg.	Running time (sec)	Inter. control. delay (sec)	Other delay (sec)	Sum of time by section (sec)	Sum of length by section (mi)	Arterial speed (mph)	Arterial LOS by section
1	71.2	53.3*	0.0	124.5	0.78	22.5	C
2	44.1	113.9	0.0	158.0	0.47	10.7	F
3	84.9	23.6*	0.0	108.5	0.94	31.2	B

Total travel time (x) = 391.1 sec
 Total length (y) = 2.19 miles
 Total travel speed, Sa = 3600 x (y)/(x) = 20.2 mph
 Total urban street LOS (Exhibit 15-2) = D

Intersection Files in the Analysis

- 1: P:\0475\50002\2007 with proj HCS\20th-Oslo with proj.hcs
- 2: P:\0475\50002\2007 with proj HCS\27\oslo with proj.hcs
- 3: P:\0475\50002\2007 with proj HCS\43\oslo with proj.hcs

Kimley-Horn and Associates, Inc.
 KHA
 4431 Embarcadero Drive
 West Palm Beach, FL 33407

Phone: 561-845-0665 Fax: 561-863-8175
 E-Mail:

OPERATIONAL ANALYSIS

Analyst:

Agency/Co.: KHA
 Date Performed: 4/16/2004
 Analysis Time Period: 2007 PM Pk with project
 Urban Street: 27th Avenue
 Direction of Travel: North-bound
 Jurisdiction:
 Analysis Year: 2007
 Project ID: Tripson Trail

Description of Arterial

Analysis period length 0.25 hr

Seg.	Cross street name	Length of segment (mi)	Urban street class	Free flow speed (mph)	Running time (sec)	Section
0	Oslo Road					
1	4th Street	1.37	2	40	123.3	1
2	8th Street	0.47	2	40	44.1	2

Intersection Delay Estimates

Seg	Cycle length	Green ratio	v/c ratio	Lane cap.	PVG if	Arr. Input	I type	Unit fac-	Init. ext.	Cntrl. queue	Other delay	Inter. delay	LOS
C	C	g/C	X	c	AT		tor	(sec)	(veh)	(sec)	(sec)	(sec)	
1	90.0	0.538	0.539	988		3		1.000	3.0	0	14.1	0.0	B
2	90.0	0.542	0.542	997		3		0.826	3.0	0	13.9	0.0	B

Arterial Level of Service

Seg.	Sect.	Running time (sec)	Inter. control. delay (sec)	Other delay (sec)	Sum of time by section (sec)	Sum of length by section (mi)	Arterial speed (mph)	Arterial LOS by section
1	1	123.3	14.1	0.0	137.4	1.37	35.9	A
2	2	44.1	13.9	0.0	58.0	0.47	29.2	B

Total travel time (x) = 195.4 sec
 Total length (y) = 1.84 miles
 Total travel speed, Sa = 3600 x (y)/(x) = 33.9 mph
 Total urban street LOS (Exhibit 15-2) = B

Intersection Files in the Analysis

1: P:\0475\50002\2007 with proj HCS\43&4 with proj.hcs
 2: P:\0475\50002\2007 with proj HCS\43&8 with proj.hcs

Kimley-Horn and Associates, Inc.
 KHA
 4431 Embarcadero Drive
 West Palm Beach, FL 33407

Phone: 561-845-0665
 E-Mail:

Fax: 561-863-8175

OPERATIONAL ANALYSIS

Analyst:

Agency/Co.: KHA
 Date Performed: 4/16/2004
 Analysis Time Period: 2007 PM PK with project
 Urban Street: 27th Avenue
 Direction of Travel: South-bound
 Jurisdiction:
 Analysis Year: 2007
 Project ID: Tripson Trail

Description of Arterial

Analysis period length 0.25 hr

Seg.	Cross street name	Length of segment (mi)	Urban street class	Free flow speed (mph)	Running time (sec)	Section
0	8th Street					
1	4th Street	0.47	2	40	44.1	1
2	Oslo Road	1.37	2	40	123.3	2

Intersection Delay Estimates

Seg.	Cycle length	Green ratio	v/c ratio	Lane cap.	PVG if	Arr. time	I fac-	Unit ext.	Init. queue	Cntrl. delay	Other delay	Inter. LOS
C	C/g/C	X	c	Input	AT	tor	(sec)	(veh)	(sec)	(sec)	(sec)	
1	90.0	0.538	0.714	991		3	1.000	3.0	0	18.1	0.0	B
2	90.0	0.544	0.320	1008		3	0.630	3.0	0	11.5*	0.0	B

Arterial Level of Service

Seg.	Sect.	Running time (sec)	Inter. control. delay (sec)	Other delay (sec)	Sum of time by section (sec)	Sum of length by section (mi)	Arterial speed (mph)	Arterial LOS by section
1	1	44.1	18.1	0.0	62.2	0.47	27.2	C
2	2	123.3	11.5*	0.0	134.8	1.37	36.6	A

Total travel time (x) = 197.0 sec
 Total length (y) = 1.84 miles
 Total travel speed, Sa = 3600 x (y)/(x) = 33.5 mph
 Total urban street LOS (Exhibit 15-2) = B

Intersection Files in the Analysis

1: P:\0475\50002\2007 with proj HCS\43&4 with proj.hcs
 2: P:\0475\50002\2007 with proj HCS\43&oslo with proj.hcs

Kimley-Horn and Associates, Inc.
 KHA
 4431 Embarcadero Drive
 West Palm Beach, FL 33407

Phone: 561-845-0665
 E-Mail:

Fax: 561-863-8175

OPERATIONAL ANALYSIS

Analyst:
 Agency/Co.: KHA
 Date Performed: 4/16/2004
 Analysis Time Period: 2007 PM Pk with project
 Urban Street: 43rd Avenue
 Direction of Travel: North-bound
 Jurisdiction:
 Analysis Year: 2007
 Project ID: Tripson Trail

Description of Arterial

Analysis period length 0.25 hr

Seg.	Cross street name	Length of segment (mi)	Urban street class	Free flow speed (mph)	Running time (sec)	Section
0	Oslo Road					
1	4th Street	1.37	2	40	123.3	1
2	8th Street	0.47	2	40	44.1	2
3	12th Street	0.47	2	40	44.1	3
4	16th Street	0.47	2	40	44.1	4
5	SR 60	0.47	2	40	44.1	5

Intersection Delay Estimates

Seg	Cycle length	Green ratio	v/c ratio	Lane cap.	PVG if	Arr. type	I fac-	Unit ext.	Init. queue	Cntrl. delay	Other delay	Inter. LOS
C	g/C	X	c	Input	AT	tor	(sec)	(veh)	(sec)	(sec)		
1	90.0	0.538	0.539	988		3	1.000	3.0	0	14.1	0.0	B
2	90.0	0.542	0.542	997		3	0.826	3.0	0	13.9	0.0	B
3	90.0	0.538	0.537	989		3	0.824	3.0	0	14.0	0.0	B
4	90.0	0.538	0.637	989		3	0.828	3.0	0	15.8	0.0	B
5	180.0	0.316	0.949	589		3	0.728	3.0	0	80.4	0.0	F

Arterial Level of Service

Seg.	Sect.	Running time (sec)	Inter. control. delay (sec)	Other delay (sec)	Sum of time by section (sec)	Sum of length by section (mi)	Arterial speed (mph)	Arterial LOS by section
1	1	123.3	14.1	0.0	137.4	1.37	35.9	A
2	2	44.1	13.9	0.0	58.0	0.47	29.2	B
3	3	44.1	14.0	0.0	58.1	0.47	29.1	B
4	4	44.1	15.8	0.0	59.9	0.47	28.2	B
5	5	44.1	80.4	0.0	124.5	0.47	13.6	E

Total travel time (x) = 438.0 sec
 Total length (y) = 3.25 miles
 Total travel speed, Sa = 3600 x (y)/(x) = 26.7 mph
 Total urban street LOS (Exhibit 15-2) = C

Intersection Files in the Analysis

- 1: P:\0475\50002\2007 with proj HCS\43&4 with proj.hcs
- 2: P:\0475\50002\2007 with proj HCS\43&8 with proj.hcs
- 3: P:\0475\50002\2007 with proj HCS\43&12 with proj.hcs
- 4: P:\0475\50002\2007 with proj HCS\43&16th with proj.hcs
- 5: P:\0475\50002\2007 with proj HCS\SR60-43rd w-proj.hcs

Kimley-Horn and Associates, Inc.
KHA
4431 Embarcadero Drive
West Palm Beach, FL 33407

Phone: 561-845-0665 Fax: 561-863-8175
E-Mail:

OPERATIONAL ANALYSIS

Analyst:
Agency/Co.: KHA
Date Performed: 4/16/2004
Analysis Time Period: 2007 PM PK with project
Urban Street: 43rd Avenue
Direction of Travel: South-bound
Jurisdiction:
Analysis Year: 2007
Project ID: Tripson Trail

Description of Arterial

Analysis period length 0.25 hr

Seg.	Cross street name	Length of segment (mi)	Urban street class	Free flow speed (mph)	Running time (sec)	Section
0	SR 60					
1	16th Street	0.47	2	40	44.1	1
2	12th Street	0.47	2	40	44.1	2
3	8th Street	0.47	2	40	44.1	3
4	4th Street	0.47	2	40	44.1	4
5	Oslo Road	1.37	2	40	123.3	5

Intersection Delay Estimates

Seg	Cycle length	Green g/C	v/c X	Lane cap. c	PVG if	Arr. Input	I type	Unit fac-	Init. ext.	Cntrl. queue	Other delay	Inter. LOS
										(veh)		
1	90.0	0.538	0.880	992	3	1.000	3.0	0	27.5	0.0	C	19.5
2	90.0	0.538	0.755	999	3	0.354	3.0	0	17.4	0.0	B	19.5
3	90.0	0.542	0.723	1004	3	0.572	3.0	0	17.0	0.0	B	19.5
4	90.0	0.538	0.714	991	3	0.618	3.0	0	17.2	0.0	B	19.5
5	90.0	0.544	0.320	1008	3	0.630	3.0	0	11.5*	0.0	B	18.1

Arterial Level of Service

Seg.	Running time (sec)	Inter. control. delay (sec)	Other delay (sec)	Sum of time by section (sec)	Sum of length by section (mi)	Arterial speed (mph)	Arterial LOS by section
1	44.1	27.5	0.0	71.6	0.47	23.6	C
2	44.1	17.4	0.0	61.5	0.47	27.5	C
3	44.1	17.0	0.0	61.1	0.47	27.7	C
4	44.1	17.2	0.0	61.3	0.47	27.6	C
5	123.3	11.5*	0.0	134.8	1.37	36.6	A

Total travel time (x) = 390.4 sec
 Total length (y) = 3.25 miles
 Total travel speed, Sa = 3600 x (y)/(x) = 30.0 mph
 Total urban street LOS (Exhibit 15-2) = B

Intersection Files in the Analysis

- 1: P:\0475\50002\2007 with proj HCS\43&16th with proj.hcs
- 2: P:\0475\50002\2007 with proj HCS\43&12 with proj.hcs
- 3: P:\0475\50002\2007 with proj HCS\43&8 with proj.hcs
- 4: P:\0475\50002\2007 with proj HCS\43&4 with proj.hcs
- 5: P:\0475\50002\2007 with proj HCS\43&oslo with proj.hcs

SHORT REPORT

General Information						Site Information							
Analyst Agency or Co.	KHA User Kimley-Horn & Associates						Intersection Area Type	Oslo & 58th Ave All other areas					
Date Performed	3/23/2004						Jurisdiction	Tripson Trail 2004					
Time Period	Existing PM PK HR PK Season						Analysis Year						
Volume and Timing Input													
			EB			WB			NB		SB		
			LT	TH	RT	LT	TH	RT	LT	TH	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	0	1	0	1	1	1	
Lane group	L	TR		L	TR			LTR		L	T	R	
Volume (vph)	43	168	4	6	128	219	1	4	3	224	11	26	
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2	
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A	
Startup lost time	2.0	2.0		2.0	2.0			2.0		2.0	2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0			2.0		2.0	2.0	2.0	
rrival type	3	3		3	3			3		3	3	3	
Unit Extension	3.0	3.0		3.0	3.0			3.0		3.0	3.0	3.0	
Cycl/Bike/RTOR Volume	0		0	0		0	0		0	0		0	
Lane Width	12.0	12.0		12.0	12.0			12.0		12.0	12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N	
arking/hr													
Bus stops/hr	0	0		0	0			0		0	0	0	
Unit Extension	3.0	3.0		3.0	3.0			3.0		3.0	3.0	3.0	
Passing	Excl. Left	EW Perm	03	04		SB Only	NS Perm	07	08				
Timing	G = 15.0	G = 45.0	G =	G =		G = 25.0	G = 20.0	G =	G =				
	Y = 6	Y = 6	Y =	Y =		Y = 5.7	Y = 6	Y =	Y =				
Duration of Analysis (hrs) = 0.25			Cycle Length C = 128.7										

Lane Group Capacity, Control Delay, and LOS Determination

			EB			WB			NB		SB	
Adj. flow rate	45	181		6	366			8		236	12	27
Lane group cap.	439	649		594	590			270		591	734	624
c ratio	0.10	0.28		0.01	0.62			0.03		0.40	0.02	0.04
Green ratio	0.51	0.35		0.51	0.35			0.16		0.39	0.39	0.39
Min. delay d1	17.5	30.2		15.7	34.8			46.1		27.4	23.8	24.0
Delay factor k	0.11	0.11		0.11	0.20			0.11		0.11	0.11	0.11
Increm. delay d2	0.1	0.2		0.0	2.0			0.0		0.4	0.0	0.0
z factor	1.000	1.000		1.000	1.000			1.000		1.000	1.000	1.000
Control delay	17.6	30.4		15.7	36.8			46.2		27.9	23.8	24.1
Lane group LOS	B	C		B	D			D		C	C	C
Approch. delay	27.9			36.4			46.2			27.3		
Approach LOS	C			D			D			C		
Intersec. delay	31.5			Intersection LOS						C		

SHORT REPORT

General Information						Site Information																					
Analyst	KHA User					Intersection	Oslo & 43rd Ave																				
Agency or Co.	Kimley-Horn & Associates					Area Type	All other areas																				
Date Performed	4/15/2004					Jurisdiction	Tripson Trail																				
Time Period	Existing PM PK HR PK Season																										
Analysis Year 2007																											
Volume and Timing Input																											
			EB			WB			NB		SB																
			LT	TH	RT	LT	TH	RT	LT	TH	LT	TH	RT														
Num. of Lanes	1	1	0	1	1	1	1	1	0	1	1	0															
Lane group	<i>L</i>	<i>TR</i>		<i>L</i>	<i>T</i>	<i>R</i>	<i>L</i>	<i>TR</i>		<i>L</i>	<i>TR</i>																
Volume (vph)	12	312	77	37	262	102	71	231	38	137	204	11															
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2															
P/HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95															
Actuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A															
Startup lost time	2.0	2.0		2.0	2.0	2.0	2.0	2.0		2.0	2.0																
Ext. eff. green	2.0	2.0		2.0	2.0	2.0	2.0	2.0		2.0	2.0																
Arrival type	3	3		3	3	3	3	3		3	3																
Unit Extension	3.0	3.0		3.0	3.0	3.0	3.0	3.0		3.0	3.0																
Ped/Bike/RTOR Volume	0		0	0		0	0		0	0		0															
Lane Width	12.0	12.0		12.0	12.0	12.0	12.0	12.0		12.0	12.0																
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N															
Parking/hr																											
Bus stops/hr	0	0		0	0	0	0	0		0	0																
Unit Extension	3.0	3.0		3.0	3.0	3.0	3.0	3.0		3.0	3.0																
Phasing	EW Perm	02		03		04		SB Only	NS Perm	07		08															
Timing	G = 31.0	G =		G =		G =		G = 15.0	G = 30.0	G =		G =															
	Y = 5	Y =		Y =		Y =		Y = 4	Y = 5	Y =		Y =															
Duration of Analysis (hrs) =	0.25					Cycle Length C = 90.0																					
Lane Group Capacity, Control Delay, and LOS Determination																											
			EB			WB			NB		SB																
Adj. flow rate	13	409		39	276	107	75	283		144	227																
Lane group cap.	309	622		201	642	545	383	608		572	1006																
/c ratio	0.04	0.66		0.19	0.43	0.20	0.20	0.47		0.25	0.23																
Green ratio	0.34	0.34		0.34	0.34	0.34	0.33	0.33		0.54	0.54																
'nif. delay d1	19.6	25.0		20.7	22.7	20.7	21.4	23.7		11.0	10.6																
Delay factor k	0.11	0.23		0.11	0.11	0.11	0.11	0.11		0.11	0.11																
Increm. delay d2	0.1	2.5		0.5	0.5	0.2	0.3	0.6		0.2	0.1																
F factor	1.000	1.000		1.000	1.000	1.000	1.000	1.000		1.000	1.000																
Control delay	19.7	27.6		21.2	23.2	20.9	21.7	24.2		11.2	10.8																
Lane group LOS	B	C		C	C	C	C	C		B	B																
Approch. delay	27.3			22.4			23.7			10.9																	
pproach LOS	C			C			C			B																	
...tersec. delay	21.3			Intersection LOS						C																	

SHORT REPORT

General Information						Site Information						
Analyst KHA User Agency or Co. Kimley-Horn & Associates Date Performed 3/23/2004 Time Period Existing PM PK HR PK Season Season						Intersection Area Type Jurisdiction Analysis Year	4th St & 43rd Ave All other areas Tripson Trail 2004					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	27	155	106	46	152	46	112	386	41	113	511	45
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Actuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Signal type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Cycl/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
Parking/hr												
Loss stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Phase	EW Perm	02	03	04	NS Perm	06	07	08				
Timing	G = 30.4	G =	G =	G =	G = 48.4	G =	G =	G =				
	Y = 5.6	Y =	Y =	Y =	Y = 5.6	Y =	Y =	Y =				
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	28	275		48	208		118	449		119	585	
Lane group cap.	366	591		309	607		312	987		418	990	
> ratio	0.08	0.47		0.16	0.34		0.38	0.45		0.28	0.59	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
Initial delay d1	20.3	23.4		20.8	22.3		12.1	12.7		11.4	14.1	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.11		0.11	0.18	
Increm. delay d2	0.1	0.6		0.2	0.3		0.8	0.3		0.4	0.9	
Factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	20.3	24.0		21.1	22.7		12.8	13.1		11.7	15.0	
Lane group LOS	C	C		C	C		B	B		B	B	
Approch. delay	23.7			22.4			13.0			14.5		
Approach LOS	C			C			B			B		
Intersec. delay	16.6			Intersection LOS								

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co.						KHA User Kimley-Horn & Associates					
Date Performed						3/23/2004					
Time Period						Existing PM PK HR PK Season					
Intersection Area Type Jurisdiction Analysis Year						8th St & 43rd Ave All other areas Tripson Trail 2004					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	14	110	17	70	167	80	24	427	39	68	603	24
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02	03	04	NS Perm	06	07	08				
Timing	G = 30.8	G =	G =	G =	G = 48.8	G =	G =	G =				
	Y = 5.2	Y =	Y =	Y =	Y = 5.2	Y =	Y =	Y =				
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	15	134		74	260		25	490		72	660	
Lane group cap.	322	625		428	606		258	997		387	1004	
c ratio	0.05	0.21		0.17	0.43		0.10	0.49		0.19	0.66	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
nif. delay d1	19.8	21.0		20.7	22.8		10.0	12.9		10.5	14.7	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.11		0.11	0.23	
Increm. delay d2	0.1	0.2		0.2	0.5		0.2	0.4		0.2	1.6	
= factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.8	21.2		20.9	23.3		10.1	13.2		10.7	16.2	
Lane group LOS	B	C		C	C		B	B		B	B	
Apprch. delay	21.0			22.8			13.1			15.7		
Approach LOS	C			C			B			B		
Intersec. delay	16.7			Intersection LOS								

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						KHA User Kimley-Horn & Associates 3/23/2004 Existing PM PK HR PK Season					
Intersection Area Type Jurisdiction Analysis Year						12th St & 43rd Ave All other areas Tripson Trail 2004					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	10	103	17	64	153	62	17	394	38	50	598	11
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
-IF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ct. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rral type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02		03		04		NS Perm		06		07
Timing	G = 31.0	G =		G =	G =		G = 48.4	G =		G =	G =	
	Y = 5	Y =		Y =	Y =		Y = 5.6	Y =		Y =	Y =	
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
l. flow rate	11	126		67	226		18	455		53	641	
Lane group cap.	352	628		434	614		271	988		414	999	
ratio	0.03	0.20		0.15	0.37		0.07	0.46		0.13	0.64	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
Initial delay d1	19.5	20.8		20.4	22.1		10.0	12.8		10.3	14.7	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.11		0.11	0.22	
Increm. delay d2	0.0	0.2		0.2	0.4		0.1	0.3		0.1	1.4	
Factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.6	20.9		20.6	22.5		10.1	13.1		10.5	16.1	
Lane group LOS	B	C		C	C		B	B		B	B	
Apprch. delay	20.8			22.1			13.0			15.7		
Approach LOS	C			C			B			B		
Intersec. delay	16.5			Intersection LOS			B			B		

SHORT REPORT

General Information						Site Information						
Analyst: Kimley-Horn & Associates Agency or Co.: Kimley-Horn & Associates Date Performed: 3/16/2004 Time Period: Existing PM PK HR PK Season						Intersection: 16th St & 43rd Ave Area Type: All other areas Jurisdiction: SR 60 & 90th Ave, 25 acre Analysis Year: 2004						
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	17	119	61	54	198	128	55	476	45	92	670	48
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02	03	04	NS Perm	06	07	08				
Timing	G = 31.0	G =	G =	G =	G = 48.4	G =	G =	G =				
	Y = 5	Y =	Y =	Y =	Y = 5.6	Y =	Y =	Y =				
uration of Analysis (hrs) = 0.25									Cycle Length C = 90.0			

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	18	189		57	343		58	548		97	756	
Lane group cap.	254	609		384	604		187	989		340	992	
c ratio	0.07	0.31		0.15	0.57		0.31	0.55		0.29	0.76	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
nif. delay d1	19.8	21.7		20.4	24.0		11.5	13.7		11.4	16.3	
Delay factor k	0.11	0.11		0.11	0.16		0.11	0.15		0.11	0.31	
Increm. delay d2	0.1	0.3		0.2	1.3		0.9	0.7		0.5	3.5	
= factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.9	21.9		20.6	25.3		12.5	14.4		11.8	19.8	
Lane group LOS	B	C		C	C		B	B		B	B	
Apprch. delay	21.8			24.6			14.2			18.9		
Approach LOS	C			C			B			B		
Intersec. delay	18.9			Intersection LOS						B		

SHORT REPORT

General Information				Site Information									
Analyst Agency or Co.	KHA			Intersection	SR 60 & 43rd Avenue								
Date Performed	4/15/2004			Area Type	All other areas								
Time Period	Existing PM Peak Hr Pk Season			Jurisdiction	Tripson Trail								
Volume and Timing Input													
				EB			WB			NB		SB	
				LT	TH	RT	LT	TH	RT	LT	TH	RT	LT
Num. of Lanes		1	3	0	1	3	0	1	1	1	1	1	0
Lane group		L	TR		L	TR		L	T	R	L	TR	
Volume (vph)		102	987	274	119	1087	85	276	220	107	134	212	67
% Heavy veh		2	2	2	2	2	2	2	2	2	2	2	2
HF		0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)		A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time		2.0	2.0		2.0	2.0		2.0	2.0	2.0	2.0	2.0	
ext. eff. green		2.0	2.0		2.0	2.0		2.0	2.0	2.0	2.0	2.0	
rrival type		3	3		3	3		3	3	3	3	3	
Unit Extension		3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0	
ed/Bike/RTOR Volume		0		0	0		0	0		0	0		0
Lane Width		12.0	12.0		12.0	12.0		12.0	12.0	12.0	12.0	12.0	
Parking/Grade/Parking		N	0	N	N	0	N	N	0	N	N	0	N
arking/hr													
Bus stops/hr		0	0		0	0		0	0	0	0	0	
Unit Extension		3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0	
Phasing	Excl. Left	EW Perm	03	04		Excl. Left	NS Perm	07	08				
Timing	G = 16.5 Y = 5.5	G = 61.0 Y = 6	G =	G =		G = 23.4 Y = 5.2	G = 56.9 Y = 5.5	G =	G =				
Duration of Analysis (hrs) = 0.25							Cycle Length C = 180.0						
Lane Group Capacity, Control Delay, and LOS Determination													
			EB			WB			NB			SB	
Adj. flow rate	107	1327		125	1233		291	232	113	141	294		
Lane group cap.	221	1667		207	1705		459	589	500	509	567		
Green ratio	0.48	0.80		0.60	0.72		0.63	0.39	0.23	0.28	0.52		
Green ratio	0.46	0.34		0.46	0.34		0.47	0.32	0.32	0.47	0.32		
Initial delay d1	33.8	53.9		36.9	52.1		31.9	48.1	45.3	28.0	50.3		
Delay factor k	0.11	0.34		0.19	0.28		0.21	0.11	0.11	0.11	0.12		
Increm. delay d2	1.7	2.8		4.9	1.5		2.9	0.4	0.2	0.3	0.8		
-factor	1.000	1.000		1.000	1.000		1.000	1.000	1.000	1.000	1.000		
Control delay	35.5	56.7		41.9	53.7		34.7	48.5	45.6	28.3	51.2		
Lane group LOS	D	E		D	D		C	D	D	C	D		
Approch. delay	55.1			52.6			41.7			43.8			
Approach LOS	E			D			D			D			
Intersec. delay	50.7			Intersection LOS			D			D			

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co.	KHA User Kimley-Horn & Associates						Intersection Area Type	Oslo & 27th Ave All other areas			
Date Performed	4/14/2004						Jurisdiction	Tripson Trail 2004			
Time Period	Existing PM PK Hr. PK Season						Analysis Year				

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	1	1	1	0	1	1	0	1	1	1
Lane group	L	T	R	L	TR		L	TR		L	T	R
Volume (vph)	93	258	188	98	357	136	191	261	75	139	379	113
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	2.0
ext. eff. green	2.0	2.0	2.0	2.0	2.0		2.0	2.0		2.0	2.0	2.0
rrival type	3	3	3	3	3		3	3		3	3	3
Unit Extension	3.0	3.0	3.0	3.0	3.0		3.0	3.0		3.0	3.0	3.0
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0	12.0	12.0	12.0		12.0	12.0		12.0	12.0	12.0
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0	0	0	0		0	0		0	0	0
Init Extension	3.0	3.0	3.0	3.0	3.0		3.0	3.0		3.0	3.0	3.0
hasing	Excl. Left	EW Perm	03	04		Excl. Left	NB Only	NS Perm	08			
Timing	G = 15.0	G = 40.0	G =	G =		G = 15.0	G = 5.0	G = 40.0	G =			
	Y = 5.4	Y = 5.5	Y =	Y =		Y = 5.7	Y = 0	Y = 5.5	Y =			
Duration of Analysis (hrs) = 0.25				Cycle Length C = 137.1								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	98	272	198	103	519		201	354		146	399	119
Lane group cap.	248	544	462	420	521		420	591		445	544	462
'c ratio	0.40	0.50	0.43	0.25	1.00		0.48	0.60		0.33	0.73	0.26
Green ratio	0.44	0.29	0.29	0.44	0.29		0.48	0.33		0.40	0.29	0.29
nif. delay d1	28.8	40.3	39.3	24.0	48.5		24.5	38.5		27.0	43.7	37.2
Delay factor k	0.11	0.11	0.11	0.11	0.50		0.11	0.19		0.11	0.29	0.11
crem. delay d2	1.0	0.7	0.6	0.3	38.4		0.9	1.7		0.4	5.1	0.3
F factor	1.000	1.000	1.000	1.000	1.000		1.000	1.000		1.000	1.000	1.000
Control delay	29.9	41.0	39.9	24.3	86.9		25.3	40.2		27.4	48.8	37.5
Lane group LOS	C	D	D	C	F		C	D		C	D	D
Apprch. delay	38.7			76.5			34.8			42.1		
pproach LOS	D			E			C			D		
ntersec. delay	48.5			Intersection LOS			D			D		

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						KHA User Kimley-Horn & Associates 4/14/2004 Existing PM PK Hr. PK Season					
Intersection Area Type Jurisdiction Analysis Year						27th Avenue & 4th Street All other areas Tripson Trail 2004					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	51	226	43	103	304	47	40	393	45	59	594	117
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Actuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Travel type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ped/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
Parking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Phasing	Excl. Left	Thru & RT		03	04		SB Only		NS Perm	07	08	
Timing	G = 8.6	G = 26.4		G =	G =		G = 8.5		G = 34.2	G =	G =	
	Y = 5.4	Y = 5.6		Y =	Y =		Y = 5.5		Y = 5.8	Y =	Y =	
Duration of Analysis (hrs) = 0.25						Cycle Length C = 100.0						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	54	283		108	369		42	461		62	748	
Lane group cap.	152	480		152	482		122	627		308	876	
c ratio	0.36	0.59		0.71	0.77		0.34	0.74		0.20	0.85	
Green ratio	0.09	0.26		0.09	0.26		0.34	0.34		0.48	0.48	
Inf. delay d1	43.1	32.1		44.5	33.9		24.5	28.9		16.7	22.8	
Delay factor k	0.11	0.18		0.27	0.32		0.11	0.29		0.11	0.39	
Crem. delay d2	1.4	1.9		14.4	7.2		1.7	4.5		0.3	8.2	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	44.5	34.0		58.8	41.2		26.2	33.4		17.0	31.0	
Lane group LOS	D	C		E	D		C	C		B	C	
Approch. delay	35.7			45.2			32.8			30.0		
Approach LOS	D			D			C			C		
Intersec. delay	35.0			Intersection LOS			C			C		

SHORT REPORT

General Information						Site Information						
Analyst Agency or Co.			Intersection Area Type			20th Avenue & Oslo Road All other areas						
Date Performed Time Period	KHA 4/14/2004	Existing PM PK Season	Jurisdiction	Tripson Trail	Analysis Year	2004						
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	44	332	43	102	460	96	47	134	44	97	188	58
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Actuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Act. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Travel type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Cycl/Bike/RTOR Volume	0		0	0		0	0	0		0	0	
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
Parking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Phasing	Excl. Left	EW Perm	03	04	NS Perm	06	07	08				
Timing	G = 20.0	G = 45.0	G =	G =	G = 35.0	G =	G =	G =				
	Y = 5.2	Y = 5.2	Y =	Y =	Y = 5.2	Y =	Y =	Y =				
Duration of Analysis (hrs) = 0.25						Cycle Length C = 115.6						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	46	394		107	585		49	187		102	259	
Lane group cap.	422	713		565	707		257	543		318	544	
Cap ratio	0.11	0.55		0.19	0.83		0.19	0.34		0.32	0.48	
Green ratio	0.61	0.39		0.61	0.39		0.30	0.30		0.30	0.30	
Initial delay d1	14.4	27.5		11.4	31.8		29.8	31.4		31.1	32.8	
Delay factor k	0.11	0.15		0.11	0.37		0.11	0.11		0.11	0.11	
Interim. delay d2	0.1	0.9		0.2	8.1		0.4	0.4		0.6	0.7	
Factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	14.6	28.4		11.6	39.9		30.2	31.8		31.7	33.5	
Lane group LOS	B	C		B	D		C	C		C	C	
Approch. delay	27.0			35.5			31.4			33.0		
Approach LOS	C			D			C			C		
Intersec. delay	32.2			Intersection LOS						C		

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						Intersection Area Type Jurisdiction Analysis Year					
KHA User Kimley-Horn & Associates 3/24/2004 2007 PM PK HR without project						Oslo & 58th Ave All other areas Tripson Trail 2007					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	0	1	0	1	1	1
Lane group	L	TR		L	TR			LTR		L	T	R
Volume (vph)	47	185	5	7	141	241	1	5	3	246	12	29
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0			2.0		2.0	2.0	2.0
xt. eff. green	2.0	2.0		2.0	2.0			2.0		2.0	2.0	2.0
rrival type	3	3		3	3			3		3	3	3
Unit Extension	3.0	3.0		3.0	3.0			3.0		3.0	3.0	3.0
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0			12.0		12.0	12.0	12.0
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
Bus stops/hr	0	0		0	0			0		0	0	0
Init Extension	3.0	3.0		3.0	3.0			3.0		3.0	3.0	3.0
hasing	Excl. Left	EW Perm		03	04	SB Only	NS Perm		07		08	
Timing	G = 15.0	G = 45.0		G =	G =	G = 25.0	G = 20.0	G =	G =			
	Y = 6	Y = 6		Y =	Y =	Y = 5.7	Y = 6	Y =	Y =			
Duration of Analysis (hrs) = 0.25						Cycle Length C = 128.7						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	49	200		7	402			9		259	13	31
Lane group cap.	411	649		577	590			272		591	734	624
c ratio	0.12	0.31		0.01	0.68			0.03		0.44	0.02	0.05
Green ratio	0.51	0.35		0.51	0.35			0.16		0.39	0.39	0.39
Adj. delay d1	18.1	30.5		15.8	35.7			46.1		27.9	23.8	24.1
Delay factor k	0.11	0.11		0.11	0.25			0.11		0.11	0.11	0.11
Adj. rem. delay d2	0.1	0.3		0.0	3.2			0.0		0.5	0.0	0.0
z factor	1.000	1.000		1.000	1.000			1.000		1.000	1.000	1.000
Control delay	18.2	30.8		15.8	38.9			46.2		28.4	23.8	24.1
Lane group LOS	B	C		B	D			D		C	C	C
Approch. delay	28.3			38.5			46.2			27.7		
Approach LOS	C			D			D			C		
Intersec. delay	32.6			Intersection LOS			C					

SHORT REPORT

General Information				Site Information							
Analyst Agency or Co.	KHA User Kimley-Horn & Associates			Intersection Area Type	Oslo & 43rd Ave All other areas						
Date Performed	4/15/2004			Jurisdiction	Tripson Trail						
Time Period	2007 PM PK HR without project			Analysis Year	2007						
Volume and Timing Input											
			EB			WB			NB		
			LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	1	1	1	0	1	1
Lane group	L	TR		L	T	R	L	TR		L	TR
Volume (vph)	13	343	84	41	288	112	78	254	42	151	224
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0	2.0	2.0	2.0		2.0	2.0
ext. eff. green	2.0	2.0		2.0	2.0	2.0	2.0	2.0		2.0	2.0
rrival type	3	3		3	3	3	3	3		3	3
Unit Extension	3.0	3.0		3.0	3.0	3.0	3.0	3.0		3.0	3.0
ed/Bike/RTOR Volume	0		0	0		0	0		0	0	0
Lane Width	12.0	12.0		12.0	12.0	12.0	12.0	12.0		12.0	12.0
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0
arking/hr											
bus stops/hr	0	0		0	0	0	0	0		0	0
Unit Extension	3.0	3.0		3.0	3.0	3.0	3.0	3.0		3.0	3.0
Phase	EW Perm	02	03	04		SB Only	NS Perm	07	08		
Timing	G = 31.0	G =	G =	G =		G = 15.0	G = 30.0	G =	G =		
	Y = 5	Y =	Y =	Y =		Y = 4	Y = 5	Y =	Y =		
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0							

Lane Group Capacity, Control Delay, and LOS Determination

			EB			WB			NB		
Adj. flow rate	14	449		43	303	118	82	311		159	249
Lane group cap.	287	623		171	642	545	375	608		549	1006
Green ratio	0.05	0.72		0.25	0.47	0.22	0.22	0.51		0.29	0.25
Green ratio	0.34	0.34		0.34	0.34	0.34	0.33	0.33		0.54	0.54
Initial delay d1	19.7	25.7		21.2	23.1	20.9	21.6	24.1		11.3	10.8
Delay factor k	0.11	0.28		0.11	0.11	0.11	0.11	0.12		0.11	0.11
Increm. delay d2	0.1	4.1		0.8	0.6	0.2	0.3	0.7		0.3	0.1
Loss factor	1.000	1.000		1.000	1.000	1.000	1.000	1.000		1.000	1.000
Control delay	19.7	29.8		22.0	23.6	21.1	21.9	24.9		11.6	10.9
Lane group LOS	B	C		C	C	C	C	C		B	B
Approch. delay	29.5			22.8			24.2			11.2	
Approach LOS	C			C			C			B	
Intersec. delay	22.2			Intersection LOS			C				

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						KHA User Kimley-Horn & Associates 3/23/2004 2007 PM PK HR without project					
Intersection Area Type Jurisdiction Analysis Year						4th St & 43rd Ave All other areas Tripson Trail 2007					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	29	170	117	50	167	50	124	424	45	125	562	49
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Placed (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Arrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
Parking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Init Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02		03		04	NS Perm		06		07	
Timing	G = 30.4	G =		G =	G =		G = 48.4	G =	G =	G =	G =	
	Y = 5.6	Y =		Y =	Y =		Y = 5.6	Y =	Y =	Y =	Y =	
Duration of Analysis (hrs) = 0.25						Cycle Length C = 90.0						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	31	302		53	229		131	493		132	644	
Lane group cap.	348	591		286	607		268	987		383	990	
c ratio	0.09	0.51		0.19	0.38		0.49	0.50		0.34	0.65	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
inf. delay d1	20.3	23.9		21.1	22.6		13.0	13.1		11.8	14.8	
Delay factor k	0.11	0.12		0.11	0.11		0.11	0.11		0.11	0.23	
crem. delay d2	0.1	0.8		0.3	0.4		1.4	0.4		0.5	1.5	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	20.5	24.6		21.4	23.0		14.4	13.5		12.3	16.3	
Lane group LOS	C	C		C	C		B	B		B	B	
Apprch. delay	24.2			22.7			13.7			15.6		
Approach LOS	C			C			B			B		
Intersec. delay	17.5			Intersection LOS			B			B		

SHORT REPORT

General Information						Site Information							
Analyst	KHA User						Intersection						
Agency or Co.	Kimley-Horn & Associates						Area Type						
Date Performed	3/23/2004						Jurisdiction						
Time Period	2007 PM PK HR without project						Analysis Year						
Volume and Timing Input													
	EB			WB			NB			SB			
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT	
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0	
Lane group	L	TR		L	TR		L	TR		L	TR		
Volume (vph)	15	121	18	77	184	88	27	470	43	75	663	27	
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2	
'HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	
actuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A	
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0		
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0		
Arrival type	3	3		3	3		3	3		3	3		
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0		
ped/Bike/RTOR Volume	0		0	0		0	0		0	0		0	
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0		
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N	
Parking/hr													
Bus stops/hr	0	0		0	0		0	0		0	0		
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0		
Phasing	EW Perm	02		03		04	NS Perm		06		07		08
Timing	G = 30.8	G =		G =	G =		G = 48.8	G =	G =	G =	G =		
	Y = 5.2	Y =		Y =	Y =		Y = 5.2	Y =	Y =	Y =	Y =		
Duration of Analysis (hrs) =	0.25						Cycle Length C =	90.0					

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	16	146		81	287		28	540		79	726	
Lane group cap.	299	625		423	606		211	997		348	1004	
c ratio	0.05	0.23		0.19	0.47		0.13	0.54		0.23	0.72	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
inf. delay d1	19.8	21.2		20.8	23.2		10.2	13.4		10.8	15.5	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.14		0.11	0.28	
Increm. delay d2	0.1	0.2		0.2	0.6		0.3	0.6		0.3	2.6	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.9	21.4		21.1	23.8		10.4	14.0		11.1	18.1	
Lane group LOS	B	C		C	C		B	B		B	B	
Approch. delay	21.2			23.2			13.8			17.4		
Approach LOS	C			C			B			B		
Intersec. delay	17.8			Intersection LOS			B			B		

SHORT REPORT

General Information						Site Information								
Analyst Agency or Co. Kimley-Horn & Associates Date Performed 3/23/2004 Time Period 2007 PM PK HR without project						Intersection Area Type Jurisdiction Analysis Year								
						12th St & 43rd Ave All other areas Tripson Trail 2007								
Volume and Timing Input														
	EB			WB			NB			SB				
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT		
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0		
Lane group	L	TR		L	TR		L	TR		L	TR			
Volume (vph)	11	113	18	70	168	68	18	433	42	55	657	12		
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2		
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95		
Occupied (P/A)	A	A	A	A	A	A	A	A	A	A	A	A		
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0			
Ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0			
Travel type	3	3		3	3		3	3		3	3			
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0			
ped/Bike/RTOR Volume	0		0	0		0	0		0	0		0		
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0			
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N		
Parking/hr														
Bus stops/hr	0	0		0	0		0	0		0	0			
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0			
Phase	EW Perm	02		03		04		NS Perm		06		07		08
Timing	G = 31.0	G =		G =	G =	G = 48.4	G =	G =	G =	G =	G =			
	Y = 5	Y =		Y =	Y =	Y = 5.6	Y =	Y =	Y =	Y =	Y =			
Duration of Analysis (hrs) = 0.25						Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	12	138		74	249		19	500		58	705	
Lane group cap.	332	628		429	614		224	988		378	999	
C ratio	0.04	0.22		0.17	0.41		0.08	0.51		0.15	0.71	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
Initial delay d1	19.6	20.9		20.6	22.5		10.1	13.2		10.5	15.5	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.11		0.11	0.27	
Accum. delay d2	0.0	0.2		0.2	0.4		0.2	0.4		0.2	2.3	
Factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.6	21.1		20.8	22.9		10.2	13.6		10.7	17.8	
Lane group LOS	B	C		C	C		B	B		B	B	
Approch. delay	21.0			22.4			13.5			17.3		
Approach LOS	C			C			B			B		
Intersec. delay	17.4			Intersection LOS						B		

SHORT REPORT

General Information				Site Information								
Analyst Agency or Co. Date Performed Time Period				Intersection Area Type Jurisdiction Analysis Year								
Kimley-Horn & Associates 3/23/2004 2007 PM PK HR without project				16th St & 43rd Ave All other areas SR 60 & 90th Ave, 25 acre 2007								
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	19	131	68	59	218	141	61	523	49	101	737	52
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF ctuated (P/A)	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0		0	0		0	0		0	0	
Init Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02	03	04	NS Perm	06	07	08				
Timing	G = 31.0	G =	G =	G =	G = 48.4	G =	G =	G =				
	Y = 5	Y =	Y =	Y =	Y = 5.6	Y =	Y =	Y =				
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	20	210		62	377		64	603		106	831	
Lane group cap.	227	609		366	604		134	989		298	992	
c ratio	0.09	0.34		0.17	0.62		0.48	0.61		0.36	0.84	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
nif. delay d1	19.9	21.9		20.5	24.6		12.9	14.3		11.9	17.5	
Delay factor k	0.11	0.11		0.11	0.21		0.11	0.20		0.11	0.37	
crem. delay d2	0.2	0.3		0.2	2.0		2.7	1.1		0.7	6.4	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	20.1	22.3		20.8	26.7		15.6	15.4		12.6	23.9	
Lane group LOS	C	C		C	C		B	B		B	C	
Apprch. delay	22.1			25.8			15.4			22.6		
Approach LOS	C			C			B			C		
Intersec. delay	21.1			Intersection LOS			C					

SHORT REPORT

General Information						Site Information								
Analyst														
Agency or Co.	KHA						Intersection							
Date Performed	4/15/2004						Area Type							
Time Period	2007 PM Peak Hr without proj						Jurisdiction	SR 60 & 43rd Avenue						
							Analysis Year	All other areas						
							Tripson Trail	Tripson Trail						
							2007							
Volume and Timing Input														
			EB			WB			NB			SB		
			LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	3	0	1	3	0	1	1	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	T	R	L	TR			
Volume (vph)	112	1085	301	131	1196	93	304	242	118	147	233	74		
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2		
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95		
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A		
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0	2.0	2.0	2.0			
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0	2.0	2.0	2.0			
rrival type	3	3		3	3		3	3	3	3	3			
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0			
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0		
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0	12.0	12.0	12.0			
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N		
arking/hr														
bus stops/hr	0	0		0	0		0	0	0	0	0			
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0			
hasing	Excl. Left	EW Perm	03	04		Excl. Left	NS Perm	07	08					
Timing	G = 16.5	G = 61.0	G =	G =		G = 23.4	G = 56.9	G =	G =					
	Y = 5.5	Y = 6	Y =	Y =		Y = 5.2	Y = 5.5	Y =	Y =					
Duration of Analysis (hrs) = 0.25				Cycle Length C = 180.0										
Lane Group Capacity, Control Delay, and LOS Determination														
			EB			WB			NB			SB		
dl. flow rate	118	1459		138	1357		320	255	124	155	323			
Lane group cap.	203	1667		203	1705		436	589	500	490	567			
c ratio	0.58	0.88		0.68	0.80		0.73	0.43	0.25	0.32	0.57			
Green ratio	0.46	0.34		0.46	0.34		0.47	0.32	0.32	0.47	0.32			
ntif. delay d1	38.5	55.9		45.6	53.9		33.2	48.8	45.7	28.5	51.3			
Delay factor k	0.17	0.40		0.25	0.34		0.29	0.11	0.11	0.11	0.16			
Increm. delay d2	4.2	5.6		8.9	2.7		6.3	0.5	0.3	0.4	1.4			
F factor	1.000	1.000		1.000	1.000		1.000	1.000	1.000	1.000	1.000			
Control delay	42.7	61.5		54.4	56.6		39.5	49.3	45.9	28.9	52.7			
Lane group LOS	D	E		D	E		D	D	D	C	D			
Apprch. delay	60.1			56.4			44.2			45.0				
Approach LOS	E			E			D			D				
Intersec. delay	54.5			Intersection LOS								D		

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co.	KHA User Kimley-Horn & Associates					Intersection Area Type	Oslo & 27th Ave All other areas				
Date Performed	4/14/2004					Jurisdiction	Tripson Trail				
Time Period	2007 PM PK Hr.without project					Analysis Year	2007 Modified phasing				
Volume and Timing Input											
			EB			WB			NB		
			LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	1	1	0	1	1	0	1	1	1
Lane group	L	T	R	L	TR	L	TR		L	T	R
Volume (vph)	102	283	207	108	392	150	210	287	82	153	417
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0	2.0	2.0	2.0		2.0	2.0	2.0	2.0	2.0
ct. eff. green	2.0	2.0	2.0	2.0	2.0		2.0	2.0	2.0	2.0	2.0
ival type	3	3	3	3	3		3	3	3	3	3
Unit Extension	3.0	3.0	3.0	3.0	3.0		3.0	3.0	3.0	3.0	3.0
ed/Bike/RTOR Volume	0		0	0		0	0		0	0	0
Lane Width	12.0	12.0	12.0	12.0	12.0		12.0	12.0	12.0	12.0	12.0
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0
arking/hr											
us stops/hr	0	0	0	0	0		0	0	0	0	0
Unit Extension	3.0	3.0	3.0	3.0	3.0		3.0	3.0	3.0	3.0	3.0
Passing	Excl. Left	EW Perm	03	04		Excl. Left	NS Perm	07	08		
Timing	G = 8.0	G = 45.0	G =	G =		G = 11.0	G = 51.0	G =	G =		
	Y = 5.4	Y = 5.5	Y =	Y =		Y = 5.7	Y = 5.5	Y =	Y =		
Duration of Analysis (hrs) = 0.25						Cycle Length C = 137.1					

Lane Group Capacity, Control Delay, and LOS Determination

			EB			WB			NB		
l. flow rate	107	298	218	114	571		221	388		161	439
Lane group cap.	157	611	520	355	586		342	670		381	693
ratio	0.68	0.49	0.42	0.32	0.97		0.65	0.58		0.42	0.63
Green ratio	0.43	0.33	0.33	0.43	0.33		0.49	0.37		0.49	0.37
ulf. delay d1	31.5	36.8	35.9	25.5	45.5		23.7	34.5		21.8	35.4
Delay factor k	0.25	0.11	0.11	0.11	0.48		0.22	0.17		0.11	0.21
Increm. delay d2	11.4	0.6	0.5	0.5	30.7		4.2	1.3		0.8	1.9
F factor	1.000	1.000	1.000	1.000	1.000		1.000	1.000		1.000	1.000
Control delay	43.0	37.4	36.4	26.0	76.1		27.9	35.7		22.5	37.3
Lane group LOS	D	D	D	C	E		C	D		C	D
Apprch. delay	38.0			67.8			32.9			32.7	
Approach LOS	D			E			C			C	
Intersec. delay	43.1			Intersection LOS						D	

SHORT REPORT

General Information						Site Information						
Analyst Agency or Co.	KHA User Kimley-Horn & Associates					Intersection Area Type	27th Avenue & 4th Street All other areas					
Date Performed	4/14/2004					Jurisdiction	Tripson Trail					
Time Period	2007 PM PK Hr. without project					Analysis Year	2007					
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	56	248	48	113	335	51	44	432	49	65	653	128
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Passing	Excl. Left	Thru & RT	03	04	SB Only	NS Perm	07	08				
Timing	G = 8.6	G = 26.4	G =	G =	G = 8.5	G = 34.2	G =	G =				
	Y = 5.4	Y = 5.6	Y =	Y =	Y = 5.5	Y = 5.8	Y =	Y =				
Duration of Analysis (hrs) = 0.25						Cycle Length C = 100.0						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	59	312		119	407		46	507		68	822	
Lane group cap.	152	480		152	482		75	627		273	876	
cap ratio	0.39	0.65		0.78	0.84		0.61	0.81		0.25	0.94	
Green ratio	0.09	0.26		0.09	0.26		0.34	0.34		0.48	0.48	
Initial delay d1	43.2	32.7		44.8	34.9		27.4	29.9		17.6	24.5	
Delay factor k	0.11	0.23		0.33	0.38		0.20	0.35		0.11	0.45	
Increm. delay d2	1.6	3.1		22.9	13.0		14.0	7.8		0.5	17.4	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	44.9	35.8		67.7	47.8		41.4	37.7		18.0	41.9	
Lane group LOS	D	D		E	D		D	D		B	D	
Approch. delay	37.2			52.3			38.0			40.1		
Approach LOS	D			D			D			D		
Intersec. delay	41.9			Intersection LOS			D			D		

SHORT REPORT

General Information						Site Information								
Analyst														
Agency or Co.	KHA						Intersection							
Date Performed	4/14/2004						Area Type							
Time Period	2007 PM PK Hr without project						Jurisdiction	20th Avenue & Oslo Road						
Volume and Timing Input														
	EB			WB			NB			SB				
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT		
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0		
Lane group	L	TR		L	TR		L	TR		L	TR			
Volume (vph)	49	365	48	112	505	106	52	148	49	107	207	63		
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2		
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95		
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A		
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0			
Ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0			
rrival type	3	3		3	3		3	3		3	3			
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0			
Cycl/Bike/RTOR Volume	0		0	0		0	0		0	0		0		
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0			
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N		
arking/hr														
us stops/hr	0	0		0	0		0	0		0	0			
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0			
hasing	Excl. Left	EW Perm	03	04	NS Perm	06	07	08						
Timing	G = 20.0	G = 45.0	G =	G =	G = 35.0	G =	G =	G =						
	Y = 5.2	Y = 5.2	Y =	Y =	Y = 5.2	Y =	Y =	Y =						
Duration of Analysis (hrs) = 0.25				Cycle Length C = 115.6										
Lane Group Capacity, Control Delay, and LOS Determination														
	EB			WB			NB			SB				
Adj. flow rate	52	435		118	644		55	208		113	284			
Lane group cap.	379	712		534	706		237	543		300	544			
C ratio	0.14	0.61		0.22	0.91		0.23	0.38		0.38	0.52			
Green ratio	0.61	0.39		0.61	0.39		0.30	0.30		0.30	0.30			
Initial delay d1	16.4	28.3		12.1	33.4		30.2	31.8		31.7	33.4			
Delay factor k	0.11	0.20		0.11	0.43		0.11	0.11		0.11	0.13			
Increm. delay d2	0.2	1.5		0.2	16.2		0.5	0.5		0.8	0.9			
Factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000			
Control delay	16.5	29.8		12.3	49.6		30.7	32.2		32.5	34.3			
Lane group LOS	B	C		B	D		C	C		C	C			
Approch. delay	28.4			43.8			31.9			33.8				
Approach LOS	C			D			C			C				
Intersec. delay	36.2			Intersection LOS										

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						Intersection Area Type Jurisdiction Analysis Year					
KHA User Kimley-Horn & Associates 3/24/2004 2007 PM PK HR with project						Oslo & 58th Ave All other areas Tripson Trail 2007					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	0	1	0	1	1	1
Lane group	L	TR		L	TR			LTR		L	T	R
Volume (vph)	47	190	5	7	144	259	1	5	3	276	12	29
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0			2.0		2.0	2.0	2.0
Act. eff. green	2.0	2.0		2.0	2.0			2.0		2.0	2.0	2.0
Travel type	3	3		3	3			3		3	3	3
Unit Extension	3.0	3.0		3.0	3.0			3.0		3.0	3.0	3.0
Cycl/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0			12.0		12.0	12.0	12.0
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
Parking/hr												
Bus stops/hr	0	0		0	0			0		0	0	0
Unit Extension	3.0	3.0		3.0	3.0			3.0		3.0	3.0	3.0
Passing	Excl. Left	EW Perm	03	04	SB Only	NS Perm	07	08				
Timing	G = 15.0	G = 45.0	G =	G =	G = 25.0	G = 20.0	G =	G =				
	Y = 6	Y = 6	Y =	Y =	Y = 5.7	Y = 6	Y =	Y =				
Duration of Analysis (hrs) = 0.25				Cycle Length C = .128.7								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
Adj. flow rate	49	205		7	425			9		291	13	31
Lane group cap.	393	649		573	588			272		591	734	624
Cap. ratio	0.12	0.32		0.01	0.72			0.03		0.49	0.02	0.05
Green ratio	0.51	0.35		0.51	0.35			0.16		0.39	0.39	0.39
Initial delay d1	18.4	30.6		15.8	36.4			46.1		28.5	23.8	24.1
Delay factor k	0.11	0.11		0.11	0.28			0.11		0.11	0.11	0.11
Increm. delay d2	0.1	0.3		0.0	4.4			0.0		0.6	0.0	0.0
Factor	1.000	1.000		1.000	1.000			1.000		1.000	1.000	1.000
Control delay	18.6	30.9		15.8	40.8			46.2		29.1	23.8	24.1
Lane group LOS	B	C		B	D			D		C	C	C
Approch. delay	28.5			40.4			46.2			28.4		
Approach LOS	C			D			D			C		
Intersec. delay	33.6			Intersection LOS								

SHORT REPORT

General Information						Site Information							
Analyst Agency or Co. Date Performed Time Period	KHA User Kimley-Horn & Associates 4/15/2004 2007 PM PK HR with project			Intersection Area Type Jurisdiction Analysis Year	Oslo & 43rd Ave All other areas Tripson Trail 2007								
Volume and Timing Input													
	EB			WB			NB			SB			
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH		
Num. of Lanes	1	1	0	1	1	1	1	1	0	1	1		
Lane group	L	TR		L	T	R	L	TR		L	TR		
Volume (vph)	13	343	119	76	288	112	99	293	63	151	291		
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2		
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95		
Plotted (P/A)	A	A	A	A	A	A	A	A	A	A	A		
Startup lost time	2.0	2.0		2.0	2.0	2.0	2.0	2.0		2.0	2.0		
Act. eff. green	2.0	2.0		2.0	2.0	2.0	2.0	2.0		2.0	2.0		
Signal type	3	3		3	3	3	3	3		3	3		
Unit Extension	3.0	3.0		3.0	3.0	3.0	3.0	3.0		3.0	3.0		
Cycl/Bike/RTOR Volume	0		0	0		0	0		0	0	0		
Lane Width	12.0	12.0		12.0	12.0	12.0	12.0	12.0		12.0	12.0		
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0		
Parking/hr													
Bus stops/hr	0	0		0	0	0	0	0		0	0		
Unit Extension	3.0	3.0		3.0	3.0	3.0	3.0	3.0		3.0	3.0		
Passing	EW Perm	02	03	04	SB Only		NS Perm	07	08				
Timing	G = 31.0	G =	G =	G =	G = 15.0		G = 30.0	G =	G =				
	Y = 5	Y =	Y =	Y =	Y = 4		Y = 5	Y =	Y =				
Iteration of Analysis (hrs) = 0.25				Cycle Length C = 90.0									
Lane Group Capacity, Control Delay, and LOS Determination													
	EB			WB			NB			SB			
Adj. flow rate	14	486		80	303	118	104	374		159	319		
Lane group cap.	287	617		143	642	545	352	604		499	1008		
Vol. ratio	0.05	0.79		0.56	0.47	0.22	0.30	0.62		0.32	0.32		
Green ratio	0.34	0.34		0.34	0.34	0.34	0.33	0.33		0.54	0.54		
Conf. delay d1	19.7	26.5		24.0	23.1	20.9	22.2	25.2		11.9	11.3		
Delay factor k	0.11	0.33		0.16	0.11	0.11	0.11	0.20		0.11	0.11		
Increm. delay d2	0.1	6.8		4.9	0.6	0.2	0.5	1.9		0.4	0.2		
F factor	1.000	1.000		1.000	1.000	1.000	1.000	1.000		1.000	1.000		
Control delay	19.7	33.3		28.8	23.6	21.1	22.7	27.2		12.3	11.5		
Lane group LOS	B	C		C	C	C	C	C		B	B		
Approch. delay	32.9			23.9			26.2			11.7			
Approach LOS	C			C			C			B			
Intersec. delay	23.8			Intersection LOS			C						

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						KHA User Kimley-Horn & Associates 3/24/2004 2007 PM PK HR with project					
Intersection Area Type Jurisdiction Analysis Year						4th St & 43rd Ave All other areas Tripson Trail 2007					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	29	170	117	54	167	50	124	460	47	125	623	49
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0		0	0		0	0		0	0	
Init Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02		03		04	NS Perm		06		07	
Timing	G = 30.4	G =		G =	G =		G = 48.4	G =	G =	G =	G =	
	Y = 5.6	Y =		Y =	Y =		Y = 5.6	Y =	Y =	Y =	Y =	
uration of Analysis (hrs) = 0.25							Cycle Length C = 90.0					

Lane Group Capacity, Control Delay, and LOS Determination

	EB		WB			NB			SB			
dj. flow rate	31	302		57	229		131	533		132	708	
Lane group cap.	348	591		286	607		222	988		352	991	
c ratio	0.09	0.51		0.20	0.38		0.59	0.54		0.38	0.71	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
nif. delay d1	20.3	23.9		21.2	22.6		14.1	13.5		12.0	15.6	
Delay factor k	0.11	0.12		0.11	0.11		0.18	0.14		0.11	0.28	
Increm. delay d2	0.1	0.8		0.3	0.4		4.1	0.6		0.7	2.5	
= factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	20.5	24.6		21.5	23.0		18.2	14.1		12.7	18.1	
Lane group LOS	C	C		C	C		B	B		B	B	
Apprch. delay	24.2			22.7			14.9			17.2		
Approach LOS	C			C			B			B		
Intersec. delay	18.4			Intersection LOS						B		

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						Intersection Area Type Jurisdiction Analysis Year					
KHA User Kimley-Horn & Associates 3/24/2004 2007 PM PK HR with project						8th St & 43rd Ave All other areas Tripson Trail 2007					

Volume and Timing Input

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	15	121	22	81	184	88	29	502	45	75	717	27
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02		03		04	NS Perm		06		07	
Timing	G =	30.8	G =	G =	G =	G =	G =	48.8	G =	G =	G =	G =
	Y =	5.2	Y =	Y =	Y =	Y =	Y =	5.2	Y =	Y =	Y =	Y =
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
adj. flow rate	16	150		85	287		31	575		79	783	
Lane group cap.	299	623		419	606		170	998		322	1005	
c ratio	0.05	0.24		0.20	0.47		0.18	0.58		0.25	0.78	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
inf. delay d1	19.8	21.2		20.9	23.2		10.5	13.7		10.9	16.3	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.17		0.11	0.33	
Increm. delay d2	0.1	0.2		0.2	0.6		0.5	0.8		0.4	4.0	
= factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.9	21.4		21.2	23.8		11.0	14.5		11.3	20.3	
Lane group LOS	B	C		C	C		B	B		B	C	
Apprch. delay	21.3			23.2			14.4			19.5		
Approach LOS	C			C			B			B		
Intersec. delay	18.8			Intersection LOS								

SHORT REPORT

General Information						Site Information						
Analyst KHA User Agency or Co. Kimley-Horn & Associates Date Performed 3/24/2004 Time Period 2007 PM PK HR with project						Intersection 12th St & 43rd Ave Area Type All other areas Jurisdiction Tripson Trail Analysis Year 2007						
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	11	113	22	74	168	68	20	461	44	55	704	12
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
+F	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
trival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Passing	EW Perm	02		03		04		NS Perm	06		07	
Timing	G = 31.0	G =		G =	G =		G = 48.4	G =		G =	G =	
	Y = 5	Y =		Y =	Y =		Y = 5.6	Y =		Y =	Y =	
Duration of Analysis (hrs) = 0.25				Cycle Length C = 90.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
l. flow rate	12	142		78	249		21	531		58	754	
Lane group cap.	332	626		427	614		189	989		353	999	
Green ratio	0.04	0.23		0.18	0.41		0.11	0.54		0.16	0.75	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
Control delay d1	19.6	21.0		20.6	22.5		10.2	13.5		10.5	16.2	
Delay factor k	0.11	0.11		0.11	0.11		0.11	0.14		0.11	0.31	
Increm. delay d2	0.0	0.2		0.2	0.4		0.3	0.6		0.2	3.3	
Factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	19.6	21.2		20.8	22.9		10.5	14.1		10.8	19.5	
Lane group LOS	B	C		C	C		B	B		B	B	
Approach delay	21.0			22.4			14.0			18.9		
Approach LOS	C			C			B			B		
Intersec. delay	18.2			Intersection LOS			B			B		

SHORT REPORT

General Information						Site Information						
Analyst Agency or Co. Kimley-Horn & Associates Date Performed 3/24/2004 Time Period 2007 PM PK HR with project						Intersection Area Type Jurisdiction Analysis Year <i>Trips on Trail 2007</i> 16th St & 43rd Ave All other areas						
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	19	131	72	63	218	141	63	547	51	101	777	52
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
Arrival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
ed/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
Bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	EW Perm	02	03	04	NS Perm	06	07	08				
Timing	G = 31.0	G =	G =	G =	G = 48.4	G =	G =	G =				
	Y = 5	Y =	Y =	Y =	Y = 5.6	Y =	Y =	Y =				
uration of Analysis (hrs) = 0.25									Cycle Length C = 90.0			

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	20	214		66	377		66	630		106	873	
Lane group cap.	227	608		362	604		104	989		279	992	
c ratio	0.09	0.35		0.18	0.62		0.63	0.64		0.38	0.88	
Green ratio	0.34	0.34		0.34	0.34		0.54	0.54		0.54	0.54	
nif. delay d1	19.9	22.0		20.6	24.6		14.6	14.6		12.1	18.3	
Delay factor k	0.11	0.11		0.11	0.21		0.21	0.22		0.11	0.41	
Increm. delay d2	0.2	0.4		0.2	2.0		12.0	1.4		0.9	9.2	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	20.1	22.4		20.9	26.7		26.6	16.0		12.9	27.5	
Lane group LOS	C	C		C	C		C	B		B	C	
Apprch. delay	22.2			25.8			17.0			25.9		
Approach LOS	C			C			B			C		
Intersec. delay	22.9			Intersection LOS						C		

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						Intersection Area Type Jurisdiction Analysis Year					
KHA 3/29/2004 2007 PM Peak Hr with project						SR 60 & 43rd Avenue All other areas Tripson Trail 2007					
Volume and Timing Input											
			EB			WB			NB		
			LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes			1	3	0	1	3	0	1	1	1
Lane group			L	TR		L	TR		L	T	R
Volume (vph)			19	132	86	78	220	142	71	531	59
% Heavy veh			2	2	2	2	2	2	2	2	2
HF			0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
actuated (P/A)			A	A	A	A	A	A	A	A	A
Startup lost time			2.0	2.0		2.0	2.0		2.0	2.0	2.0
Ext. eff. green			2.0	2.0		2.0	2.0		2.0	2.0	2.0
Arrival type			3	3		3	3		3	3	3
Unit Extension			3.0	3.0		3.0	3.0		3.0	3.0	3.0
Ped/Bike/RTOR Volume			0		0	0		0	0	0	0
Lane Width			12.0	12.0		12.0	12.0		12.0	12.0	12.0
Parking/Grade/Parking			N	0	N	N	0	N	N	N	N
Parking/hr											
Bus stops/hr			0	0		0	0		0	0	0
Unit Extension			3.0	3.0		3.0	3.0		3.0	3.0	3.0
Chasing			Excl. Left	EW Perm	03	04	Excl. Left	NS Perm	07	08	
Timing	G = 16.5	G = 61.0	G =	G =	G =	G = 23.4	G = 56.9	G =	G =		
	Y = 5.5	Y = 6	Y =	Y =	Y =	Y = 5.2	Y = 5.5	Y =	Y =		
Duration of Analysis (hrs) = 0.25			Cycle Length C = 180.0								

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB	
dj. flow rate	20	230		82	381		75	559	62	107	844
Lane group cap.	465	1621		539	1622		271	589	500	271	583
'c ratio	0.04	0.14		0.15	0.23		0.28	0.95	0.12	0.39	1.45
Green ratio	0.46	0.34		0.46	0.34		0.47	0.32	0.32	0.47	0.32
inf. delay d1	26.7	41.3		27.5	42.7		35.7	60.1	43.8	35.8	61.5
delay factor k	0.11	0.11		0.11	0.11		0.11	0.46	0.11	0.11	0.50
Increm. delay d2	0.0	0.0		0.1	0.1		0.6	25.0	0.1	1.0	211.0
F factor	1.000	1.000		1.000	1.000		1.000	1.000	1.000	1.000	1.000
Control delay	26.8	41.4		27.6	42.8		36.2	85.2	43.9	36.8	272.5
Lane group LOS	C	D		C	D		D	F	D	D	F
Approch. delay	40.2			40.1			76.2			246.0	
Approach LOS	D			D			E			F	
Intersec. delay	133.7			Intersection LOS						F	

SHORT REPORT

General Information						Site Information						
Analyst Agency or Co.			KHA			Intersection Area Type			SR 60 & 43rd Avenue All other areas			
Date Performed 4/15/2004			2007 PM Peak Hr with project			Jurisdiction			Tripson Trail			
Time Period						Analysis Year			2007			
Volume and Timing Input												
	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	3	0	1	3	0	1	1	1	1	1	0
Lane group	L	TR		L	TR		L	T	R	L	TR	
Volume (vph)	112	1085	319	149	1196	93	314	245	128	147	238	74
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
Plaza/Pedestrian/Bus/Truck (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0	2.0	2.0	2.0	
Ext. eff. green	3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0	
Arrival type	3	3		3	3		3	3	3	3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0	
Ped/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0	12.0	12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
Parking/hr												
Bus stops/hr	0	0		0	0		0	0	0	0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0	3.0	3.0	3.0	
Phasing	Excl. Left	EW Perm	03	04		Excl. Left	NS Perm	07	08			
Timing	G = 16.5 Y = 5.5	G = 61.0 Y = 6	G =	G =	G = 23.4 Y = 5.2	G = 56.9 Y = 5.5	G =	G =	G =			
Duration of Analysis (hrs) = 0.25						Cycle Length C = 180.0						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
dj. flow rate	118	1478		157	1357		331	258	135	155	329	
Lane group cap.	214	1692		213	1733		442	599	509	498	578	
c ratio	0.55	0.87		0.74	0.78		0.75	0.43	0.27	0.31	0.57	
Green ratio	0.47	0.34		0.47	0.34		0.48	0.32	0.32	0.48	0.32	
Min. delay d1	37.2	55.3		49.6	53.0		32.9	48.1	45.3	28.0	50.7	
Delay factor k	0.15	0.40		0.29	0.33		0.30	0.11	0.11	0.11	0.16	
Increm. delay d2	3.1	5.4		12.6	2.4		7.0	0.5	0.3	0.4	1.3	
F factor	1.000	1.000		1.000	1.000		1.000	1.000	1.000	1.000	1.000	
Control delay	40.2	60.7		62.2	55.4		39.9	48.6	45.6	28.3	52.0	
Lane group LOS	D	E		E	E		D	D	D	C	D	
Approch. delay	59.2			56.1			44.0			44.4		
Approach LOS	E			E			D			D		
Intersec. delay	53.9			Intersection LOS			D			D		

SHORT REPORT

General Information						Site Information					
Analyst	KHA User					Intersection	Oslo & 27th Ave				
Agency or Co.	Kimley-Horn & Associates					Area Type	All other areas				
Date Performed	4/15/2004					Jurisdiction	Tripson Trail				
Time Period	2007 PM PK Hr. with project					Analysis Year	2007				
Volume and Timing Input											
			EB			WB			NB		
			LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	1	1	0	1	1	0	1	1	1
Lane group	L	T	R	L	TR	L	TR	L	T	R	
Volume (vph)	112	293	204	108	410	150	210	287	82	153	417
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0	2.0
ext. eff. green	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
rrival type	3	3	3	3	3	3	3	3	3	3	3
Unit Extension	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
Cycl/Bike/RTOR Volume	0	0	0	0	0	0	0	0	0	0	0
Lane Width	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0	12.0
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0
arking/hr											
Bus stops/hr	0	0	0	0	0	0	0	0	0	0	0
Unit Extension	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0	3.0
hasing	Excl. Left	EW Perm	03	04	Excl. Left	NB Only	NS Perm	08			
Timing	G = 15.0	G = 43.0	G =	G =	G = 10.0	G = 10.0	G = 37.0	G =			
	Y = 5.4	Y = 5.5	Y =	Y =	Y = 5.7	Y = 0	Y = 5.5	Y =			
Duration of Analysis (hrs) = 0.25						Cycle Length C = 137.1					
Lane Group Capacity, Control Delay, and LOS Determination											
			EB			WB			NB		
Adj. flow rate	118	308	215	114	590		221	388		161	439
Lane group cap.	261	598	508	434	574		399	631		379	516
c ratio	0.45	0.52	0.42	0.26	1.03		0.55	0.61		0.42	0.85
Green ratio	0.47	0.32	0.32	0.47	0.32		0.46	0.35		0.36	0.28
Initial delay d1	28.3	37.9	36.6	22.1	46.6		28.9	36.9		31.3	46.9
Delay factor k	0.11	0.12	0.11	0.11	0.50		0.15	0.20		0.11	0.38
Increm. delay d2	1.2	0.8	0.6	0.3	44.9		1.7	1.8		0.8	12.8
F factor	1.000	1.000	1.000	1.000	1.000		1.000	1.000		1.000	1.000
Control delay	29.6	38.6	37.1	22.4	91.4		30.6	38.7		32.0	59.7
Lane group LOS	C	D	D	C	F		C	D		C	E
Approch. delay	36.5			80.2			35.7			49.8	
Approach LOS	D			F			D			D	
Intersec. delay	51.4			Intersection LOS						D	

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						Intersection Area Type Jurisdiction Analysis Year					
KHA User Kimley-Horn & Associates 4/14/2004 2007 PM PK Hr. with project						27th Avenue & 4th Street All other areas Tripson Trail 2007					
Volume and Timing Input											

	EB			WB			NB			SB		
	LT	TH	RT	LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes	1	1	0	1	1	0	1	1	0	1	1	0
Lane group	L	TR		L	TR		L	TR		L	TR	
Volume (vph)	56	248	48	113	335	51	44	439	49	65	665	128
% Heavy veh	2	2	2	2	2	2	2	2	2	2	2	2
HF	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)	A	A	A	A	A	A	A	A	A	A	A	A
Startup lost time	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green	2.0	2.0		2.0	2.0		2.0	2.0		2.0	2.0	
rival type	3	3		3	3		3	3		3	3	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
Cycl/Bike/RTOR Volume	0		0	0		0	0		0	0		0
Lane Width	12.0	12.0		12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking	N	0	N	N	0	N	N	0	N	N	0	N
arking/hr												
bus stops/hr	0	0		0	0		0	0		0	0	
Unit Extension	3.0	3.0		3.0	3.0		3.0	3.0		3.0	3.0	
hasing	Excl. Left	Thru & RT	03	04	SB Only	NS Perm	07	08				
Timing	G = 8.6	G = 26.4	G =	G =	G = 8.5	G = 34.2	G =	G =				
	Y = 5.4	Y = 5.6	Y =	Y =	Y = 5.5	Y = 5.8	Y =	Y =				
duration of Analysis (hrs) = 0.25						Cycle Length C = 100.0						

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB		
	dj. flow rate	59	312		119	407		46	514		68	835
Lane group cap.	152	480		152	482		75	627		268	876	
c ratio	0.39	0.65		0.78	0.84		0.61	0.82		0.25	0.95	
Green ratio	0.09	0.26		0.09	0.26		0.34	0.34		0.48	0.48	
inf. delay d1	43.2	32.7		44.8	34.9		27.4	30.1		17.7	24.8	
Delay factor k	0.11	0.23		0.33	0.38		0.20	0.36		0.11	0.46	
Increm. delay d2	1.6	3.1		22.9	13.0		14.0	8.5		0.5	19.9	
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000	
Control delay	44.9	35.8		67.7	47.8		41.4	38.6		18.2	44.8	
Lane group LOS	D	D		E	D		D	D		B	D	
Apprch. delay	37.2			52.3			38.8			42.8		
Approach LOS	D			D			D			D		
Intersec. delay	43.1			Intersection LOS						D		

SHORT REPORT

General Information						Site Information					
Analyst Agency or Co. Date Performed Time Period						Intersection Area Type Jurisdiction Analysis Year					
KHA 4/15/2004 2007 PM PK Hr with project						20th Avenue & Oslo Road All other areas Tripson Trail 2007					
Volume and Timing Input											
			EB			WB			NB		
			LT	TH	RT	LT	TH	RT	LT	TH	RT
Num. of Lanes			1	1	0	1	1	0	1	1	0
Lane group			L	TR		L	TR		L	TR	
Volume (vph)			50	374	48	112	521	106	52	148	49
% Heavy veh			2	2	2	2	2	2	2	2	2
HF			0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95	0.95
ctuated (P/A)			A	A	A	A	A	A	A	A	A
Startup lost time			2.0	2.0		2.0	2.0		2.0	2.0	
ext. eff. green			2.0	2.0		2.0	2.0		2.0	2.0	
rrival type			3	3		3	3		3	3	
Unit Extension			3.0	3.0		3.0	3.0		3.0	3.0	
Ped/Bike/RTOR Volume			0		0	0		0	0		0
ane Width			12.0	12.0		12.0	12.0		12.0	12.0	
Parking/Grade/Parking			N	0	N	N	0	N	0	N	N
arking/hr											
Bus stops/hr			0	0		0	0		0	0	
Unit Extension			3.0	3.0		3.0	3.0		3.0	3.0	
hasing	Excl. Left	EW Perm	03		04		NS Perm	06		07	
Timing	G = 20.0	G = 45.0	G =		G =		G = 35.0	G =		G =	
	Y = 5.2	Y = 5.2	Y =		Y =		Y = 5.2	Y =		Y =	
Duration of Analysis (hrs) = 0.25						Cycle Length C = 115.6					

Lane Group Capacity, Control Delay, and LOS Determination

	EB			WB			NB			SB	
dj. flow rate	53	445		118	660		55	208		113	286
Lane group cap.	370	713		526	707		235	543		300	544
c ratio	0.14	0.62		0.22	0.93		0.23	0.38		0.38	0.53
Green ratio	0.61	0.39		0.61	0.39		0.30	0.30		0.30	0.30
taif. delay d1	16.9	28.5		12.2	33.9		30.2	31.8		31.7	33.4
Delay factor k	0.11	0.21		0.11	0.45		0.11	0.11		0.11	0.13
Increm. delay d2	0.2	1.7		0.2	19.4		0.5	0.5		0.8	0.9
F factor	1.000	1.000		1.000	1.000		1.000	1.000		1.000	1.000
Control delay	17.1	30.2		12.4	53.3		30.8	32.2		32.5	34.4
Lane group LOS	B	C		B	D		C	C		C	C
Apprch. delay	28.8			47.1			31.9			33.8	
Approach LOS	C			D			C			C	
Intersec. delay	37.6			Intersection LOS						D	

1

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

<u>LINK</u>	<u>VOLUME</u>	<u>ON STREET</u>	<u>FROM STREET</u>	<u>TO STREET</u>
1010N		S.R. A1A	S. COUNTY LINE	S. VB CITY L.
1010S		S.R. A1A	S. COUNTY LINE	S. VB CITY L.
1020N		S.R. A1A	S. VB CITY L.	17TH STREET
1020S		S.R. A1A	S. VB CITY L.	17TH STREET
1030N		S.R. A1A	17TH STREET	S.R. 60
1030S		S.R. A1A	17TH STREET	S.R. 60
1040N		S.R. A1A	S.R. 60	N. VB CITY L.
1040S		S.R. A1A	S.R. 60	N. VB CITY L.
1050N		S.R. A1A	N. VB CITY L.	FRED TUERK RD.
1050S		S.R. A1A	N. VB CITY L.	FRED TUERK RD.
1060N		S.R. A1A	FRED TUERK RD.	OLD WINTER BEACH RD
1060S		S.R. A1A	FRED TUERK RD.	OLD WINTER BEACH RD
1070N		S.R. A1A	OLD WINTER BEACH RD	N. IRS L.
1070S		S.R. A1A	OLD WINTER BEACH RD	N. IRS L.
1080N		S.R. A1A	N. IRS LN.	C.R. 510
1080S		S.R. A1A	N. IRS LN.	C.R. 510
1090N		S.R. A1A	C.R. 510	N. COUNTY LINE
1090S		S.R. A1A	C.R. 510	N. COUNTY LINE
1110N		INDIAN RIVER BLVD.	4TH ST. @ US1	12TH STREET
1110S		INDIAN RIVER BLVD.	4TH ST. @ US1	12TH STREET
1120N		INDIAN RIVER BLVD.	12TH STREET	S. VB CITY L.
1120S		INDIAN RIVER BLVD.	12TH STREET	S. VB CITY L.
1130N		INDIAN RIVER BLVD.	S. VB CITY L.	17TH STREET
1130S		INDIAN RIVER BLVD.	S. VB CITY L.	17TH STREET
1140N		INDIAN RIVER BLVD.	17TH STREET	21ST STREET
1140S		INDIAN RIVER BLVD.	17TH STREET	21ST STREET
1150N		INDIAN RIVER BLVD.	21ST STREET	S.R. 60
1150S		INDIAN RIVER BLVD.	21ST STREET	S.R. 60
1160N		INDIAN RIVER BLVD.	S.R. 60	W. VB CITY L.
1160S		INDIAN RIVER BLVD.	S.R. 60	W. VB CITY L.
1170N		INDIAN RIVER BLVD.	W. VB CITY L.	US 1 @ 53RD ST.
1170S		INDIAN RIVER BLVD.	W. VB CITY L.	US 1 @ 53RD ST.
1210N		I-95	N. COUNTY LINE	C.R. 512
1210S		I-95	N. COUNTY LINE	C.R. 512
1220N		I-95	C.R. 512	S.R. 60
1220S		I-95	C.R. 512	S.R. 60
1230N		I-95	S.R. 60	OSLO ROAD
1230S		I-95	S.R. 60	OSLO ROAD
1240N		I-95	OSLO ROAD	S. COUNTY LINE
1240S		I-95	OSLO ROAD	S. COUNTY LINE
1305N		U.S.1	S. COUNTY LINE	OSLO ROAD
1305S		U.S.1	S. COUNTY LINE	OSLO ROAD
1310N		U.S.1	OSLO ROAD	4TH ST. @ IR BLVD.
1310S		U.S.1	OSLO ROAD	4TH ST. @ IR BLVD..
1315N		U.S.1	4TH ST. @ IR BLVD.	8TH STREET
1315S		U.S.1	4TH ST. @ IR BLVD.	8TH STREET
1320N		U.S.1	8TH STREET	12TH STREET
1320S		U.S.1	8TH STREET	12TH STREET
1325N		U.S.1	12TH STREET	S. VB CITY L.
1325S		U.S.1	12TH STREET	S. VB CITY L.
1330N		U.S.1	S. VB CITY L.	17TH STREET
1330S		U.S.1	S. VB CITY L.	17TH STREET
1335N		U.S.1	17TH STREET	S.R. 60
1335S		U.S.1	17TH STREET	S.R. 60
1340N		U.S.1	S.R. 60	ROYAL PALM PL
1340S		U.S.1	S.R. 60	ROYAL PALM PL
1345N		U.S.1	ROYAL PALM PL	ATLANTIC BLVD.
1345S		U.S.1	ROYAL PALM PL	ATLANTIC BLVD.
1350N		U.S.1	ATLANTIC BLVD.	N. VB CITY L.
1350S		U.S.1	ATLANTIC BLVD.	N. VB CITY L.

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

LINK	VOLUME	ON STREET	FROM STREET	TO STREET
1355N		U.S.1	N. VB CITY L.	OLD DIXIE HWY
1355S		U.S.1	N. VB CITY L.	OLD DIXIE HWY
1360N		U.S.1	OLD DIXIE HWY	41ST STREET
1360S		U.S.1	OLD DIXIE HWY	41ST STREET
1365N		U.S.1	41ST STREET	45TH STREET
1365S		U.S.1	41ST STREET	45TH STREET
1370N		U.S.1	45TH STREET	49TH STREET
1370S		U.S.1	45TH STREET	49TH STREET
1375N		U.S.1	49TH STREET	65TH STREET
1375S		U.S.1	49TH STREET	65TH STREET
1380N		U.S.1	65TH STREET	69TH STREET
1380S		U.S.1	65TH STREET	69TH STREET
1385N		U.S.1	69TH STREET	OLD DIXIE HWY
1385S		U.S.1	69TH STREET	OLD DIXIE HWY
1390N		U.S.1	OLD DIXIE HWY	SCHUMANN DR.
1390S		U.S.1	OLD DIXIE HWY	SCHUMANN DR.
1395N		U.S.1	SCHUMANN DR.	C.R. 512
1395S		U.S.1	SCHUMANN DR.	C.R. 512
1400N		U.S.1	C.R. 512	N. SEB. CITY L.
1400S		U.S.1	C.R. 512	N. SEB. CITY L.
1405N		U.S.1	N. SEB. CITY L.	ROSELAND RD.
1405S		U.S.1	N. SEB. CITY L.	ROSELAND RD.
1410N		U.S.1	ROSELAND RD.	N. COUNTY LINE
1410S		U.S.1	ROSELAND RD.	N. COUNTY LINE
1510N		SCHUMANN DR.	C.R. 510 @ 66TH AVE.	S. SEB. CITY L.
1510S		SCHUMANN DR.	C.R. 510 @ 66TH AVE.	S. SEB. CITY L.
1520N		SCHUMANN DR.	S. SEB. CITY L.	U.S.1
1520S		SCHUMANN DR.	S. SEB. CITY L.	U.S.1
1610E		ROSELAND RD.	S.R. 512	N. SEB. CITY L.
1610W		ROSELAND RD.	S.R. 512	N. SEB. CITY L.
1620E		ROSELAND RD.	N. SEB. CITY L.	U.S.1
1620W		ROSELAND RD.	N. SEB. CITY L.	U.S.1
1710E		C.R. 512	S.R. 60	I-95
1710W		C.R. 512	S.R. 60	I-95
1720E		C.R. 512	I-95	C.R. 510
1720W		C.R. 512	I-95	C.R. 510
1730E		C.R. 512	C.R. 510	W. SEB. CITY L.
1730W		C.R. 512	C.R. 510	W. SEB. CITY L.
1740E		C.R. 512	W. SEB. CITY L.	ROSELAND RD:
1740W		C.R. 512	W. SEB. CITY L.	ROSELAND RD.
1750E		C.R. 512	ROSELAND RD.	U.S.1
1750W		C.R. 512	ROSELAND RD.	U.S.1
1810E		C.R. 510	ROSELAND RD.	66TH AVE.
1810W		C.R. 510	C.R. 512	66TH AVE.
1820E		C.R. 510	66TH AVE.	58TH AVE.
1820W		C.R. 510	66TH AVE.	58TH AVE.
1830E	18	C.R. 510	58TH AVE.	U.S.1
1830W	10	C.R. 510	58TH AVE.	U.S.1
1840E		C.R. 510	U.S.1	S.R. A1A
1840W		C.R. 510	U.S.1	S.R. A1A
1905E		S.R. 60	W. COUNTY LINE	C.R. 512
1905W		S.R. 60	W. COUNTY LINE	C.R. 512
1910E		S.R. 60	C.R. 512	I-95
1910W		S.R. 60	C.R. 512	I-95
1915E		S.R. 60	I-95	82ND AVE.
1915W		S.R. 60	I-95	82ND AVE.
1920E		S.R. 60	82ND AVE.	66TH AVE.
1920W		S.R. 60	82ND AVE.	66TH AVE.
1925E	5	S.R. 60	66TH AVE.	58TH AVE.
1925W	3	S.R. 60	66TH AVE.	58TH AVE.

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

LINK	VOLUME	ON STREET	FROM STREET	TO STREET
1930E	18	S.R. 60	58TH AVE.	43RD AVE.
1930W	10	S.R. 60	58TH AVE.	43RD AVE.
1935E	10	S.R. 60	43RD AVE.	27TH AVE.
1935W	18	S.R. 60	43RD AVE.	27TH AVE.
1940E		S.R. 60	27TH AVE.	20TH AVE.
1940W		S.R. 60	27TH AVE.	20TH AVE.
1945E		S.R. 60	20TH AVE.	OLD DIXIE HWY
1945W		S.R. 60	20TH AVE.	OLD DIXIE HWY
1950E		S.R. 60	OLD DIXIE HWY	10TH AVE.
1950W		S.R. 60	OLD DIXIE HWY	10TH AVE.
1955E		S.R. 60	10TH AVE.	U.S.1
1955W		S.R. 60	10TH AVE.	U.S.1
1960E		S.R. 60	U.S.1	INDIAN RIVER BLVD.
1960W		S.R. 60	U.S.1	INDIAN RIVER BLVD.
1965E		S.R. 60	INDIAN RIVER BLVD.	ICWW
1965W		S.R. 60	INDIAN RIVER BLVD.	ICWW
1970E		S.R. 60	ICWW	S.R. A1A
1970W		S.R. 60	ICWW	S.R. A1A
2020E	4	16TH STREET	58TH AVE.	43RD AVE.
2020W	2	16TH STREET	58TH AVE.	43RD AVE.
2030E	2	16TH STREET	43RD AVE.	27TH AVE.
2030W	4	16TH STREET	43RD AVE.	27TH AVE.
2040E		16TH STREET	27TH AVE.	20TH AVE.
2040W		16TH STREET	27TH AVE.	20TH AVE.
2050E		16TH STREET	20TH AVE.	OLD DIXIE HWY
2050W		16TH STREET	20TH AVE.	OLD DIXIE HWY
2060E		16TH/17TH STREET	OLD DIXIE HWY	U.S.1
2060W		16TH/17TH STREET	OLD DIXIE HWY	U.S.1
2110E		17TH STREET	U.S.1	INDIAN RIVER BLVD.
2110W		17TH STREET	U.S.1	INDIAN RIVER BLVD.
2120E		17TH STREET	INDIAN RIVER BLVD.	S.R. A1A
2120W		17TH STREET	INDIAN RIVER BLVD.	S.R. A1A
2210E		12TH STREET	82ND AVE.	58TH AVE.
2210W		12TH STREET	82ND AVE.	58TH AVE.
2220E	2	12TH STREET	58TH AVE.	43RD AVE.
2220W	4	12TH STREET	58TH AVE.	43RD AVE.
2230E	2	12TH STREET	43RD AVE.	27TH AVE.
2230W	4	12TH STREET	43RD AVE.	27TH AVE.
2240E		12TH STREET	27TH AVE.	20TH AVE.
2240W		12TH STREET	27TH AVE.	20TH AVE.
2250E		12TH STREET	20TH AVE.	OLD DIXIE HWY
2250W		12TH STREET	20TH AVE.	OLD DIXIE HWY
2260E		12TH STREET	OLD DIXIE HWY	U.S.1
2260W		12TH STREET	OLD DIXIE HWY	U.S.1
2305N		OLD DIXIE HWY	S. COUNTY LINE	OSLO ROAD
2305S		OLD DIXIE HWY	S. COUNTY LINE	OSLO ROAD
2310N		OLD DIXIE HWY	OSLO ROAD	4TH STREET
2310S		OLD DIXIE HWY	OSLO ROAD	4TH STREET
2315N		OLD DIXIE HWY	4TH STREET	8TH STREET
2315S		OLD DIXIE HWY	4TH STREET	8TH STREET
2320N		OLD DIXIE HWY	8TH STREET	12TH STREET
2320S		OLD DIXIE HWY	8TH STREET	12TH STREET
2325N		OLD DIXIE HWY	12TH STREET	S. VB CITY L.
2325S		OLD DIXIE HWY	12TH STREET	S. VB CITY L.
2330N		OLD DIXIE HWY	S. VB CITY L.	16TH STREET
2330S		OLD DIXIE HWY	S. VB CITY L.	16TH STREET
2335N		OLD DIXIE HWY	16TH STREET	S.R. 60
2335S		OLD DIXIE HWY	16TH STREET	S.R. 60
2345N		OLD DIXIE HWY	41ST STREET	45TH STREET
2345S		OLD DIXIE HWY	41ST STREET	45TH STREET

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

<u>LINK</u>	<u>VOLUME</u>	<u>ON STREET</u>	<u>FROM STREET</u>	<u>TO STREET</u>
2350N		OLD DIXIE HWY	45TH STREET	49TH STREET
2350S		OLD DIXIE HWY	45TH STREET	49TH STREET
2355N		OLD DIXIE HWY	49TH STREET	65TH STREET
2355S		OLD DIXIE HWY	49TH STREET	65TH STREET
2360N		OLD DIXIE HWY	65TH STREET	69TH STREET
2360S		OLD DIXIE HWY	65TH STREET	69TH STREET
2365N		OLD DIXIE HWY	69TH STREET	C.R. 510
2365S		OLD DIXIE HWY	69TH STREET	C.R. 510
2410N		27TH AVENUE	S. COUNTY LINE	OSLO ROAD
2410S		27TH AVENUE	S. COUNTY LINE	OSLO ROAD
2420N	7	27TH AVENUE	OSLO ROAD	4TH STREET
2420S	18	27TH AVENUE	OSLO ROAD	4TH STREET
2430N	7	27TH AVENUE	4TH STREET	8TH STREET
2430S	12	27TH AVENUE	4TH STREET	8TH STREET
2440N		27TH AVENUE	8TH STREET	12TH STREET
2440S		27TH AVENUE	8TH STREET	12TH STREET
2450N		27TH AVENUE	12TH STREET	S. VB CITY L.
2450S		27TH AVENUE	12TH STREET	S. VB CITY L.
2460N		27TH AVENUE	S. VB CITY L.	16TH STREET
2460S		27TH AVENUE	S. VB CITY L.	16TH STREET
2470N		27TH AVENUE	16TH STREET	S.R. 60
2470S		27TH AVENUE	16TH STREET	S.R. 60
2480N		27TH AVENUE	S.R. 60	ATLANTIC BLVD.
2480S		27TH AVENUE	S.R. 60	ATLANTIC BLVD.
2510N		27TH AVENUE	ATLANTIC BLVD.	AVIATION BLVD.
2510S		27TH AVENUE	ATLANTIC BLVD.	AVIATION BLVD.
2530E	5	OSLO ROAD	82ND AVE.	58TH AVE.
2530W	3	OSLO ROAD	82ND AVE.	58TH AVE.
2540E	35	OSLO ROAD	58TH AVE.	43RD AVE.
2540W	21	OSLO ROAD	58TH AVE.	43RD AVE.
2550E	21	OSLO ROAD	43RD AVE.	27TH AVE.
2550W	35	OSLO ROAD	43RD AVE.	27TH AVE.
2560E	10	OSLO ROAD	27TH AVE.	20TH AVE.
2560W	18	OSLO ROAD	27TH AVE.	20TH AVE.
2570E	9	OSLO ROAD	20TH AVE.	OLD DIXIE HWY
2570W	16	OSLO ROAD	20TH AVE.	OLD DIXIE HWY
2580E		OSLO ROAD	OLD DIXIE HWY	U.S.1
2580W		OSLO ROAD	OLD DIXIE HWY	U.S.1
2610E		6TH AVENUE	17TH STREET	S. VB CITY L.
2610W		6TH AVENUE	17TH STREET	S. VB CITY L.
2620N		6TH AVENUE	S. VB CITY L.	S.R. 60
2620S		6TH AVENUE	S. VB CITY L.	S.R. 60
2710N		10TH AVENUE	S.R. 60	ROYAL PALM BLVD.
2710S		10TH AVENUE	S.R. 60	ROYAL PALM BLVD.
2720N		10TH AVENUE	ROYAL PALM BLVD.	17TH STREET
2720S		10TH AVENUE	ROYAL PALM BLVD.	17TH STREET
2810N	1	20TH AVENUE	OSLO ROAD	4TH STREET
2810S	2	20TH AVENUE	OSLO ROAD	4TH STREET
2820N		20TH AVENUE	4TH STREET	8TH STREET
2820S		20TH AVENUE	4TH STREET	8TH STREET
2830N		20TH AVENUE	8TH STREET	12TH STREET
2830S		20TH AVENUE	8TH STREET	12TH STREET
2840N		20TH AVENUE	12TH STREET	S. VB CITY L.
2840S		20TH AVENUE	12TH STREET	S. VB CITY L.
2850N		20TH AVENUE	S. VB CITY L.	16TH STREET
2850S		20TH AVENUE	S. VB CITY L.	16TH STREET
2860N		20TH AVENUE	16TH STREET	S.R. 60
2860S		20TH AVENUE	16TH STREET	S.R. 60
2870N		20TH AVENUE	S.R. 60	ATLANTIC BLVD.
2870S		20TH AVENUE	S.R. 60	ATLANTIC BLVD.

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

<u>LINK</u>	<u>VOLUME</u>	<u>ON STREET</u>	<u>FROM STREET</u>	<u>TO STREET</u>
2905N	81	43RD AVENUE	S. COUNTY LINE	OSLO ROAD
2905S	137	43RD AVENUE	S. COUNTY LINE	OSLO ROAD
2910N	38	43RD AVENUE	OSLO ROAD	4TH STREET
2910S	67	43RD AVENUE	OSLO ROAD	4TH STREET
2915N	36	43RD AVENUE	4TH STREET	8TH STREET
2915S	61	43RD AVENUE	4TH STREET	8TH STREET
2920N	32	43RD AVENUE	8TH STREET	12TH STREET
2920S	54	43RD AVENUE	8TH STREET	12TH STREET
2925N	28	43RD AVENUE	12TH STREET	16TH STREET
2925S	47	43RD AVENUE	12TH STREET	16TH STREET
2930N	23	43RD AVENUE	16TH STREET	S.R. 60
2930S	40	43RD AVENUE	16TH STREET	S.R. 60
2935N	3	43RD AVENUE	S.R. 60	26TH STREET
2935S	5	43RD AVENUE	S.R. 60	26TH STREET
2940N		43RD AVENUE	26TH STREET	41ST STREET
2940S		43RD AVENUE	26TH STREET	41ST STREET
2945N		43RD AVENUE	41ST STREET	45TH STREET
2945S		43RD AVENUE	41ST STREET	45TH STREET
2950N		43RD AVENUE	45TH STREET	49TH STREET
2950S		43RD AVENUE	45TH STREET	49TH STREET
3005N	18	58TH AVENUE	OSLO ROAD	4TH STREET
3005S	30	58TH AVENUE	OSLO ROAD	4TH STREET
3010N		58TH AVENUE	4TH STREET	8TH STREET
3010S		58TH AVENUE	4TH STREET	8TH STREET
3015N		58TH AVENUE	8TH STREET	12TH STREET
3015S		58TH AVENUE	8TH STREET	12TH STREET
3020N		58TH AVENUE	12TH STREET	16TH STREET
3020S		58TH AVENUE	12TH STREET	16TH STREET
3025N		58TH AVENUE	16TH STREET	S.R. 60
3025S		58TH AVENUE	16TH STREET	S.R. 60
3030N		58TH AVENUE	S.R. 60	41ST STREET
3030S		58TH AVENUE	S.R. 60	41ST STREET
3035N		58TH AVENUE	41ST STREET	45TH STREET
3035S		58TH AVENUE	41ST STREET	45TH STREET
3040N		58TH AVENUE	45TH STREET	49TH STREET
3040S		58TH AVENUE	45TH STREET	49TH STREET
3045N		58TH AVENUE	49TH STREET	65TH STREET
3045S		58TH AVENUE	49TH STREET	65TH STREET
3050N		58TH AVENUE	65TH STREET	69TH STREET
3050S		58TH AVENUE	65TH STREET	69TH STREET
3055N		58TH AVENUE	69TH STREET	C.R. 510
3055S		58TH AVENUE	69TH STREET	C.R. 510
3120N		66TH AVENUE	S.R. 60	26TH STREET
3120S		66TH AVENUE	S.R. 60	26TH STREET
3130N		66TH AVENUE	26TH STREET	41ST STREET
3130S		66TH AVENUE	26TH STREET	41ST STREET
3140N		66TH AVENUE	41ST STREET	45TH STREET
3140S		66TH AVENUE	41ST STREET	45TH STREET
3150N		66TH AVENUE	45TH STREET	65TH STREET
3150S		66TH AVENUE	45TH STREET	65TH STREET
3160N		66TH AVENUE	65TH STREET	69TH STREET
3160S		66TH AVENUE	65TH STREET	69TH STREET
3170N		66TH AVENUE	69TH STREET	C.R. 510
3170S		66TH AVENUE	69TH STREET	C.R. 510
3310N		82ND AVENUE	OSLO ROAD	4TH STREET
3310S		82ND AVENUE	OSLO ROAD	4TH STREET
3320N		82ND AVENUE	4TH STREET	12TH STREET
3320S		82ND AVENUE	4TH STREET	12TH STREET
3330N		82ND AVENUE	12TH STREET	S.R. 60
3330S		82ND AVENUE	12TH STREET	S.R. 60

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

LINK	VOLUME	ON STREET	FROM STREET	TO STREET
3340N		82ND AVENUE	S.R. 60	65TH STREET
3340S		82ND AVENUE	S.R. 60	65TH STREET
3350N		82ND AVENUE	65TH STREET	69TH STREET
3350S		82ND AVENUE	65TH STREET	69TH STREET
3610E		77TH STREET	66TH AVE.	U.S.1
3610W		77TH STREET	66TH AVE.	U.S.1
3710E		69TH STREET	82ND AVE.	66TH AVE.
3710W		69TH STREET	82ND AVE.	66TH AVE.
3720E		69TH STREET	66TH AVE.	58TH AVE.
3720W		69TH STREET	66TH AVE.	58TH AVE.
3730E		69TH STREET	58TH AVE.	OLD DIXIE HWY
3730W		69TH STREET	58TH AVE.	OLD DIXIE HWY
3740E		69TH STREET	OLD DIXIE HWY	U.S.1
3740W		69TH STREET	OLD DIXIE HWY	U.S.1
3820E		65TH STREET	66TH AVE.	58TH AVE.
3820W		65TH STREET	66TH AVE.	58TH AVE.
3830E		65TH STREET	58TH AVE.	OLD DIXIE HWY
3830W		65TH STREET	58TH AVE.	OLD DIXIE HWY
3840E		65TH STREET	OLD DIXIE HWY	U.S.1
3840W		65TH STREET	OLD DIXIE HWY	U.S.1
4220E		49TH STREET	66TH AVE.	58TH AVE.
4220W		49TH STREET	66TH AVE.	58TH AVE.
4230E		49TH STREET	58TH AVE.	43RD AVE.
4230W		49TH STREET	58TH AVE.	43RD AVE.
4240E		49TH STREET	43RD AVE.	OLD DIXIE HWY
4240W		49TH STREET	43RD AVE.	OLD DIXIE HWY
4250E		49TH STREET	OLD DIXIE HWY	U.S.1
4250W		49TH STREET	OLD DIXIE HWY	U.S.1
4320E		45TH STREET	66TH AVE.	58TH AVE.
4320W		45TH STREET	66TH AVE.	58TH AVE.
4330E		45TH STREET	58TH AVE.	43RD AVE.
4330W		45TH STREET	58TH AVE.	43RD AVE.
4340E		45TH STREET	43RD AVE.	OLD DIXIE HWY
4340W		45TH STREET	43RD AVE.	OLD DIXIE HWY
4350E		45TH STREET	OLD DIXIE HWY	INDIAN RIVER BLVD.
4350W		45TH STREET	OLD DIXIE HWY	INDIAN RIVER BLVD.
4420E		41ST STREET	66TH AVE.	58TH AVE.
4420W		41ST STREET	66TH AVE.	58TH AVE.
4430E		41ST STREET	58TH AVE.	43RD AVE.
4430W		41ST STREET	58TH AVE.	43RD AVE.
4440E		41ST STREET	43RD AVE.	OLD DIXIE HWY
4440W		41ST STREET	43RD AVE.	OLD DIXIE HWY
4450E		41ST STREET	OLD DIXIE HWY	INDIAN RIVER BLVD.
4450W		41ST STREET	OLD DIXIE HWY	INDIAN RIVER BLVD.
4460E		37TH STREET	U.S.1	INDIAN RIVER BLVD.
4460W		37TH STREET	U.S.1	INDIAN RIVER BLVD.
4720E		26TH STREET	66TH AVE.	58TH AVE.
4720W		26TH STREET	66TH AVE.	58TH AVE.
4730E		26TH STREET	58TH AVE.	43RD AVE.
4730W		26TH STREET	58TH AVE.	43RD AVE.
4740E		26TH STREET	43RD AVE.	43RD AVE.
4740W		26TH STREET	43RD AVE.	AVIATION BLVD.
4750E		26TH STREET	AVIATION BLVD.	AVIATION BLVD.
4750W		26TH STREET	AVIATION BLVD.	27TH AVE.
4830E	4	8TH STREET	58TH AVE.	27TH AVE.
4830W	2	8TH STREET	58TH AVE.	43RD AVE.
4840E	2	8TH STREET	43RD AVE.	43RD AVE.
4840W	4	8TH STREET	43RD AVE.	27TH AVE.
4850E		8TH STREET	27TH AVE.	20TH AVE.
4850W		8TH STREET	27TH AVE.	20TH AVE.

TRIPSON TRAIL
INDIAN RIVER COUNTY
CONCURRENCY DETERMINATION NETWORK
PROJECT TRIP ASSIGNMENT BY SEGMENT

<u>LINK</u>	<u>VOLUME</u>	<u>ON STREET</u>	<u>FROM STREET</u>	<u>TO STREET</u>
4860E		8TH STREET	20TH AVE.	OLD DIXIE HWY
4860W		8TH STREET	20TH AVE.	OLD DIXIE HWY
4870E		8TH STREET	OLD DIXIE HWY	U.S.1
4870W		8TH STREET	OLD DIXIE HWY	U.S.1
4880E		8TH STREET	U.S.1	INDIAN RIVER BLVD.
4880W		8TH STREET	U.S.1	INDIAN RIVER BLVD.
4910E		4TH STREET	82ND AVE.	58TH AVE.
4910W		4TH STREET	82ND AVE.	58TH AVE.
4930E		4TH STREET	58TH AVE.	43RD AVE.
4930W		4TH STREET	58TH AVE.	43RD AVE.
4940E	2	4TH STREET	43RD AVE.	27TH AVE.
4940W	4	4TH STREET	43RD AVE.	27TH AVE.
4950E		4TH STREET	27TH AVE.	20TH AVE.
4950W		4TH STREET	27TH AVE.	20TH AVE.
4960E		4TH STREET	20TH AVE.	OLD DIXIE HWY
4960W		4TH STREET	20TH AVE.	OLD DIXIE HWY
4970E		4TH STREET	OLD DIXIE HWY	U.S.1
4970W		4TH STREET	OLD DIXIE HWY	U.S.1
5610E		FRED TUERK DR.	A1A	W. OF COCONUT DR.
5610W		FRED TUERK DR.	A1A	W. OF COCONUT DR.
5710E		WINTER BEACH RD.	A1A	JUNGLE TRAIL
5710W		WINTER BEACH RD.	A1A	JUNGLE TRAIL
5810E		ATLANTIC BLVD.	27TH AVE.	20TH AVE.
5810W		ATLANTIC BLVD.	27TH AVE.	20TH AVE.
5820E		ATLANTIC BLVD.	20TH AVE.	U.S.1
5820W		ATLANTIC BLVD.	20TH AVE.	U.S.1
5910E		AVIATION BLVD.	26TH STREET	27TH AVE.
5910W		AVIATION BLVD.	26TH STREET	27TH AVE.
6010E		ROYAL PALM BLVD.	ROYAL PALM PL.	INDIAN RIVER BLVD.
6010W		ROYAL PALM BLVD.	ROYAL PALM PL.	INDIAN RIVER BLVD.
6110E		ROYAL PALM PL.	U.S.1	INDIAN RIVER BLVD.
6110W		ROYAL PALM PL.	U.S.1	INDIAN RIVER BLVD.