

provider. We are pleased to provide the following proposal.



DATE: 7/22/2025

Chief Steve Greer Indian River County Fire Rescue 4225 43^{rd.} Avenue Vero Beach, FL 32967

Thank you for considering South Florida Emergency Vehicles and PL Custom Emergency Vehicles as your next rescue

QUANTITY	PRODUCT DESCRIPTION	PRICE
1	PL Custom Classic Type I Ambulance built on a 2027 Ford F550 XLT 4x4 Regular Cab Diesel chassis w 176"L Module 75" Headroom - per attached specifications and drawings. PL Custom Sourcewell Contract # 122123 – Model # PLC13	\$521,402.09 ea.
	* Price includes SFEV install of customer supplied Stryker Powerload cot system	
	*Price includes SFEV supply/install Sentinel 300 air purifier/decontamination system	
	* Price includes SFEV supply/install customer graphics – includes 4 number placards	
	* Price includes SFEV install two (2) ea customer supplied radios & antennas	
	*Price incl all travel expenses for up to 2 dept. personnel to PL Custom for pre-build meeting and/or final inspection. (TOTAL – 2 trips per 4 vehicles)	
	Vehicle(s) approximate delivery to customer: SEE PAGE 2 FOR DELIVERY SCHEDULE	
	Proposal valid for 60 days. The proposal's price is for NET 30 DAY TERMS If payment is made upon delivery of vehicle, the final price is \$506,402.09 EA.	
	Total price - \$2,025,608.36 FOR 4 EA VEHICLES	
	FULL TERMS AND CONDITIONS ON PAGE 2	
	FINAL PRICE	\$521,402.09 e

SFEV TERMS AND CONDITIONS

The unit(s) shall be manufactured completely in accordance with the attached proposal and based on the approximate delivery schedule as listed below subject to delays from all causes beyond our control.

Estimated Delivery per PL Custom Job Production Numbers

Pricing is based on Net-30-day payment terms. **If payment is made at the time of delivery, a discount of \$15,000 is available**. If payment is not made within 30 days of delivery, South Florida Emergency Vehicles (SFEV) reserves the right to charge 1% per month of the outstanding balance as outlined in the Florida Prompt Payment Act, Title XIV, Section 218, Part VII of the Florida Statutes popularly named "Local Government Prompt Payment Act".

The SFEV payment terms supersede any payment terms or conditions as contained in the buyers' purchase orders or contracts.

Purchase orders and payments are direct with South Florida Emergency Vehicles

CUSTOM DESIGNED FOR SFEV DEMO 176" BODY 75" HR BY P.L. CUSTOM EMERGENCY VEHICLES


. A7174





duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



EXTERIOR <u>DIMENSIONS</u>

HEIGHT 115" (+/-2) LENGTH 176" WIDTH 99"


FRONT VIEW



PAGE 2

"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



OPENING DESCRIPTIONS							
		ALL DIMEN	SIONS APPROXIN	MATE			
	WIDTH	HEIGHT	DEPTH	PURPOSE			
\bigcirc	20	89	21	OXYGEN STORAGE			
(B)	43	45	20	EXTERIOR STORAGE			
\bigcirc	31	39	20	EXTERIOR STORAGE			

EXTERIOR DIMENSIONS

HEIGHT 115" (+/-2) LENGTH 176" WIDTH 99"


NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

PAGE 3



"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



CURBSIDE VIEW

OPENING DESCRIPTIONS								
	ALL DIMENSIONS APPROXIMATE							
	WIDTH	HEIGHT	DEPTH	PURPOSE				
	20	58	33" ABOVE FLOOR 10" BELOW FLOOR					
(E)	24 1/2	83	21	BACKBOARD STORAGE				
F	32 1/2	5	16	PULL-OUT DRAWER				
	29 80 SIDE ENTRANCE DOOR							

EXTERIOR DIMENSIONS

HEIGHT 115" (+/-2) LENGTH 176" WIDTH 99"

NOTES:


- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

PAGE 4



"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO., INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



REAR VIEW

PAGE 5


OPENING DESCRIPTIONS								
	ALL DIMENSIONS APPROXIMATE							
	WIDTH		HEIGHT	DEPTH	PURPOSE			
	44 1/	4	61	REAR EI	NTRANCE DOORS			

NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL
 TO WALL MEASUREMENTS. PASS THROUGH OPENINGS
 WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. .INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.



FLOOR PLAN


NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



PAGE 6

"NOTICE" This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.
All reproductions shall bear this notice.



NOTES:


- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

FRONT VIEW



PAGE 7

"NOTICE"
This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. JINC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL


BUILT AND RECEIVED AT OUR FACTORY.

LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS



Inis arawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only.

All reproductions shall bear this notice.



CEILING VIEW


NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.



PAGE 9

"NOTICE" This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

STREETSIDE VIEW


INTERIOR <u>DIMENSIONS</u>

HEIGHT 75" LENGTH 171" WIDTH 90-3/4"



PAGE 10

NOTICE. This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without written permission of P.L. CUSTOM BODTY & EQUIPMENT CO. ,INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications. Written specifications take precedence over drawings which are for clarity only. All reproductions shall bear this notice.



NOTES:

- 1.) DRAWINGS ARE FOR REPRESENTATIONAL PURPOSES ONLY.
- 2.) ALL DIMENSIONS SHOWN ARE APPROXIMATE.
- 3.) EXTERIOR COMPARTMENT DIMENSIONS REFLECT WALL TO WALL MEASUREMENTS. PASS THROUGH OPENINGS WILL BE SMALLER.
- 4.) INTERIOR CABINET DIMENSIONS REFLECT THE CABINET OPENING. PASS THROUGH OPENINGS WILL BE SMALLER.
- 5.) DIMENSIONS FOR OVERALL HEIGHT AND OVERALL LENGTH ARE APPROXIMATE UNTIL THE CHASSIS IS BUILT AND RECEIVED AT OUR FACTORY.

INTERIOR DIMENSIONS

HEIGHT 75" LENGTH 171" WIDTH 90-3/4"



PAGE 11

This drawing and data thereon shall not be duplicated, used or disclosed to others for procurement or manufacturing purposes, except as otherwise authorized by contract, without writen permission of P.L. CUSTOM BODY & EQUIPMENT CO. .INC. We reserve the right to make changes at any time, without notice, in materials, equipment & specifications Written specifications toke precedence over drawings which are for clarity only. All reproductions shall bear this notice.

QUOTATION

South Florida Emergency Vehicles

South Florida Emergency Vehicles Kevin Burke 4655 Cummins Court Fort Myers, FL 33905 239-267-5300 kburke@sflev.com

Quote No: A7174-0002 04/15/2025 Page 1 **DESCRIPTION PART NO** == Type 1 Classic, 170" 108"CA - 34.100 01/15/25 == PLG 00-00-0100 PL Ambulance - Release 34.10 effective 01/15/25 1 PLG 1 | PLG 00-05-0100 ** Quote Terms ** All chassis are subject to availability. Quoted body pricing is valid for 30 days from receipt or until the next data release. Chassis pricing for PL Supplied chassis is subject to any OEM chassis manufacturer surcharges and model year increases. An ambulance or rescue vehicle order, submitted utilizing a chassis that cannot be provided or ordered, (chassis order banks not open, no available allocation, or otherwise unknown), will NOT be processed until such time that the chassis can be ordered and assigned. Upon receipt of chassis VIN and firm chassis production schedule, or chassis receipt, the vehicle order can then be considered "buildable". Once entered into "buildable' order status and when loaded into the PL Custom production schedule, prioritized by order entry date, the body can then be processed for approval and priced on most current pricing and data release in place. This applies to both PL Custom and customer/dealer supplied chassis. 00-11-7075 1 | PLG < > 170" CLASSIC BODY, 75" Headroom, w/Drop Skirt Overall Vehicle Dimensions: Length: 308" Width: 99" Height: 115" (+/- 2") Exterior Modular Body Dimensions: Length: 170" Width: 97" Height: 94" terior Modular Body Dimensions: Length: 165" Width: 90 3/4" Height: 75" 03-00-1060 < > Chassis Type -Ford F-Series 1 | PLG Chassis paint must be reviewed/edited when changing chassis type **EXTERIOR PLG** 10-10-1100 Modular Body Construction 1 | PLG SAE J3057 Compliant

04/13/2023		PERCEIPTION	0.77	,	Page 2
PART NO	S	DESCRIPTION	QTY		ID
10-10-2000	<	Structural Integrity Warranty		1	PLG
		The structural integrity of the body shall be guaranteed for the life of the unit, as I	ong		
		as the original purchaser shall own it.	ł		
10-10-2070		Finite Element Analysis	ĺ	1 I	PLG
10-10-2150		Compartments, Aluminum Brushed Finish, welded			PLG
10-10-2165	<	******Engineering - process-note, Non-Diamond compartments selected			PLG
10 10 2100	-	Engineering configuration alert -	l	•	
			ı		
		Non-Diamond compartments slected	1		
1.40.40.0000					DI 0
10-12-2000		Type I, Classic, Cab to body Pass-thru			PLG
10-15-4000		Body mounting, Type I, rubber donuts, L-Duty			PLG
10-20-3300		Lowered Body Skirts, with Intermediate Step	ł	1	PLG
10-30-1000	<	Curbside 6" Dropskirt		1	PLG
		Drop skirt on curb side to be 6" i/l/o 3"	i	1	
		Requires Side skin change, stepwell change, Entrance door height change and "	D"		
		door height change		ı	
l		door neight onlinge	ı	·	ľ
110 20 1100	_	Streetside St Drenekirt	ı	4 1	DI C I
10-30-1100	<		l	1	PLG
1		Drop skirt on street side to be 6" i/l/o 3"	ı		
		Requires Side skin change, "A" door height change and "B" door height change.	l		
10-30-2000	<	Custom Body length, 1"-6"	ł	1	PLG
		The Body shall be: 176			
		Note: Compartment size customization to be charged separately. This charge is	for	1	
		the base structure modifications only.			
		and badd on actual of meaning and only.	ı	1	
		EXTERIOR DOORS, AMBULANCE	ı	ı	PLG
144 40 4060	_		ı	4 1	
11-10-1060	<	g,g,		1	PLG
		The door system shall include emergency override latch levers in upper and lov			
		locations of each entrance door. Levers are visible with red coating and intended	for		
		emergency use in the event of a non-functioning handle.			
			ł		
11-10-4060	<	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6)	ĺ	1 I	PLG
		Tied to OEM Power Door Lock Switch			
İ		The te CEM Forms Book Edok Cimion	l	ı	
11-10-4500	_	Keyless Entry Touch Pad, Side Entrance Door	l	1	PLG
11-10-4300	<			١,	PLG
		Lock/Unlock both Entrance Doors and Cab Doors.	ł		
11-10-V010	<			1	PLG
		Keyless entry touchpad will be mounted to right of rear entrance door, between to	ırn		
		signal and window level light.			
11-20-1800		> Gas Spring Pneumatic Door Checks -Classic & Titan		1 1	PLG
11-20-1000		Compart. "A" Door to Check Past 90 Degrees			PLG
11-20-2030		Compart. "C" Door to Check Past 90 Degrees			PLG
11-20-2050		Compart. "E" Door to Check Past 90 Degrees			PLG
11-20-3000		Compart. "D" Door to Check Past 90 Degrees			PLG
11-20-5000		Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum			PLG
	<	COMPARTMENT LAYOUT			PLG
		Exterior compartment dimensions reflect wall to wall measurements.			
		,	i	١	
12-10-4XSV	S <	> A left front 20w x 89h x21d (w/oxygen window)		1	PLG
	,	Dimensions:	1	٠,	0
I			ı	- 1	
İ		Width 20"			
		Height 89"	1		
		Depth 21" with Oxygen window			
12-16-8XSS	S <	> B left side 1/2 High - 43w x 45h x 20d		1	PLG
		Dimensions:	1		

04/15/2025				Page 3
PART NO	S	DESCRIPTION	QTY	ID
		Width 43		
		Height 45		_
		Depth 20	1	
		- op o		•
12-20-100A		"C" Left Rear, 1/2 High -31w x 39h x 20d	1 1	PLG
12-25-7XSS	S <	> D Right Front, In-Out Access - 20w x 58h x 33d above floor - 10d below floor		PLG
12-20-1700	0 '	Dimensions:	1	1 20
			1	
		Width 20	1	
		Height 58		
		Depth 33d above floor 10 d below floor		
12-30-150B		"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d		PLG
12-35-1000		"F" Left Side, Over Wheel, Pull-Out Drawer -32w x 5h x 16d	1	PLG
		COMPARTMENT DOOR PANELS, MATS, DECKING		PLG
13-20-2080		All Compartment Door Panels, Alum, Brushed Finish -(w/ Chevron Design)	1	PLG
13-30-1P10		Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub	1	PLG
		Rails,Black	1	
13-30-2000		Vent Compartments to Exterior of Vehicle	1	PLG
13-40-1000		Dri-Dek, Floors of Compartment, Black		PLG
13-40-2500		Rubber Mat, Shelves, Exterior Compartment		PLG
				PLG
13-40-2800		Turtle Tile Slip Resistant Stepwell Mat (removable)	1	
40 44 0400		COMPARTMENT CONFIGURATIONS AND EQUIPMENT		PLG
13-41-0160		Oxy Bracket, w/Adjustable Shelf, Compartment A, (No Light Under Shelf)		PLG
13-42-0300		(2) Adjustable Shelves, for compartment "B"		PLG
13-43-0300		(2) Adjustable Shelves, for compartment C		PLG
13-47-0450	<	Full Height Divider w/(2) Adjustable Shelves, Compartment "E"	1	PLG
		Long Equipment Storage Compartment "E"		
		Divider to be 12" off front wall w/10" shelves.		
			1	
13-70-0210		Bulbous mounts 3" for (2) backboards compt. "E" (i/l/o std)	1	PLG
13-70-0700		Hanger for Ferno EXL or #65 Scoop Compartment "E"		PLG
10 10 0100		REAR STEP BUMPER		PLG
14-10-2780	_	> Lift-up Rear Step, Recessed, (2) 4" Lts w/ Lic Plate Center	1 1	PLG
14-10-2700			'	r L G
		4" recessed Lights to activate when vehicle is in reverse or rear doors open.	1	
44.40.0500		**** D 01 D 411 ED1: 1. 1 1 1 1		DI O
14-10-9500	<	real stop Bampor i EEB Eighte have been selected	1	PLG
		See 44-30-4200 for Options		
14-20-1000		Rear Dock Bumpers, Bolted to Bumper Ends	1	PLG
		ALUMINUM DIAMOND PLATE ACCESSORIES		PLG
15-10-1000		Front Corner Stone Guards, Polished Diamond Plate	1	PLG
15-15-1000		Front Body Stone Guard, Polished Diamond Plate	1	PLG
15-20-1050		> Rub-Rails, C-Channel, Offset, Satin Finish	I 1	PLG
15-30-2500		Running Boards, Flare type, Non-Slip Dia.Plate w/grip strut (F450/F550 2-Door)		PLG
15-52-0100		Rear Diamond Plate Panel & Corner Guards		PLG
10 02 0100		EXTERIOR TRIM		PLG
16-10-1000			1 1	PLG
		Fenderettes, Rolled, Polished Stainless Steel		
16-30-1550		License Plate Holder, Chrome on rear step riser w/LED Light		PLG
16-35-1010		Fuel Fill Housing, Cast products, Polished (F-Series)		PLG
16-36-1010		DEF Fill Housing, Cast products, Polished (F-Series)		PLG
16-55-1000		> Tow Hooks, Rear Behind Step Riser, Painted	1	PLG
		EXTERIOR, MISCELLANEOUS		PLG
17-50-1000		Undercoat Body	1	PLG
		BODY WINDOWS		PLG
18-10-1000	<		1	PLG
		Transportation Products Inc. Window.		-
		p.s.tanon i romano mentrimanti		
18-20-2000	<	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint	1	PLG
15 25 2000		Transportation Products Inc. Windows.	1	
		Transportation Froducts inc. Williams.		

04/15/2025					Page 4
PART NO S		DESCRIPTION	QTY		ID
18-50-1000		Privacy Tint, Mylar, Side and Rear Doors		1	PLG
		INTERIOR CONSTRUCTION			PLG
20-00-1000		Interior Construction Type - Standard Cabinets			PLG
20-00-1000					
		INSULATION			PLG
20-10-1200		Super Insulation Package, additional Radiant Barrier to Interior Body			PLG
20-10-2000		Sound Deadened Insulation, Entrance Doors	•	1	PLG
20-10-3000		Sound Deadened, Compartment Doors		1 I I	PLG
20-10-5000		Sub-Floor, Expanded PVC Polymer			PLG
1		FRONT BULKHEAD			PLG
04 40 0500					
21-10-0520	<	Type I, Classic, Cab to body Pass-thru, Hinged Window		1 1	PLG
		Hinged Clear Acrylic window.			
		With standard, wood cabinet construction, the window will open and rest again	st		
ĺ		Right Front Cabinet.		-	
		The window will rest against rubber gasketing lining the window frame when closed			ļ
1		The window will rest against rubber gasketing illing the window frame when closed	•		ı
21-30-1000		Climate Control Unit Over Cab to Body Passage		1 1	PLG
21-40-1500	<	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat			PLG
1		Black polycoat cover with an access panel with flush locking trigger latches			
l		black polycoat cover with an access panel with hush locking trigger lateries		ı	
21-40-5250		Front Bulkhead cabinet, 1/2" acrylic doors, 2 shlvs	•	1 1	PLG
21-40-8200	< >	Solid Surface counter, 1" lip, Front bulkhead cabinet		1	PLG
ĺ		Specify Color: Midnight Melange 9091ML		-	
		eposity color. Manight Molaring Color Mil		- 1	ļ
1		DIQUIT EDONT CARINET			
1		RIGHT FRONT CABINET			PLG
21-45-V066	<	Supply and Install "Knox Box" Med Vault, RF Upper	•	1	PLG
		Recessed mount with standard WiFi. Model #5530H3RK			
		right side in the middle of the cabinet			
		Tight side in the finadio of the debillot		ı	ı
04.45.1007				┙.	
21-45-V067	<	Medi-Kool MK-Micro/H Micro Depth, Hinged on left, rear compressor, w/ Kit Lock			PLG
		A Mermaid MK-Micro/H Horizontal, left hinged system is to be installed in the Ri	ght		
		Front Upper cabinet. Compressor will be on the rear. Includes Kit Lock 12.65"W	/ x		
1		10.15"h x 21" deep.		ı	
		10.10 11 A 21 deep.		ı	
04 50 4000					I
21-50-1000		Right front Lower, inside/outside storage			PLG
21-50-2000	<	Right front Lower, (2) adjustable shelves	•	1	PLG
		Shelves to be lined with ribbed rubber mat.			
		·			
21-60-1000		Right front cabinet Lower, 1/2" acrylic doors		1 1	PLG
21-00-1000					
		RIGHT SIDE BENCH LAYOUT			PLG
22-00-1000		Squad Bench, Right side			PLG
22-21-0100		Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt		1	PLG
22-24-1000	<	3 Glove Box Holder Cabinet at Head of Squad Bench			PLG
_ = = :		There is to be a cabinet at the head of the squad bench used to house a 3 glove bo			
				1	
		storage unit that faces the stepwell. Cabinet to be 5" wide. Fits: (3) *Large Boxes	w	- 1	
		9-5/8" x 5" x 3-1/8" ea.			
22-25-4130	<	Auxiliary Switch Panel, On Curbside Wall	•	1	PLG
		Auxiliary location for dual switching of (6) momentary switch functions.		1	_
			٠.	ı	J
		Includes: Rectangular Lights, Left Dome, Right Dome, Door Lock/Unlock, Heat / A	10		
		Fan Speed and Oxygen Solenoid -(if selected)			
		Note: Patient Procedure lights (if selected), will be tied to the Rectangular Light Swi	tch		
		Switches to be mounted horizontally in black HDPE spacer.		-	
1		,			
22 25 4600	_ \	Pagagood "D" hattles, head of Caused Danah, at starius"		1 1	
22-25-4600	\ >	Recessed "D" bottles, head of Squad Bench, at stepwell		ı II	PLG
		See "D" bottle storage brackets selected in section # 80-43-XXXX			
22-30-2000		Squad bench lid, Positive hold down device		1 1	PLG
22-35-3040		Drop in sharps/trash, w/Lexan Lids at head of squad bench			PLG I
22-45-1015	< >	Overhead cabinet 13-1/4" OAH-Life Defender lift-up re-stocking doors		1	PLG
		Includes 1 adjustable shelf			

04/15/2025	PESCRIPTION	OTV	Page 5
PART NO	S DESCRIPTION	QTY	ID
22-50-0700	< Dry erase writing surface, right rear (forward facing) wall		PLG
	The right rear (forward facing)wall of the compartment "E" facia cabinet shall	i be	,
	laminated in high gloss white laminate.	1 !	
1	LEFT SIDE MIDDLE (Base Cabinet)		PLG
23-10-1000	Left side attendant seat-(CPR Seat)		PLG
23-10-3060	> Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt		PLG
23-10-5000	Seat cushion, fixed- (Single CPR Seat)	1	PLG
23-30-2000	LIFE SUPPORT STATION Switch pod, above counter, vinyl covered	1 1!	PLG PLG
23-30-2000	Rear Main Switch Panel Located in Life Support Station Switch Pod		PLG
23-30-2250	**No Radio Cut-Outs to be provided in LSS**		PLG
23-31-1500	Cabinet head of switch pod, hinged door, 1 shelf		PLG
23-32-1090	< > (Increased Hgt) Upper cab.Squared off, Life Defender lift-up restock, 1 shelf	1	PLG
1	The Interior Height of this cabinet will approximately be 18-1/2" High	1 1	
	Pass thru opening approx. 15-1/2".		
23-34-1524	> Solid Surface counter, 1" lip, Left front, Color: Midnight Melange 9091ML	1 1	PLG
23-36-7000	< > Pull-out writing surface/storage drawer, L/S/S	1	PLG
	Not Available with in/out to Compt. "B"		ı
23-37-0050	*Custom "Doy out" into compartment required (MACTED ONLY)	1 1	PLG
23-37-0000	*Custom "Box-out" into compartment required (MASTER ONLY) Note: This is used with any special request for any compartment "Box-Out"		PLG
	Trash, Sharps, ALS unitetc.		
	C compartment	'	
23-40-1010	LEFT REAR STORAGE CABINET < Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf	1 1	PLG
23-40-1010	Includes Austin Life Defender Lift Up Restocking Door.	'	PLG
	moldades Adstart End Deterrater Ent op Nestocking Door.	1 !	
23-40-2000	< > Left rear full cabinet, middle, Life Defender sliding doors, 1 shelf	1	PLG
	Not available with Aft Meganite Counter Top #23-42-xxxx		
ı	Delete the Aft Meganite Counter Top	1 1	
	12V & 115V outlets on the Left rear must be deleted Includes Austin Life Defender Sliding Doors.		
ı	includes Austin Life Defender Chaing Doors.	1 !	
23-42-1524	> Solid Surface counter, 1" lip, Left rear, Color: Midnight Melange 9091ML	1	PLG
23-44-2010	< > Trash/Sharps Combo, tip out, below left rear counter	1	PLG
	Sharps Container 1qt.	1 1	
	Not available w/pull-out drawer option #12-35-10		
	RIGHT REAR CABINET	1 !	PLG
23-70-0850	< Right Rear In/out to Compartment "E", Facing Center Aisle		PLG
	In / Out:		
	Dimensions: 8" wide 40 1/2" high - (with 72" & 75" Headroom)	1 [
	Dimensions: 8" wide 36 1/2" high - (with 68" Headroom) With Hinged Acrylic Door		
	With Fillinged Actylio Book	1 !	
	INTERIOR CABINET DOORS		PLG
24-10-4M00	Cabinet doors, Polycarbonate/Acrylic, Clear		PLG
24-15-1000	< Handles, full length, sliding doors	1	PLG
	SAE J3058 Compliant		
24-20-1000	Positive closure devices hinged doors	1 !	PLG
24-25-1000	Unistrut, interior cabinet shelves, "Mini"	1	PLG
	ENTRANCE DOORS		PLG
24-30-2080	< Ent. Door Panels, 3 section, Brushed Alum, Lowers, w/Chevron Design		PLG
	Brushed Aluminum Lower panel to replace diamond to accommodate Chevi	on	

04/15/2025			Page 6
PART NO S	DESCRIPTION Striping	QTY	ID
24-30-V017 <	elde Elitianee Beer Fraen ean Tog Fraebennaia		PLG
	Hoop style trash can holder mounted on inboard side of lower diamond plate do	or	
	panel. Includes (1) Rubbermaid 13qt. trash can		
	ABOVE DOOR HEAD BUMPERS		PLG
24-35-0100	Side Door Head Bumper		PLG
24-35-0500	Rear Door Head Bumper	1	PLG
05.40.0075	GRAB RAILS	_	PLG
25-10-2675	Safety Yellow Grab Rail, 120" length, over squad bench		PLG
25-10-2775 25-10-3575 <	Safety Yellow Grab Rail, 120" length, over cot		PLG
25-10-3575 <	Grab rail, Yellow, L shaped, Facing Stepwell - (Requires a fwd Cabinet) Grab rail mounted on the "step area" side of the forward custom squad bend		PLG
	cabinet.	J11	1
	Capillet.		ı
25-10-3800	Safety Yellow Grab rail, 18", at rear entrance doors, (2)	1	PLG
25-11-1C00	Grab rail, 45 deg, Safety Yellow, side entrance door, (1)		PLG
	> Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2)		PLG
	SEAT BELTS		PLG
25-50-2000	Seat belt, attendant seat, Qty (1)	1	PLG
	> Patient restraint strap, squad bench, Qty (3), for use with six point seat belts		PLG
	Feasibility of this option is based on seat positions and options in squad bench fac	e.	1
	Patient restraint straps are not provided on bench with length shorter than 72".		•
25-51-2021	(2) Six point Seat Belt Harnesses w/ Comfort Pads - Curbside Seating		PLG
25-51-2031	(1) Six point Seat Belt Harness w/ Comfort Pads - Street Side Seat	1	PLG
	COT MOUNT and COT MODEL		PLG
26-35-1235 <	Power Load Install PL Supp Floor Plate, w/ Circuit, w/ Mini Rail Plate (SAE)	1	PLG
	Stryker Power Load Floor Plate		1
	All components provided by PL Custom.	O - 11	
	PL Custom will supply and install a Stryker Power Load Floor Plate and Mini I	Kall	ı
	Plate. Includes charging circuit for use with Power Load fasteners. Circuit will remain Ho	at at	
	all times.	n ai	ı
	Includes cutout in the floor for the installation of a Mini Rail Plate.		I
	moduce detect in the need for the instantage of a minimum rate.		I
	I.V. HOLDER		PLG
26-50-1M10	Rubber I.V. holder, dual, recessed, over cot	1	PLG
26-50-2100	Rubber I.V. holder, dual, recessed, over squad bench	1	PLG
	INTERIOR COLORS		PLG
27-10-1000	Ceiling, white Thermoplastic		PLG
27-10-1500	Upper Laminate - Fashion Grey D381-60		PLG
27-10-4200	Lower Laminate - Fashion Grey D381-60	1	PLG
07.00.5000	INTERIOR UPHOLSTERY		PLG
27-20-5000	Upholstery, Flat-Seamless		PLG
27-20-5600	Upholstery Color: Gray	1	PLG
27-36-5540	ATTENDANT SEAT Ash Gray Attn Seat, EVS 18806B, 6pt restraint, Child Seat, Vac Formed	4	PLG PLG
27-37-0100	** Confirm Seat color** - GRAY is the vehicle upholstery color		PLG
21-31-0100	FLOORING		PLG
27-52-4340	Loncoin II Flecks (disc), Moonstone Topseal (C157TS)	1	PLG
27-55-2000	Flooring rolled up side walls 3"		PLG
00 _000	CAB CONSOLE	·	PLG
27-72-1010 <		1	PLG
	NOTE: (2) Cup holders are NOT included in the console. The cupholders are part		•
	the map-box		1
	(See PDF)		
27-75-0100	**No Radio Cut-Outs to be provided in Cab Console**	1	PLG

PART NO	S DESCRIPTION (QTY	lD
27-75-2050	< > Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series)		PLG
21-13-2030	includes (1) lexan divider - See PDF	'	ILEG
1	includes (1) lexall divider - See FDF		1
	MISCELLANEOUS INTERIOR		DI C
100 40 4000		4	PLG
28-40-1000	Wall protection, stainless steel, left side, 9 1/8"h		PLG
28-40-2000	Wall protection, stainless steel, right side, 7 5/8"h		PLG
28-45-1350	< > Glove box holder for (3) Boxes, recessed -over Rear ent. doors		PLG
1	Storage for (3) glove boxes over rear entrance door with a hinged, lexan door and		i i
	front facing access holes.		ļ l
	Fits: (3) *Boxes @ 9-5/8" x 5" x 3-1/8" ea.		
	All rear-head bumper options are not feasible when this option is requested.		
28-50-1000	Fasten Seat Belt/No Smoking Sign	1	PLG
	OXYGEN AND SUCTION		PLG
30-10-1000	Oxygen Outlet, Amico, dual, Life Support Station Switch Pod		PLG
30-10-2000	Oxy Outlet, Amico, single, right side- In Overhead Cabinet	1	PLG
30-20-1000	Oxygen Solenoid, Amico, w/ manual override & switch	1	PLG
30-30-1000	Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	1	PLG
30-30-2400	Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	1	PLG
30-40-3000	< PL Oxygen Monitoring System		PLG
	Analog pressure gauge with low pressure indicator and alarm		
	Thinking process gauge marrier process maleuter and diami		1
30-50-3005	< > O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System	1	PLG
00 00 0000	With ZICO hand-held switch mounted in compartment. ZICO tank lift comes with		10
	hydraulic ram that can be "back driven." This prevents the ram from being damaged		1
	if it is extended, and the air ride is lowered	4	!
	II It is extended, and the all fide is lowered		1
30-50-3850	***Attention: Please Specify Tank Letter Size used within this shop note	1	PLG
JU-30-3030	Oxygen Tank Size is:		1 10
			<u> </u>
 	(example; M tank steel, M tank aluminum, H tank steel)		1
	This will allow the feetens to present the adjustable magnets for your systemer. N	_	!
l	This will allow the factory to preset the adjustable mounts for your customer. N	O	1 1
	selection will result in the mounts being set for an Aluminum M tank		<u> </u>
100 00 4000	Descriptor Occurry Large Tank (DLC 0000)	4	LDLC
30-60-4000	Regulator, Oxygen, Large Tank, (PLC-9662)		PLG
30-80-1100	< Wrench, Oxy Cylinder -(for EZE Loader)		PLG
	Oxygen wrench to be attached to compartment door		ļ l
	ELECTRICAL		PLG
40-00-0500	< Electrical System Warranty		PLG
	The Electrical System shall be warranted for the life of the unit, as long as the origin	ıal	
	purchaser shall own it.		
40-00-1200	Electrical 12 VDC, Classic-Series		PLG
40-00-1900	Electrical 12 VDC Specifications	1	PLG
	CAB ELECTRICAL		PLG
41-10-0100	Alternator, Dual with 410 amp combined output, OEM Ford F-Series		PLG
41-20-0800	Batteries, Dual Ford OEM, 1500CCA -(under hood)	1	PLG
41-30-3750	Module Activation, Ignition Switch	1	PLG
41-50-1000	Cab Under hood & Fender Electrical Connectors - Deutsch Type		PLG
	SWITCH PANEL		PLG
42-10-1000	Voltmeter, Digital 8 to 18 volt, lighted	1	PLG
42-10-2400	Low Voltage Alarm,Indicator & Cancel Switch		PLG
42-15-2500	> Rocker Switches, Carling Contura V		PLG
42-20-0500	Battery On indicator light		PLG
42-20-1000	Warning Indicator, Door open, Red		PLG
42-20-2000	Warning Indicator, Door open, Ned Warning Indicator, Compt open, Amber		PLG
42-20-3000	Warning Indicator, Compt open, Amber Warning Indicator, Audible alarm, Door/Compt	1	
12 20-0000	vvairing indicator, Addible diditil, Door/Compt	ı	

04/15/2025			Page 8
PART NO S	DESCRIPTION Description Description Description	QTY	ID DI O
42-20-4200	Warning Ind/Audible, Parking Brake, Dual-Mode Alarm		PLG
42-21-0900	** Gooseneck Light Not Included with Vehicle **		PLG
42-25-6000	< High Idle Activation, Ford OEM - F-Series	<u>'</u>	PLG
	Activated by front console switch, requires park brake to be applied	1	1
42-30-1000	Back-up alarm, w/resetting cancel switch	1	PLG
42-45-2200	< > Load Manager/Sequencer, PL Custom/Kussmaul (full time)		PLG
	RESPONSE AND SCENE AMPS CANNOT EXCEED 230 AMP		
			1
	FULL TIME Load Management of Emergency Lights		•
42-60-2400	Air Horn, (2) Buell 1062, bumper valance mount , 1/4 hp compressor	1	PLG
42-60-5000	< Air Horn activation, Carling Momentary in Front Switch Panel	1	PLG
	Switch will have white rocker for easy identification.		
		1	
•	Requires PL provided air horn system or 42-60-2800 PL Activation of chast	sis	
	supplied air horns.	1	
142 65 1200	Dur Look Switch Entrance OEM Door switch (if applicable)	1	PLG
42-65-1300 42-65-1500	Pwr Lock Switch, Entrance, OEM Door switch- (if applicable) < > Remote Keyless Entry w/Chassis Power Door Lock Control		PLG
42-03-1300	OEM door switches control cab & body doors.		rlug I
	OEM door switches control cab & body doors.	l	
42-65-2010	Power Door Lock Switch, Side Entrance Door	1	PLG
42-65-2020	Power Door Lock Switch, Rear Entrance Doors		PLG
42-65-2200	< > Pwr Door Lock Concealed Override Switch, Grille-(KKK)		PLG
	Located in front grille area.	'	
	This switch location is KKK compliant		
	· ·	·	
42-65-3000	> Keyless Entry Touch Pad, at Side Entr Door	1	PLG
	EMERGENCY WARNING EQUIPMENT		PLG
40.00.4050	SIREN		PLG
43-20-4G50	> Siren, Whelen 295SLSA1, w/diag.		PLG
43-20-5000	Siren-Horn Switch	1	PLG
43-31-4310	SIREN SPEAKERS < > Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2023-on	1 1	PLG PLG
43-31-4310	Chassis equipped with OE fog lights will have fog lights removed and discarded		PLG
	accommodate speaker mounting.	1 (U 	1
	docommodate opeaker modifiling.	1	
	FRONT LIGHT BAR	1	PLG
43-40-0500	-No front Lightbar required-	1	PLG
	REAR LIGHT BAR		PLG
43-50-1000	-No rear Lightbar required-		PLG
43-51-V011	< Whelen Traffic Advisor Control Head Only for (5) Rear Lights		PLG
	Traffic Advisor head to control rear LED Lights. Lights are to flash in rapid ran		
	flash pattern when Emergency lights are on and Traffic Advisor head is off. Tr	affic	
	Advisor head is to override flashing pattern when turned on.		
	Whelen Traffic Advisor Control Head Only for (5) Rear Lights	I	
	> CAB MOUNTED LIGHTS	ı	PLG
43-68-A200	> Whelen Independent CAB Flashing Lights, CLEAR Lens package	1	PLG
43-68-A210	** (4) Whelen ION Grille Lights Package		PLG
43-71-1440	(4) Whelen ToN Grille Lights Lackage < > (2) Upper Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS,		PLG
	Chrome Flang		
	Please state which color in which location:		
	Upper pass-side color:		
	······		
	Upper driver-side color:		
43-71-1624	< *** Flange & Backing Plate included with TION Light ***	1	PLG
	Backing Plate Required for mounting in grille		

04/15/2025			Page 9
PART NO S 43-71-3340	 DESCRIPTION (2) Lower Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS, 	QTY 1	I D PLG
	Chrome Flang Please state which color in which location:		I
	Lower pass-side color:	I I	
•	Lower driver-side color:		
43-71-3628	< *** Flange & Backing Plate included with TION Light ***		PLG
43-71-3020	Backing Plate Required for mounting in grille		I I
	Busining Flate Required for mounting in gime		l
43-71-4500	(2) Whelen TION LED Fender Light, Red, CLEAR LENS, Chrome Flange		PLG
43-71-7501	< *** Flange included with ION Light ***	1	PLG
1	No Fender Flange Provided		· •
43-72-V087	< Tracer Lights, Cab Runing Boards, Red/White DUO (WCX)	1	PLG
	WCX (WECAN control) 4 module tracer, (1) each side		[
	Will flash red/white in emergency mode		-
	All lights illuminate white steady when cab door is opened		
1	BODY LIGHTING -<(Full Catalog PDF here)>		DIC I
	FRONT BODY VEHICLE LIGHTS -(Non-Emergency)		PLG PLG
43-A1-1700	(2) M6-Whelen, Directionals -LED,Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	1 1	PLG
43-A2-0050	* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)		PLG
43-A2-0250	< ** (7) Front Upper Lights & Directionals	1	PLG
	The (4) lights, outboard of the Center light position, shall operate from (1) cons	sole	
	switch.		
43-A4-2440	*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens	1	PLG
	package		
43-A5-0030	Independent - Flash - No Vehicle Flasher - Non Synchronized	1	PLG
	All lightheads are flashed randomly using internal flashing program, without ligh	t to	
1	light synchronization.		
43-A5-0060	< Program Flashing Lights to "Action Scan"	1	PLG
	Whelen flash pattern		. LO
1	Lighthead will scroll through all available patterns and repeat		•
43-A7-1100	> FRONT BODY WARNING LIGHTS < All Whelen M9 Flanges, Chrome -(M9FC)	1 1	PLG
43-A7-1100	M9 vehicle lights shall be equipped with a Whelen M9FC Chrome flange		PLG
	wie verlicie lights shall be equipped with a writelen with 6 officine hange		
43-B0-A250	< > M9-Whelen,Split Sup-LED, Red/White, Front - (Loc: F1)	1	PLG
	M-series split lights cannot be dimmed		
43-B0-A900	M0 Wholen Sun LED Bod Front (Los: E2)	1	PLG
43-B0-A900 43-B0-B400	M9-Whelen, Sup-LED, Red, Front - (Loc: F2) < > M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F3)		PLG
	M-series split lights cannot be dimmed		
	1 0		
43-B0-B550	M9-Whelen, Sup-LED, Red, Front - (Loc: F4)		PLG
43-B0-C750	< > M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F5)	1	PLG
	M-series split lights cannot be dimmed		
43-B0-C850	M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	1 1	PLG
43-B0-D350	M9-Whelen, Split Sup-LED, Red/White, Front - (Loc: F7)		PLG
	M-series split lights cannot be dimmed		
43-F0-C250	M9 -Whelen Primary Side Light package-(Clear Lens) (PDF>)	1	PLG PLG
43-50-6230	< > M9-Whelen,Split, Sup-LED, Red/ White, Left Side - (Loc: LS1) M-series split lights cannot be dimmed	I	rLG
	M Series split lights carried be diffilled		
L			

A3-F0-2550	04/15/2025			Page 10
43-F4-C250		< > M9-Whelen, Split, Sup-LED, Red/White, Left Side - (Loc: LS4)		
M-series split lights cannot be dimmed		M-series split lights cannot be dimmed		
M-series split lights cannot be dimmed REAR BODY WARNING (Flashing) LIGHTS PLG 43-H1-0500 **M9-Whelen independent, Rear Body Flashing Lights - CLEAR Lens 1 PLG 43-H5-C120 (3) Rear Upper Lights & (2) Window Level Lights 1 PLG 43-S1-0250 **M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1) 1 PLG 43-S1-0250 **M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7) 1 PLG 43-S1-0250 **M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7) 1 PLG 43-S1-0250 **M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7) 1 PLG 43-S1-0350 **M9-Whelen Sup-LED, Red, Rear - (Loc: R7) 1 PLG 43-S1-0350 M9-Whelen Sup-LED, Red, Rear - (Loc: R10B) 1 PLG 43-S1-040 M9-Whelen Sup-LED, Red, Rear - (Loc: R10B) 1 PLG 43-S1-040 M9-Whelen Sup-LED, Red, Rear - (Loc: R10B) 1 PLG 43-S6-V002 **A Whelen - Amber light R2 Lower) - 7x3 Whelen - Scene Light R2 Lower) - 7x3 whelen - Amber light R3 Lower) - 7x3 whelen - Amber light R3 Lower) - 7x3 whelen - Amber light R4 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Lower) - 7x3 whelen - Amber light R6 Low	43-F4-C250		1	PLG
43-H1-0500 "M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens M9 - REAR Light LAVOUT - (No Lightbar or Traffic Advisor) (PDF>) PLG 43-H5-C120 (3) Rear Upper Lights & (2) Window Level Lights 1 PLG 43-S1-0250 <> M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1) 1 PLG 43-S1-2000 <> M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7) 1 PLG 43-S1-2000	43-F4-D250		1	PLG
43-H1-0500 "M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens M9 - REAR Light LAVOUT - (No Lightbar or Traffic Advisor) (PDF>) PLG 43-H5-C120 (3) Rear Upper Lights & (2) Window Level Lights 1 PLG 43-S1-0250 <> M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1) 1 PLG 43-S1-2000 <> M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7) 1 PLG 43-S1-2000		REAR BODY WARNING (Flashing) LIGHTS		PLG
3-S1-0250		**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens M9 -REAR LIGHT LAYOUT -(No Lightbar or Traffic Advisor) (PDF>)		PLG
43-S1-2000 SM9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7)		< > M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1)		
M3-Rear Lights at Window Level PLG		M-series split lights cannot be dimmed		
43-S1-C350	43-S1-2000		1	PLG
43-S1-C350		M9 -Rear Lights at Window Level		PI G
43-S6-V002		M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)		PLG
(R2 Lower) - 7x3 whelen - Amber light (R3 Lower) - 7x3 whelen - Scene Light (R3 Upper) - 7x3 whelen - Amber light (R3 Lower) - 7x3 whelen - Amber light (R4 Lower) - 7x3 whelen - Amber light (R4 Lower) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Amber light (R6 Upper) - 7x3 whelen - Red light (R6 Lower) - 7x3 whelen - Scene light **** Side Body Flashing Lights, Over Rear Wheel Package 1 PLG 43-T5-1200				
R2 Lower) - 7x3 whelen - Scene Light R3 Upper) - 7x3 whelen - Amber light R3 Lower) - 7x3 whelen - Red light R4 Upper) - 7x3 whelen - Red light R4 Upper) - 7x3 whelen - Amber light R5 Upper) - 7x3 whelen - Amber light R5 Upper) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Amber light R5 Lower) - 7x3 whelen - Red light R6 Upper) - 7x3 whelen - Red light R6 Upper) - 7x3 whelen - Red light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - Scene light R6 Upper) - 7x3 whelen - R6 Upper) - 7x3 whelen - Scene light R7 Upper) - 7x3 whelen - Scene light R7 Upper) - 7x3 whelen - Maber Scene light R7 Upper) - 7x3 whelen - Maber Scene light R7 Upper) - 7x3 whelen - Maber Scene light R7 Upper) - 7x3 whelen - Maber Scene light R7 Upper) - 7x3 whelen - Maber R7 Upper) - 7x3 whelen - 7x3 whelen - Maber R7 Upper) - 7x3	43-S6-V002		1	PLG
(R3 Upper) - 7x3 whelen - Amber light (R3 Lower) - 7x3 whelen - Red light (R4 Upper) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Ramber light (R6 Upper) - 7x3 whelen - Ramber light (R6 Upper) - 7x3 whelen - Red light (R6 Lower) - 7x3				
(R3 Lower) - 7x3 whelen - Red light (R4 Upper) - 7x3 whelen - Amber light (R4 Lower) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Amber light (R6 Upper) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Scene light (R6 Upper) - 7x3 whelen - Scene light 43-T5-1200 *** Side Body Flashing Lights, Over Rear Wheel Package (R6 Lower) - 7x3 whelen - Scene light 43-T5-1300 *** Side Body Flashing Lights, Over Rear Wheel Package (R7 - Whelen, Red, Super LED, WiFlange, (2) Over Rear Wheel, CLEAR LENS (R7 - Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails (R8 - Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails (R9 - Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails (R9 - Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails (R9 - Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R6 Upper) - 7x3 whelen - Amber, Rear Ent Doors, Full time acti (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. (R9 - Whelen TION DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split)				
(R4 Upper) - 7x3 whelen - Amber light (R4 Lower) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Scene light (R6 Upper) - 7x3 whelen - Scene light 43-T5-1200 **** Side Body Flashing Lights, Over Rear Wheel Package 43-T5-1930 M7 - Whelen, Red, Super LED, wiFlange, (2) Over Rear Wheel, CLEAR LENS 1 PLG 43-T5-3680 *** Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails Five on each side; (3) in Front Rub Rail, (2) in Rear Rub Rail, Whelen TLI2D DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. Lights will flash R-W-R-W-R then W-R-W-R-W 43-T6-1520 * Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti 1 PLG Lights are active anytime power is on and doors are open 43-T6-1530 * Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation Lights are active anytime power is on and doors are open 43-T6-2400 * Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea Safety lights to operate independently with each compartment door open and master battery switch on. Qty: (5), Loc: Compartments "A", "B", "C", "D", and "E" ***** *********** **************			·	
(R4 Lower) - 7x3 whelen - Amber light (R5 Upper) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Amber light (R6 Upper) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Red light (R6 Lower) - 7x3 whelen - Scene light *** Side Body Flashing Lights, Over Rear Wheel Package 1 PLG 43-T5-1200				
(R5 Upper) - 7x3 whelen - Amber light (R5 Lower) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Amber light (R6 Upper) - 7x3 whelen - Amber light (R6 Lower) - 7x3 whelen - Amber light (R6 Lower) - 7x3 whelen - Scene light *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS *** PLG *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS *** PLG *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS *** PLG *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights (10) Red/White - In "C" Channel Rub-Rails *** PLG *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights, Over Rear Wheel Package *** Side Body Flashing Lights *** Side Body Flashing *** Side Body Flashing Lights *** Side Bod			ı '	
(R5 Lower) - 7x3 whelen - Red light (R6 Upper) - 7x3 whelen - Amber light (R6 Lower) - 7x3 whelen - Amber light (R6 Lower) - 7x3 whelen - Scene light *** Side Body Flashing Lights, Over Rear Wheel Package 43-T5-1930 *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS 43-T5-1930 *** Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS 1 PLG Five on each side; (3) in Front Rub Rail, (2) in Rear Rub Rail, Whelen TLI2D DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. Lights will flash R-W-R-W-R then W-R-W-R-W 43-T6-1520 *** Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti Lights are active anytime power is on and doors are open 43-T6-1530 ** Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation Lights are active anytime power is on and doors are open 43-T6-2400 ** Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea Safety lights to operate independently with each compartment door open and master battery switch on. Oty: (5), Loc: Compartments "A", "B", "C", "D", and "E" **REAR NON-EMERGENCY LIGHTS 1 PLG 44-10-1500 ** Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG				
(R6 Upper) - 7x3 whelen - Amber light (R6 Lower) - 7x3 whelen - Scene light *** Side Body Flashing Lights, Over Rear Wheel Package 43-T5-1930 *** Side Body Flashing Lights, Over Rear Wheel Package 43-T5-1930 *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS 1 PLG 43-T5-1930 *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS 1 PLG 43-T5-1930 *** Side Body Flashing Lights, Over Rear Wheel, CLEAR LENS 1 PLG 43-T5-1930 *** Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails 1 PLG Five on each side; (3) in Front Rub Rail, (2) in Rear Rub Rail, Whelen TLI2D DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. Lights will flash R-W-R-W-R then W-R-W-R-W 43-T6-1520 *** Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti Lights are active anytime power is on and doors are open 43-T6-1530 ** Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation Lights are active anytime power is on and doors are open 43-T6-2400 ** Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea Safety lights to operate independently with each compartment door open and master battery switch on. Qty: (5), Loc: Compartments "A", "B", "C", "D", and "E" **REAR NON-EMERGENCY LIGHTS PLG 44-10-1500 ** Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG			, '	
(R6 Lower) - 7x3 whelen - Scene light *** Side Body Flashing Lights, Over Rear Wheel Package 43-T5-1200 *** Side Body Flashing Lights, Over Rear Wheel Package 43-T5-1930 M7 - Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS 1 PLG Five on each side; (3) in Front Rub Rail, (2) in Rear Rub Rail, Whelen TLI2D DUO Red/White with Clear Lens & TIONFC Chrome Flange. Full light (not split) will alternate flash between Red & White. Lights will flash R-W-R-W-R then W-R-W-R-W 43-T6-1520 < > Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti 1 PLG Lights are active anytime power is on and doors are open 43-T6-1530 < > Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation 1 PLG Lights are active anytime power is on and doors are open 43-T6-2400 < > Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea Safety lights to operate independently with each compartment door open and master battery switch on. Qty: (5), Loc: Compartments "A", "B", "C", "D", and "E" REAR NON-EMERGENCY LIGHTS PLG 44-10-1500 < > Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG				
43-T5-1930				
43-T5-1930	43-T5-1200	*** Side Body Flashing Lights, Over Rear Wheel Package	1	PLG
Full light (not split) will alternate flash between Red & White. Lights will flash R-W-R-W-R then W-R-W-R-W 43-T6-1520		M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS < > Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails Five on each side; (3) in Front Rub Rail, (2) in Rear Rub Rail,		
Lights will flash R-W-R-W-R then W-R-W-R-W 43-T6-1520		Whelen TLI2D DUO Red/White with Clear Lens & HONFC Chrome Flange.		
Lights are active anytime power is on and doors are open 43-T6-1530				
Lights are active anytime power is on and doors are open 43-T6-2400	43-T6-1520		1	PLG
Safety lights to operate independently with each compartment door open and master battery switch on. Qty: (5), Loc: Compartments "A", "B", "C", "D", and "E" REAR NON-EMERGENCY LIGHTS PLG 44-10-1500 < > Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG	43-T6-1530		1	PLG
REAR NON-EMERGENCY LIGHTS PLG 44-10-1500 < > Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG PLG	43-T6-2400	Safety lights to operate independently with each compartment door open and mas		PLG
44-10-1500 < > Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG		Qty: (5), Loc: Compartments "A", "B", "C", "D", and "E"		
44-10-1500 < > Stop/Tail and Turn Signal-Light heads with clear lenses 1 PLG				
1 0 0	44 10 1500		4	
	44-10-1500		1	PLG

44-30-3000	04/15/2025			Page 11
44-26-0300 Back-up, (2) M6 - Whelen Super LED (clear Lens) Populated Arrow 1 PLG				
1 PLG				
Advalland Adva				
HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	44-20-0550		ı I	
44-30-3000	144 30 1000		1 1	
44-30-4200		, , , , ,		
Lights: Whelen 2G LED				
Ad-30-5500	11 00 1200			,
Ad-35-1000		Ligitid. Wholen 20 225		
Ad-35-1000	44-30-5500	Running Board Illum Lights. (2). Heavy Duty LED 4" Recessed	1	PLG
Not available with CENCOM	44-35-1000			
PLG				•
PLG				
44-50-22B0		Not available with CENCOM		
44-50-22B0				
44-50-24B0				
44-50-6550				
Location: centered left and right side of truck These lights will operate on an independent switch. 44-50-7000 20" Hi-Viz 15 LED Mini Brow Light White, Front Body Condenser Mounted 1 PLG 44-60-1000 Right Side Scene Lights on with Side Door & Switch in Console 1 PLG 44-60-2000 Left Side Scene Lights with Console 1 PLG 44-60-3000 Rear Scene Lights on w/Rear Door Open/Reverse 1 PLG 44-60-3000 Rear Scene Lights on w/Rear Door Open/Reverse 1 PLG 44-60-4000 Rear Scene Light Cancel Switch Console 1 PLG 44-60-5000 Rear Goods switch shall also activate reverse lights. 44-60-5000 Right Side Scene Light Cancel Switch 1 PLG 44-60-7000 Left/Right & Rear Flood Lights, On In Reverse 1 PLG 44-60-7000 Left/Right & Rear Flood Lights, On In Reverse 1 PLG 44-60-7000 Left/Right & Rear Flood Lights, On In Reverse 1 PLG 45-10-1000 Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl 1 PLG 45-30-3N00 Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG 54-30-3N00 PLG 45-30-3N00 Super-Cool Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system 1 PLG 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-100 Auxiliary Condenser mounted front of body, Digital Thermostat PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Condenser stabilise to the OEM AC System. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambert reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline				
These lights will operate on an independent switch. 20" Hi-Viz 15 LED Mini Brow Light White, Front Body Condenser Mounted 1 PLG 44-60-1000 Right Side Scene Lights on with Side Door & Switch in Console 1 PLG 44-60-2000 Left Side Scene Lights (On-Orf) Switch Console 1 PLG 44-60-3000 Rear Scene Lights on w/Rear Door Open/Reverse 1 PLG 44-60-4000 Rear Scene Lights, On-Off Switch in Console 1 PLG 44-60-4000 Rear Scene Lights, On-Off Switch in Console 1 PLG 84-60-4000 Rear Scene Light Cancel Switch 1 PLG 84-60-6000 Right Side Scene Light Cancel Switch 1 PLG 44-60-6000 Rear Door Scene Light Cancel Switch 1 PLG 44-60-6000 Rear Door Scene Light Cancel Switch 1 PLG 44-60-7000 Left/Right & Rear Flood Lights, On In Reverse 1 PLG 45-10-1000 Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl 1 PLG 45-30-3N00 Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG DIESEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system 1 PLG 45-35-100 Auxiliary Condant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary Coolant Pump Climat	44-50-6550		, 1	PLG
44-50-7000			ı	
A4-60-1000		I nese lights will operate on an independent switch.	l	
A4-60-1000	144 50 7000	20" Hi Viz 15 LED Mini Prow Light White Front Pody Condensor Mounted	1 1	
44-60-2000	(1)			
44-60-3000 Rear Scene Lights on w/Rear Door Open/Reverse 1 PLG 44-60-4000 Rear Scene Lights, On-Off Switch in Console 1 PLG Rear floods switch shall also activate reverse lights.				
44-60-4000 < Rear Scene Lights, On-Off Switch in Console Rear floods switch shall also activate reverse lights. 44-60-5000				
Rear floods switch shall also activate reverse lights. 44-60-5000 Right Side Scene Light Cancel Switch 1 PLG 44-60-6000 Rear Door Scene Light Cancel Switch 1 PLG 44-60-7000 Left/Right & Rear Flood Lights, On In Reverse 1 PLG 45-10-1000 Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl 1 PLG 45-30-3N00 Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG DIESEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 Auxiliary coolant vill be tied into the OEM AC system. The heat coil will not be plumbed 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upber cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed 1 PLG The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambientl air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condender underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 45-39-1020 ** Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 6 PLG 6 Opme Lights, Whelen Multi-LED, Hi-Lo, Qty (#8000EHCR) 1 PLG 6 Dome Lights, Whelen Multi-LED, Hi-Lo, Qty (#8000EHCR) 1 PLG				
A4-60-5000 Right Side Scene Light Cancel Switch 1 PLG	11.00 1000			, 0
44-60-6000 44-60-7000 Left/Right & Rear Flood Lights, On In Reverse CLIMATE CONTROL Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl 45-30-3N00 Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG DIESEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambientl air reaches the preset temperature, the unit will tum off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 5 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light The CellLING CONFIGURATION The Celling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers The Gelling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers The Cell Control Lights, 4 Rectangular Lights & 2 Speakers The PLG The Cell Control Lights, 4 Rectangular Lights & 2 Speakers The Cell Control Lights, 4 Rectangular Lights & 2 Speakers The PLG The Cell Control C		i team income contain and a demonstration of containing inter-	ĺ	1 1
Left/Right & Rear Flood Lights, On In Reverse 1 PLG	44-60-5000	Right Side Scene Light Cancel Switch	1	PLG
CLIMATE CONTROL PLG 45-10-1000 Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl 1 PLG 45-30-3N00 Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG DIESEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed 1 The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG **Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	44-60-6000	Rear Door Scene Light Cancel Switch		
45-10-1000 Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl 45-30-3N00 Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG DIESEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engline TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG Auxiliary Coolant Pump Climate Control System 1 PLG Auxiliary Coolant Pump Climate Control System 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	44-60-7000		1	
Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L 1 PLG DIESEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Endine TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat				
DIÈSEL F 12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 1 PLG 45-35-V028 1 10v/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light Front Body Condenser Stainless Mill Flnish Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers Interior Lights PLG 6-10-1L00 G) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR)				
12 volt Ducted Heat and Air Conditioning System for F-Super with 6.7 Diesel Engine TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-V028 1 10V/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 1 PLG 45-35-V028 1 2 VIII SUBJECT STATE S	45-30-3N00		, 1	PLG
TM 16 Auxiliary Compressor dedicated to body system Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-V028 < 110v/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light Front Body Condenser Stainless MIII Flnish CEILING CONFIGURATION PLG CEILING CONFIGURATION PLG 65-09-0100 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG			L:	1 1
Condenser mounted front of body, Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-100 A Standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed 1 The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG			Jine	
Digital Thermostat 45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-V028 < 110v/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG **Front Body Condenser Stainless MIII Finish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 66) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	ı		l	1 1
45-30-4500 Super-Cool, Aux. A/C Condenser, 12V, Location: Front body 1 PLG 45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-V028 < 110v/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet . The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG CEILING CONFIGURATION PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG			İ	
45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-V028 110v/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet . The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110v compressor and condenser underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG ** Front Body Condenser Stainless MIII Flnish 1 PLG ** Front Body Condenser Stainless MIII Flnish 1 PLG ** CEILING CONFIGURATION PLG ** Front Body Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG ** INTERIOR LIGHTS PLG ** PLG ** PLG ** Floor Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG ** PL		Digital Momostat	1	1 1
45-35-1100 Auxiliary Coolant Pump Climate Control System 1 PLG 45-35-V028 110v/12v Evap unit right Front Cabinet (E, F, Ram) 1 PLG A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet . The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110v compressor and condenser underbody mounted. 45-38-1080 Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG ** Front Body Condenser Stainless MIII Flnish 1 PLG ** Front Body Condenser Stainless MIII Flnish 1 PLG ** CEILING CONFIGURATION PLG ** Front Body Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG ** INTERIOR LIGHTS PLG ** PLG ** PLG ** Floor Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG ** PL	45-30-4500	Super-Cool, Aux. A/C Condenser, 12V, Location: Front body	1	PLG
45-35-V028 < 110v/12v Evap unit right Front Cabinet (E, F, Ram) A standalone auxiliary evaporator unit shall be installed in the right front upper cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG ** Front Body Condenser Stainless Mill Flnish 1 PLG CEILING CONFIGURATION PLG CEILING CONFIGURATION PLG (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	45-35-1100			
cabinet. The evaporator will be tied into the OEM AC system. The heat coil will not be plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	45-35-V028		1	PLG
plumbed The evaporator shall be controlled by its own thermostat located on the right front cabinet. The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG		A standalone auxiliary evaporator unit shall be installed in the right front up	per	
The evaporator shall be controlled by its own thermostat located on the right front cabinet . The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080		cabinet. The evaporator will be tied into the OEM AC system. The heat coil will no	t be	
cabinet . The Thermostat will allow for a preset temperature. When the ambient air reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG				
reaches the preset temperature, the unit will turn off. This unit will also operate off of an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080				
an independent 110v shoreline via an auxiliary 110V compressor and condenser underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG CEILING CONFIGURATION PLG INTERIOR LIGHTS PLG (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG PLG (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG				
underbody mounted. 45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	,			
45-38-1080 > Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light 1 PLG 45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG			er	
45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG		underbody mounted.		
45-39-1020 ** Front Body Condenser Stainless MIII Flnish 1 PLG CEILING CONFIGURATION PLG 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	45-38-1080	> Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light	1	PLG
CEILING CONFIGURATION 45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG				
45-99-0100 Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers 1 PLG INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	, .0 00 1020			
INTERIOR LIGHTS PLG 46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG	45-99-0100		1	
46-10-1L00 (6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR) 1 PLG				
	46-10-1L00			PLG
	46-10-2000		1	PLG

04/15/2025		0.77	Page 12
PART NO S	DESCRIPTION Toppig E41 Strip Lights Coiling Passway Plus	QTY	ID DLC
46-10-4010	Tecniq E41 Strip Lights, Ceiling Raceway, Blue Tecniq E41 LED strip lights shall be mounted the length of the raceway, both sides.		PLG
	Lights will be controlled by a single switch in the rear main switch panel.		I
	Lights will be controlled by a single switch in the real main switch panel.		
	EXTERIOR COMPARTMENT LIGHTS		PLG
46-20-1075	< Lights, Ext. Compartments, TecNiq LED E44 Strip Lights	1	PLG
	(Vertical Linear Lights)		
	(**************************************		1
46-20-1350	Oxygen Compartment Light Switch, Located in Rear Main Switch Panel	1	PLG
	AUXILIARY INTERIOR LIGHTING		PLG
46-20-2000	Heavy Duty LED panel Light, (Life Support Station Area)	1	PLG
46-20-2550	Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel		PLG
46-20-4100	< Whelen PSRASXCR - Brake/Tail/Turn - Interior, Above Rear Doors	1	PLG
	Mounted above rear entry doors		
46-25-1000	< > Interior Cabinet Lights, TecNiq E44 LED Strip Lights, White	6	PLG
	Specify individual cabinets requiring lights (do not list "all")		
	Splint Cabinet		
	Left rear upper		1
	Left rear middle		
	LSS Upper		1 1
	Cabinet head of LSS RFC Lower		
	RFC Lower		1 1
]
46-30-1100	Stepwell Light, LED, Located at Side Entrance Door	1	PLG
46-40-1P00	TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)		PLG
46-40-3M00	 Windup "checkout" Timer, Side Door, Shoreline only 		PLG
	60 minute windup timer at side door, active with shoreline only	·	,
46-40-4000	Rectangular Lights on "Checkout" Timer Circuit	1	PLG
46-50-1000	Dome Light Switch, (1) Left, (1) Right		PLG
	MEDICAL OUTLETS		PLG
47-20-1000	12 volt Medical Outlet, Power Point, Loc: LSS Wall	1	PLG
47-20-2000	12 volt Medical Outlet, Power Point, Loc: Right Front In/out		PLG
47-20-2600	Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear		PLG
47-50-2P20	< > USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Cab Switch Panel	1	PLG
	For USB charging, Hot with body power or shoreline		
	Max Output: 45 Watts (USB-C) / 18 Watts (USB-A)		
	Will occupy one switch space.		
L 47 FO ODOO			LDL 0
47-50-2P30	< > USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Rear Main Switch	1	PLG
	Panel		1 1
	For USB charging, Hot with body power or shoreline Max Output: 45 Watts (USB-C) / 18 Watts (USB-A)		
	Will occupy one switch space.		1 1
	will occupy one switch space.		
	ANTENNA/COMMUNICATION RADIO		PLG
47-60-0300	< (3) Antenna Leads, Body Roof - (See PDF)	1	PLG
	Unless otherwise specified, lead will route to:		U
ı	(1) Front console		
	(1) LSS		
	(1) Behind Driver's Seat		
47-60-6200	< > Radio Power Lead, Rear Main Switch Panel		PLG
	Includes: (1) Red 10 gauge marked radio 12 volt Hot, 30 amp, (1) Black 10 gauge	е	
	marked radio ground, (1) Orange 12 gauge marked 12 volt switched, 20 amp.		
47-60-6500	< > Radio Power Lead 30 Amp, 10 ga. Cab Console	1	PLG
	Includes: (1) 12 volt Hot wire with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection, (1) 12 volt switched with 30 amp circuit protection.	ire	

04/15/2025			Page 13
PART NO S	DESCRIPTION with 20 amp circuit protection.	QTY	ID
	with 20 amp circuit protection.		I
47-60-7000	< > Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat		PLG
	Includes: (1) 12 volt Hot wire w/fuse holder & 40 amp fuse, (1) 12 volt swit w/fuse holder and 40 amp fuse.	ched wire	1 1
	wruse noider and 40 amp idse.		ı
	MISCELLANEOUS 12 VOLT ELECTRICAL		PLG
48-15-1885	FRC In View 360 HD Camera System (Black Housing) with DVR, Interior Ca	mera 1	PLG
	Includes 5 HD cameras		
	Camera locations: (1) front grille, (1) rear body, (2) side body -one per	side, (1)	
1	interior camera to be located on the front head bumper.		
	ECU location: Behind Driver's Seat. GPS Receiver: On top of dash.		
	The system shall provide split video feed with bird's-eye view and individua		
	views. It shall be capable of integrating with an existing vehicle syste	m for an	ı
	automatic camera view, which seamlessly switches from front/left/right/r based on turn signal and reverse activation. It shall also feature a switch m		
	allows the operator to override the default camera view. View and Event be		
	be installed on front switch panel. The system has a built-in DVR for recor	ding. (SD	
	card not included)		
48-20-2000	> Speakers w/ On/Off Control Rear Sw Panel	1	PLG
48-50-3050	< Intellitec, Clock over rear doors i/l/o LSS	1	PLG
	Location: Above rear entry doors, centered on rear headbumper		
	Above real only decre, contered on real headbumper		
48-60-3700	Liquid Spring Control Left Rear Door Open w/ Override switch		PLG
48-60-3720	 Liquid Spring Control Side Entrance Door with override switch (Front susper Override switch at side door, will prevent side door from lowering fr 		PLG
	suspension	Sitt, Ibai	
I 40 00 5000	< > 40 Valt List mayon land i litility habital drivers and	1 1	LDLC I
48-80-5000	< > 12 Volt Hot power lead, Utility, behind drivers seat The vehicle shall be pre-wired with a 12 volt HOT power lead terminating be		PLG
	driver's seat. The wiring shall be 12AWG, and include a power and		
	conductor encased loom. The ends shall be capped, and the circuit labeled.		
	Location: Behind the driver's seat with 6ft lead.		
	Connected to common 12V hot circuit. Total capacity of all connected lead points is 20 amps.	ds/ power	
	politis is 20 arrips.		ı
48-80-5020	< 12 Volt Hot power lead, Utility, front console		PLG
	The vehicle shall be pre-wired with a 12 volt HOT power lead terminating i cab front console. The wiring shall be 12AWG, and include a power and		
	conductor encased loom. The ends shall be capped, and the circuit labeled.	ground	ı
	Location: Inside the cab front console with 6ft lead.		
	Connected to common 12V hot circuit. Total capacity of all connected lead	ds/ power	
	points is 20 amps.	· I	
48-80-5050	Power lead, dedicated for Knox Box or Medvault fused at 5 amps, hot at all the second seco	imes I 1	PLG
10 00 0000	PL will provide a dedicated wire fused at 5 amps, wired to Knox Box/		1. 50
	Location. Wire will be Hot at all times.		
	right front cabinet		
48-80-5060	< > 12 Volt Hot power lead, Utility, exterior compartment "B"	1	PLG
	The vehicle shall be pre-wired with a 12 volt HOT power lead terminating		
	exterior compartment "B". The wiring shall be 12AWG, and include a poground conductor encased loom. The ends shall be capped, and the circuit l		
	ground conductor chodoca foom. The onde shall be capped, and the chodit	asolog.	

04/15/2025 PART NO S	DESCRIPTION	TY	Page 14
	Location: Upper Rear Right Corner of compartment with 6ft lead exposed in the compartment.		
	Connected to common 12V hot circuit. Total capacity of all connected leads/ power points is 20 amps.	•	
48-80-5090 	< > 12 Volt Hot power lead, Utility, interior other The vehicle shall be pre-wired with a 12 volt HOT power lead terminating in the specified location. The wiring shall be 12AWG, and include a power and ground conductor encased loom. The ends shall be capped, and the circuit labeled.	1	PLG
	Location: Front Header patient module - for Sentinel 300 air ionizer system		
	Connected to common 12V hot circuit. Total capacity of all connected leads/ power points is 20 amps.		
	FI FOTDIOAL 445 VOLTAG		DI O
51-20-5012 51-20-7055 	Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED < > Add'l Shoreline, 20amp Auto-Eject ,Dedicated to 110/12 Volt Heat/AC Unit, BLUE Location: Left Side Mounted Next to 20 Amp Shoreline.		PLG PLG PLG
51-30-1500	 Shoreline/ Battery Charging Dual Indicator Lights Shoreline - Amber Indicator 	1	PLG
	Battery Charger - Green Indicator		
51-32-2000	Power Distr Box, 115v, w/20 amp Circuit Bkr		PLG
52-10-1200	Hospital Grade Lighted Outlet, Location: L/S/S Wall		PLG
52-10-2500 52-10-3000	Delete Hospital Grade Lighted Outlet, Location: Left Rear		PLG PLG
32-10-3000 I	Hospital Grade Lighted Outlet, Location: Right Front In/out BATTERY CHARGER / INVERTER CHARGER	'	PLG
55-10-1225	< > Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charger Deletes standard battery charger Deletes GFCI receptacle at LSS (GFCI is integral to inverter) Includes activation switch in rear switch panel (Standard Electric)) or Button on rear Vista Screen (VMUX Electric)		PLG
	PAINT LUSTRE		PLG
60-00-0005	Ten Year Paint Warranty (Paint Lustre)		PLG
60-00-0007	Paint Adhesion Testing BODY AND CAB PRIMARY PAINT	1	PLG
60-10-0210	*Body and Cab Same Single Color	1	PLG PLG
60-10-1800	**Modular Body Paint Color Other Than Unit Standard White Provide Paint Code		PLG
60-10-1995 	< > Paint Rear Body Primary Color Only (for Chevron Application) Note: With "Chevron" striping selected, the rear of the vehicle will be painted, the soli single, primary color(for Chevron application)-		PLG
60-13-0900	< Modular Body Paint Color Red Provide Paint Code	1	PLG
60-15-0850	< > *OEM Standard Chassis Color -order other than white NOT ALL PAINT COLORS AVAILABLE FROM CHASSIS MANUFACTURER Check current OEM paint color chart. CHECK WITH PL FACTORY QN AVAILABILITY. (Price to be adjusted when the factory verifies the Chassis can be ordered in color specified)		PLG
60-15-1492	< ***Indicate here: Chassis OEM (non-white) color INPUT: OEM Chassis Color:RACE RED	1	PLG

04/15/2025			Page 15
PART NO S	DESCRIPTION	QTY	ID
	INPUT: OEM Chassis Color Code:		
			1 •
	ADDITIONAL VEHICLE PAINT, SECONDARY		PLG
61-05-0005	>>>Choose additional paint required>>>>	1	PLG
61-80-2210	Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails	1	-
	(*Note*)	•	U
65-50-4020	< > Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors	1	PLG
	Reflective White 3/4" Outline		
	This provides the 60 sq.inch required for both general safety and KKK.		
	REFLECTIVE CHEVRONS		PLG
65-65-0300	> Dia Grade 6" Chevron Rear Body +Upper CTR panel, no doors. Red /Fluor	1	PLG
LOE OF 0000	Yellow-Grn		I DI O
65-65-2086	Spinale Chevron Design, Inverted "V", (Red/Fluor, Yellow-Green), Compt.	7	PLG
	Panels Piemand Crade Chayran Decima all Inner Compartment Deer Panels		1 •
	Diamond Grade Chevron Design, all Inner Compartment Door Panels		
65-65-3110	< Dia.Grade Chevron Design, Inverted "V", (Red/Fluor.Yellow-Green) Ent. Doors	1	PLG
00-00-0110	Diamond Grade Chevron Design, all Lower Entrance Door Panels		1 20
	Diamond Grade Grievien Design, an Lower Entrance Door 1 dries		1
	TECHNICAL RADIO INSTALLATION		PLG
70-10-0500	No Technical Radio Installation	1	PLG
	CHASSIS EQUIPMENT		PLG
75-10-1S00	Stainless Steel Wheel Inserts F- 08+, with -19" wheel	1	PLG
75-30-1100	< Liquid Spring Suspension System (F550)	1	PLG
	Liq Spring for F550 with 18,000 GVW - DS147FS3		
75-30-2900	< > Liquid Spring Suspension, Front Axle, Ford F450/F550	1	PLG
	Front System requires rear Liquid Spring suspension.		
	As per Liquid Spring, The left rear door activation will lower the rear suspension of		
	Even when a vehicle is equipped with both front and rear Liquid Spring suspension	S.	
	The Liquid Spring suspension will be lowered, front and rear, by a dedicated k	in	i I
	switch in the side door with an override switch located at the side door.	/111	
	containing the class deer with an eventue contain boated at the class deer.		
75-45-3550	> Reserve Air Tank 5 Gallon	1	PLG
75-55-1200	< Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass	1	PLG
	Include Integrated clearance lights and turn signals.		_
75-60-1000	Mud Flaps, Rear, Light Duty Chassis		PLG
75-95-2500	Ford Series Front End-Caster Camber Align	1	PLG
	EQUIPMENT		PLG
80-43-7000	< Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle)	1	PLG
	Model QA1205-DUAL-D-1 Located in the recessed stepwell area		
	Qty (1)		
80-50-1000	Dron Cloon & Datail Vohiala for Dalivary	1	PLG
00-30-1000	Prep, Clean & Detail Vehicle for Delivery CHASSIS	1	PLG PLG
95-10-010A	** Chassis Model Year is not currently available to order	1	PLG
33-10-010/4	Estimated pricing only	'	1 20
	Pricing and specs subject to change chassis is available.		
95-12-255L	< 2025 FORD F550-Super Duty, 4x4, 108" CA, XLT - Diesel	1	PLG
	Ford F550 Chassis Cab Four Wheel Drive		
	Wheelbase 193" - 108" CA Dual Rear		
	G.V.W. 18,000 lbs.		
	Powertrain/Functional:		
	Engine: 6.7L "Powerstroke" Turbo Diesel V8 300		

04/15/2025			Page 16
PART NO S	DESCRIPTION	QTY	ID
	hp @2800 RPM, 660 lbs torque @1600 RPM		
	Single Stage Turbo Charger		
	Instant Start Glow Plugs for quick engine starts		
	Diesel Emissions Fluid 6 gallon tank - mounted		<u> </u>
	behind frame rail on drivers side		
	Intelligent Oil Life Monitor		
	Engine block heater		
	Water Pump with 125 gallons per minute flow rate		
	Transmission: Heavy Duty "TorqShift" Ten Speed Automatic		
	with selectable drive modes; Normal, Tow Haul, Eco, Deep Sand/Snow		
	Electronic Shift on the Fly with automatic locking		
	front hubs with manual override.		
	Brakes - 4 wheel Anti-lock Braking System		
	Traction Control - DRW Models		
	Fuel Capacity: 40 gallon single tank (aft axle)		
	Front Axle: 7,000 lb. Monobeam, Dana Super 60		
	Rear Axle: 13,660lb. Full Floating Dana S110		
	Suspension:		
	Heavy Duty Front Coil Springs		
	Rear Leaf Springs, main & auxiliary		
	Shock absorbers, front & rear 1.38"		
	Stabilizer bar, front and rear		
	Power Steering		
	Steering Damper		
	Instrumentation: multifunction switch message center -		
	Gauges: Oil Pressure, Coolant Temperature, Trans Temp,		
	w/Indicator Lights, Tachometer, Trip Odometer, Turbo boost,		
	water in fuel warning light, low/contaminated diesel exhaust		
	fluid warning lights, glow plug preheat indicator		
	Ambulance Prep Package with EPA Special Emergency Vehicle Emissions - 47L		
	Engine Calibration significantly reduces the possibility of depower mode when	in	
	stationary PTO mode		
	Operator Commanded regen allowed down to 30% of DPF filter full instead of 100	%	
	Stationary elevated idle control (SEIC) is built into the engine control module		
	Must meet definition of Emergency Vehicle; ambulance or fire truck in the fed	eral	
	register		
	Rear axle 4.10 Limited Slip		
	Dual OEM HD Alternators (total 410 amps) 67B		
	Dual 750 CCA Batteries		
	Operated Commanded Regeneration (OCR) #98R		
	Safety/Security:		
	Driver/Passenger frontal and side air bag/curtain		
	Passenger side air bag deactivation switch		
	Belt-Minder - chime & flashing warning light on instrument panel if belts not buckle		
	Safety Belts - color coordinated with height adjustment (front outboard seat	ing	
	positions only)		
	SOS Post-Crash Alert System		
	Securi-lock Anti Theft Ignition		

04/15/2025			Page 17
PART NO S	DESCRIPTION	QTY	ID
	Tires:	ļ	
	Front & Rear LT225/70R 19.5G All Position (6) #THB		
	Spare Tire: LT225/70R 19.5G (All Position)		
	Wheels; 10 hole Disc, 19.5" x 6" Steel	1	
	Fotonian Taine	Į	
	Exterior Trim:	ı	1
	Dual Electric Horns		
	Chrome Front Bumper & Grille Surround Front Tow Hooks	ı	
		I	
	Lights - roof/marker clearance lights Dual Beam Jewel Effect Headlights	1	
	High Mount Stop Light	Į	
	High Mount Stop Light	ĺ	
	Mirrors: Black POWER Telescoping Trailer Tow with	l	
	Power Heated Glass, Integrated clearance lights,	l	1
	Turn signals, LED security approach lights,	l	
	Utility lighting System (LED side mirror spotlights) #54F	ı	
	Othicy lighting System (LLD side militor spotlights) #341	I	
	XLT Interior Cab Trim: #663A	ı	
	Air Conditioning	I	•
	Cloth Headliner, Map Pockets	ı	
	AM/FM Radio w /MP3	I	•
	AWIT WITAGIO WIWII O	1	
	SYNC 4	l	
	4.2" LCD Productivity Screen in IPC (Instrument Panel Cluster)	I	
	8" LCD Touchscreen with Swipe Capability in DASH	ļ	
	C LOB Touchboreen with owipe dupubling in Brief	I	
	Overhead Console with dual storage bin and map lights	ı	
	Outside Temperature Display	1	1
	Interval Windshield Wipers	ı	•
	Tilt Steering Wheel/Speed Control - steering wheel mounted	1	
	Power Windows/Door Locks	ı	_
	Black Vinyl Floor (No Floor Mats)	1	
	Headlights on audible alarm	ı	_
	Dual overhead Map Light	1	
	Daytime Running Lights		•
	Front seats, high series cloth - 40/20/40 #3S		
		•	_
	Driver Assist Technology		
	Audible Lane Departure Warning	•	_
	Pre-Collision Assist with Automatic Emergency Braking and forward collision warn	ing	
	Automatic High Beam Headlights	Ĭ	_
	· · · · · · · · · · · · · · · · · · ·		
	Color Scheme:		
	Exterior Color: Oxford White #Z1		
	Interior Color: MEDIUM DARK SLATE		
95-12-6100	< > F450/F550 Aluminum Wheels Option (#64D)	1	PLG
	This option, when selected, takes precedence over the option in the standard	ard	
	chassis spec:		
	WHEELS; 10 HOLE DISC, 19.5" x 6" POLISHED ALUMINUM #64D		
	REQUIRES SPECIAL ORDER CHASSIS		
95-12-6151	< > F350/F450/F550 OEM Race Red (PQ)		PLG
	This option, when selected, takes precedence over the option in the standard	ard	
	chassis spec:		
	OEM Race Red		
	REQUIRES SPECIAL ORDER CHASSIS		

0-1/10/2020			Page I	í
PART NO	S DESCRIPTION	QTY	ID	4
96-10-4099	>>>Chassis special ordered to match body color, SOPR chassis required<<<	1	PLG	
96-32-1500	Fuel "Full Tank" -F-Series	1	PLG	
			[
		'		Ī
				Ī
		<u> </u>		ī
•			J	i
		i .		1
			ı	i
				1
1		l	i	i
				ī
			i	Ī
			ı	١
		l	i	ı
1		ı	ı	٠
			İ	ŀ
İ			ı	٠
			İ	ı
•				
			İ	ı
1				
			İ	I
_				L
			1	
		'	[ı
				I
		'		Ī
				Ī
		ļ '		ī
			ı	ľ
				ī
1			J	ĺ
				ì
1		ı	1	i
1		1	i	
		I	i	
1		I	i	1
ı				ļ
			i	1
				1
			İ	I
				1
			İ	
1				4

Member Information

Indian River County

1801 27th Street

Vero Beach, FL 32960-3365

Jennifer L. Hyde, NIGP-CPP, CPPO, FCCM

Purchasing Manager

jhyde@indianriver.gov

(772) 226-1416

Member ID #85556

Department Information

Indian River County Fire Rescue Division

Emergency Services District

4225 43rd Avenue

Vero Beach, FL 32967

(772) 226-3900

Steve Greer, Asst. Fire Chief - EMS

sgreer@indianriver.gov

RIVER





Contract # 122123-PLC

Contract Holder

P.L. Custom Body and Equipment Co., Inc. 2201 Atlantic Avenue

Manasquan, NJ 08736

Chad Newsome

National Sales Manager

cnewsome@plcustom.com

(732) 223 1411

Sourcewell Contract # 122123-PLC

Dealer Information

South Florida Emergency Vehicles

Kevin Burke

4655 Cummins Ct.

Fort Myers, FL 33905

(239) 267-5300

kburke@sflev.com





13-May-25

P.L. Custom Body and Equipment Co., Inc. is the contract holder with Sourcewell. Our contract number is #122123 (award date 2.28.24). The model we are basing our quote on is PLC13.

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
PLC13	Type I AD Classic 170, Ford F-550 4x4 diesel, Body Length 170"	\$305,289.00	\$290,204.55
	Option Content Above Base Contract Model (PLC13).		
	See attached base specifications.		
	Published Option Pricing shown per contract #122123		
	Options in Green are part of Base Contract Model (PLC13).		
	Options in Blue are published option content		
	Options in RED are unpublished content.		
00-11-7075	170" CLASSIC BODY, 75" Headroom, w/Drop Skirt	\$3,158.00	\$3,000.00
03-00-1060	Chassis Type -Ford F-Series	\$0.00	\$0.00
	EXTERIOR		
10-10-1100	Modular Body Construction	\$0.00	\$0.00
10-10-2000	Structural Integrity Warranty	\$0.00	\$0.00
10-10-2070	Finite Element Analysis	\$0.00	\$0.00
10-10-2150	Compartments, Aluminum Brushed Finish, welded	\$421.00	\$400.00
10-10-2165	*****Engineering - process-note, Non-Diamond compartments selected	\$0.00	\$0.00
10-12-2000	Type I, Classic, Cab to body Pass-thru	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
10-15-4000	Body mounting, Type I, rubber donuts, L-Duty	\$0.00	\$0.00
10-20-3300	Lowered Body Skirts, with Intermediate Step	\$0.00	\$0.00
10-30-1000	Curbside 6" Dropskirt	\$1,053.00	\$1,000.00
10-30-1100	Streetside 6" Dropskirt	\$1,053.00	\$1,000.00
10-30-2000	Custom Body length, 1"-6"	\$5,264.00	\$5,001.00
	EXTERIOR DOORS, AMBULANCE		
11-10-1060	Trimark 1875 Paddle Handle Power Locking, Entrance. Doors Qty(3)	\$0.00	\$0.00
11-10-4060	Trimark 1875 Paddle Handle Power Locking, Std Compt Doors (6)	\$0.00	\$0.00
11-10-4500	Keyless Entry Touch Pad, Side Entrance Door	\$1,000.00	\$950.00
11-10-V010	Keyless Entry Touchpad, Rear Entrance Door	\$1,089.00	\$1,034.00
11-20-1800	Gas Spring Pneumatic Door Checks -Classic & Titan	\$0.00	\$0.00
11-20-2020	Compart. "A" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-2030	Compart. "C" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-2050	Compart. "E" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-3000	Compart. "D" Door to Check Past 90 Degrees	\$0.00	\$0.00
11-20-5000	Grabber Rear Doors Hold Open, Top Mount, Polished Aluminum COMPARTMENT LAYOUT	\$0.00	\$0.00
12-10-4XSV	A left front 20w x 89h x21d (w/oxygen window)	\$1,974.00	\$1,874.54
12-16-8XSS	B left side 1/2 High - 43w x 45h x 20d	\$1,579.00	\$1,500.00
12-20-100A	"C" Left Rear, 1/2 High -31w x 39h x 20d	\$0.00	\$0.00
12-25-7XSS	D Right Front, In-Out Access - 20w x 58h x 33d above floor - 10d below floor	\$1,579.00	\$1,500.00
12 20 1500	"F" Dight Door with In Jout to Contar Airle 24w y 92h y 21d	¢0.00	\$0.00
12-30-150B	"E" Right Rear, with In/out to Center Aisle -24w x 83h x 21d	\$0.00 \$992.00	·
12-35-1000	"F" Left Side, Over Wheel, Pull-Out Drawer -32w x 5h x 16d COMPARTMENT DOOR PANELS, MATS, DECKING	\$992.00	\$942.00
13-20-2080	All Compartment Door Panels, Alum, Brushed Finish -(w/ Chevron Design)	\$263.00	\$250.00
13-30-1P10	Polycoated Compt & Entrance Door Sills, Compt Floors, Area Behind Rub Rails, Black	\$0.00	\$0.00
13-30-2000	Vent Compartments to Exterior of Vehicle	\$0.00	\$0.00
13-40-1000	Dri-Dek, Floors of Compartment, Black	\$0.00	\$0.00
13-40-2500	Rubber Mat, Shelves, Exterior Compartment	\$0.00	\$0.00
13-40-2800	Turtle Tile Slip Resistant Stepwell Mat (removable)	\$0.00	\$0.00
13-40-2800	COMPARTMENT CONFIGURATIONS AND EQUIPMENT	70.00	Ş0.00
13-41-0160	Oxy Bracket, w/Adjustable Shelf, Compartment A, (No Light Under Shelf)	\$195.00	\$185.00
13-42-0300	(2) Adjustable Shelves, for compartment "B"	\$0.00	\$0.00
13-43-0300	(2) Adjustable Shelves, for compartment C	\$0.00	\$0.00
13-47-0450	Full Height Divider w/(2) Adjustable Shelves, Compartment "E"	\$574.00	\$545.00
13-70-0210	Bulbous mounts 3" for (2) backboards compt. "E" (i/l/o std)	\$174.00	\$165.00
13-70-0700	Hanger for Ferno EXL or #65 Scoop Compartment "E"	\$0.00	\$0.00
	REAR STEP BUMPER	•	•
14-10-2780	Lift-up Rear Step, Recessed, (2) 4" Lts w/ Lic Plate Center	\$126.00	\$120.00
14-10-9500	**** Rear Step Bumper 4" LED Lights have been selected	\$0.00	\$0.00
14-20-1000	Rear Dock Bumpers, Bolted to Bumper Ends	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
	ALUMINUM DIAMOND PLATE ACCESSORIES		
15-10-1000	Front Corner Stone Guards, Polished Diamond Plate	\$0.00	\$0.00
15-15-1000	Front Body Stone Guard, Polished Diamond Plate	\$0.00	\$0.00
15-20-1050	Rub-Rails, C-Channel, Offset, Satin Finish	\$0.00	\$0.00
15-30-2500	Running Boards, Flare type, Non-Slip Dia.Plate w/grip strut (F450/F550 2-	\$1,556.00	\$1,478.00
	Door)		
15-52-0100	Rear Diamond Plate Panel & Corner Guards EXTERIOR TRIM	\$0.00	\$0.00
16-10-1000	Fenderettes, Rolled, Polished Stainless Steel	\$0.00	\$0.00
16-30-1550	License Plate Holder, Chrome on rear step riser w/LED Light	\$0.00	\$0.00
16-35-1010	Fuel Fill Housing, Cast products, Polished (F-Series)	\$0.00	\$0.00
16-36-1010	DEF Fill Housing, Cast products, Polished (F-Series)	\$0.00	\$0.00
16-55-1000	Tow Hooks, Rear Behind Step Riser, Painted EXTERIOR, MISCELLANEOUS	\$431.00	\$409.00
17-50-1000	Undercoat Body	\$0.00	\$0.00
	BODY WINDOWS		
18-10-1000	Window, Side Door (18"W x 22"H), Sliding, 31% Tint	\$0.00	\$0.00
18-20-2000	Windows, Rear Doors, (15"W x 22"H), Fixed 31% tint	\$0.00	\$0.00
18-50-1000	Privacy Tint, Mylar, Side and Rear Doors	\$368.00	\$350.00
20-00-1000	INTERIOR CONSTRUCTION Interior Construction Type - Standard Cabinets	\$0.00	\$0.00
20.40.4200	INSULATION	¢0.00	¢0.00
20-10-1200	Super Insulation Package, additional Radiant Barrier to Interior Body	\$0.00	\$0.00
20-10-2000	Sound Deadened Insulation, Entrance Doors	\$0.00	\$0.00
20-10-3000	Sound Deadened, Compartment Doors	\$0.00	\$0.00
20-10-5000	Sub-Floor, Expanded PVC Polymer	\$0.00	\$0.00
21-10-0520	FRONT BULKHEAD Type I, Classic, Cab to body Pass-thru, Hinged Window	\$474.00	\$450.00
21-30-1000	Climate Control Unit Over Cab to Body Passage	\$0.00	\$0.00
21-40-1500	Electrical Power Distribution Cabinet, Access Panels, Black Polycoat	\$0.00	\$0.00
21-40-5250	Front Bulkhead cabinet, 1/2" acrylic doors, 2 shlvs	\$947.00	\$900.00
21-40-8200	Solid Surface counter, 1" lip, Front bulkhead cabinet	\$567.00	\$539.00
	RIGHT FRONT CABINET	,	7
21-45-V066	Supply and Install "Knox Box" Med Vault, RF Upper	\$2,748.00	\$2,610.00
21-45-V067	Medi-Kool MK-Micro/H Micro Depth, Hinged on left, rear compressor, w/ Kit Lock	\$3,949.00	\$3,750.00
21-50-1000	Right front Lower, inside/outside storage	\$0.00	\$0.00
21-50-2000	Right front Lower, (2) adjustable shelves	\$0.00	\$0.00
21-60-1000	Right front cabinet Lower, 1/2" acrylic doors	\$0.00	\$0.00
	RIGHT SIDE BENCH LAYOUT		
22-00-1000	Squad Bench, Right side	\$0.00	\$0.00
22-21-0100	Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	\$0.00	\$0.00
22-24-1000	3 Glove Box Holder Cabinet at Head of Squad Bench	\$726.00	\$690.00
22-25-4130	Auxiliary Switch Panel, On Curbside Wall	\$947.00	\$900.00
22-25-4600	Recessed "D" bottles, head of Squad Bench, at stepwell	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
22-30-2000	Squad bench lid, Positive hold down device	\$0.00	\$0.00
22-35-3040	Drop in sharps/trash, w/Lexan Lids at head of squad bench	\$679.00	\$645.00
22-45-1015	Overhead cabinet 13-1/4" OAH-Life Defender lift-up re-stocking doors	\$447.00	\$425.00
22-50-0700	Dry erase writing surface, right rear (forward facing) wall	\$316.00	\$300.00
	LEFT SIDE MIDDLE (Base Cabinet)		
23-10-1000	Left side attendant seat-(CPR Seat)	\$0.00	\$0.00
23-10-3060	Backrest, Indiv., 2-pc. Upper & Lower, used w/ 6-pt seat belt	\$0.00	\$0.00
23-10-5000	Seat cushion, fixed- (Single CPR Seat)	\$0.00	\$0.00
	LIFE SUPPORT STATION		
23-30-2000	Switch pod, above counter, vinyl covered	\$0.00	\$0.00
23-30-2010	Rear Main Switch Panel Located in Life Support Station Switch Pod	\$0.00	\$0.00
23-30-2250	**No Radio Cut-Outs to be provided in LSS**	\$0.00	\$0.00
23-31-1500	Cabinet head of switch pod, hinged door, 1 shelf	\$0.00	\$0.00
23-32-1090	(Increased Hgt) Upper cab.Squared off, Life Defender lift-up restock, 1 shelf	\$500.00	\$475.00
23-34-1524	Solid Surface counter, 1" lip, Left front, Color: Midnight Melange 9091ML	\$1,006.00	\$956.00
23-36-7000	Pull-out writing surface/storage drawer, L/S/S	\$947.00	\$900.00
23-37-0050	*Custom "Box-out" into compartment required (MASTER ONLY)	\$274.00	\$260.00
	LEFT REAR STORAGE CABINET	Ψ=/σσ	7-00.00
23-40-1010	Left rear full cabinet, upper, Life Defender lift-up restocking door, 1 shelf	\$500.00	\$475.00
23-40-2000	Left rear full cabinet, middle, Life Defender sliding doors, 1 shelf	\$474.00	\$450.00
23-42-1524	Solid Surface counter, 1" lip, Left rear, Color: Midnight Melange 9091ML	\$418.00	\$397.00
23-44-2010	Trash/Sharps Combo, tip out, below left rear counter RIGHT REAR CABINET	\$382.00	\$363.00
23-70-0850	Right Rear In/out to Compartment "E", Facing Center Aisle	\$263.00	\$250.00
	INTERIOR CABINET DOORS		40.00
24-10-4M00	Cabinet doors, Polycarbonate/Acrylic, Clear	\$0.00	\$0.00
24-15-1000	Handles, full length, sliding doors	\$0.00	\$0.00
24-20-1000	Positive closure devices hinged doors	\$0.00	\$0.00
24-25-1000	Unistrut, interior cabinet shelves, "Mini" ENTRANCE DOORS	\$0.00	\$0.00
24-30-2080	Ent. Door Panels, 3 section, Brushed Alum, Lowers, w/Chevron Design	\$158.00	\$150.00
24-30-V017	Side Entrance Door Trash can - 13QT rubbermaid	\$226.00	\$215.00
	ABOVE DOOR HEAD BUMPERS		
24-35-0100	Side Door Head Bumper	\$0.00	\$0.00
24-35-0500	Rear Door Head Bumper	\$0.00	\$0.00
	GRAB RAILS		
25-10-2675	Safety Yellow Grab Rail, 120" length, over squad bench	\$575.00	\$546.00
25-10-2775	Safety Yellow Grab Rail, 120" length, over cot	\$575.00	\$546.00
25-10-3575	Grab rail, Yellow, L shaped, Facing Stepwell - (Requires a fwd Cabinet)	\$265.00	\$252.00
25-10-3800	Safety Yellow Grab rail, 18", at rear entrance doors, (2)	\$428.00	\$407.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
25-11-1C00	Grab rail, 45 deg, Safety Yellow, side entrance door, (1)	\$542.00	\$498.00
25-11-2200	Grab rail, 45 deg, Safety Yellow, rear entrance doors, (2) SEAT BELTS	\$742.00	\$705.00
25-50-2000	Seat belt, attendant seat, Qty (1)	\$0.00	\$0.00
25-51-1100	Patient restraint strap, squad bench, Qty (3), for use with six point seat belts	\$632.00	\$600.00
25-51-2021	(2) Six point Seat Belt Harnesses w/ Comfort Pads - Curbside Seating	\$0.00	\$0.00
25-51-2031	(1) Six point Seat Belt Harness w/ Comfort Pads - Street Side Seat COT MOUNT and COT MODEL	\$0.00	\$0.00
26-35-1235	Power Load Install PL Supp Floor Plate, w/ Circuit, w/ Mini Rail Plate (SAE)	\$2,651.00	\$2,518.00
	I.V. HOLDER		
26-50-1M10	Rubber I.V. holder, dual, recessed, over cot	\$0.00	\$0.00
26-50-2100	Rubber I.V. holder, dual, recessed, over squad bench	\$0.00	\$0.00
	INTERIOR COLORS		4
27-10-1000	Ceiling, white Thermoplastic	\$0.00	\$0.00
27-10-1500	Upper Laminate - Fashion Grey D381-60	\$0.00	\$0.00
27-10-4200	Lower Laminate - Fashion Grey D381-60	\$0.00	\$0.00
27 20 5000	INTERIOR UPHOLSTERY	¢0.00	¢0.00
27-20-5000	Upholstery, Flat-Seamless	\$0.00	\$0.00
27-20-5600	Upholstery Color: Gray ATTENDANT SEAT	\$0.00	\$0.00
27-36-5540	Ash Gray Attn Seat, EVS 18806B, 6pt restraint, Child Seat, Vac Formed	\$2,714.00	\$2,578.00
27-37-0100	** Confirm Seat color** - GRAY is the vehicle upholstery color	\$0.00	\$0.00
	FLOORING	•	·
27-52-4340	Loncoin II Flecks (disc), Moonstone Topseal (C157TS)	\$935.00	\$888.00
27-55-2000	Flooring rolled up side walls 3"	\$0.00	\$0.00
	CAB CONSOLE		
27-72-1010	Type I, Floor Mnt, switches, siren/radio - (2017+ F-Series)	\$0.00	\$0.00
27-75-0100	**No Radio Cut-Outs to be provided in Cab Console**	\$0.00	\$0.00
27-75-2050	Map Box, Type I, Behind Cab Console, (2) pockets - (2017+ F-Series) MISCELLANEOUS INTERIOR	\$0.00	\$0.00
28-40-1000	Wall protection, stainless steel, left side, 9 1/8"h	\$711.00	\$675.00
28-40-2000	Wall protection, stainless steel, right side, 7 5/8"h	\$711.00	\$675.00
28-45-1350	Glove box holder for (3) Boxes, recessed -over Rear ent. doors	\$526.00	\$500.00
28-50-1000	Fasten Seat Belt/No Smoking Sign OXYGEN AND SUCTION	\$0.00	\$0.00
30-10-1000	Oxygen Outlet, Amico, dual, Life Support Station Switch Pod	\$0.00	\$0.00
30-10-2000	Oxy Outlet, Amico, single, right side- In Overhead Cabinet	\$0.00	\$0.00
30-20-1000	Oxygen Solenoid, Amico, w/ manual override & switch	\$0.00	\$0.00
30-30-1000	Suction pump, electric, Sscor, Switch in Rear Main Switch Panel	\$0.00	\$0.00
30-30-2400	Collection Bottle, SSCOR Disp.w/ canister clip, White Regulator (KKK Compliant)	\$0.00	\$0.00
30-40-3000	PL Oxygen Monitoring System	\$922.00	\$876.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
30-50-3005	O2 Carrier, ZICO, Quick-Release Oxygen Tank Lift System	\$4,918.00	\$4,672.00
30-50-3850	***Attention: Please Specify Tank Letter Size used within this shop note	\$0.00	\$0.00
30-60-4000	Regulator, Oxygen, Large Tank, (PLC-9662)	\$0.00	\$0.00
30-80-1100	Wrench, Oxy Cylinder -(for EZE Loader)	\$0.00	\$0.00
	ELECTRICAL		
40-00-0500	Electrical System Warranty	\$0.00	\$0.00
40-00-1200	Electrical 12 VDC, Classic-Series	\$0.00	\$0.00
40-00-1900	Electrical 12 VDC Specifications	\$0.00	\$0.00
	CAB ELECTRICAL		
41-10-0100	Alternator, Dual with 410 amp combined output, OEM Ford F-Series	\$0.00	\$0.00
41-20-0800	Batteries, Dual Ford OEM, 1500CCA -(under hood)	\$0.00	\$0.00
41-30-3750	Module Activation, Ignition Switch	\$0.00	\$0.00
41-50-1000	Cab Under hood & Fender Electrical Connectors - Deutsch Type	\$0.00	\$0.00
	SWITCH PANEL		
42-10-1000	Voltmeter, Digital 8 to 18 volt, lighted	\$0.00	\$0.00
42-10-2400	Low Voltage Alarm, Indicator & Cancel Switch	\$0.00	\$0.00
42-15-2500	Rocker Switches, Carling Contura V	\$0.00	\$0.00
42-20-0500	Battery On indicator light	\$0.00	\$0.00
42-20-1000	Warning Indicator, Door open, Red	\$0.00	\$0.00
42-20-2000	Warning Indicator, Compt open, Amber	\$0.00	\$0.00
42-20-3000	Warning Indicator, Audible alarm, Door/Compt	\$0.00	\$0.00
42-20-4200	Warning Ind/Audible, Parking Brake, Dual-Mode Alarm	\$0.00	\$0.00
42-21-0900	** Gooseneck Light Not Included with Vehicle **	\$0.00	\$0.00
42-25-6000	High Idle Activation, Ford OEM - F-Series	\$0.00	\$0.00
42-30-1000	Back-up alarm, w/resetting cancel switch	\$0.00	\$0.00
42-45-2200	Load Manager/Sequencer, PL Custom/Kussmaul (full time)	\$0.00	\$0.00
42-60-2400	Air Horn, (2) Buell 1062, bumper valance mount, 1/4 hp compressor	\$2,799.00	\$2,659.00
42-60-5000	Air Horn activation, Carling Momentary in Front Switch Panel	\$0.00	\$0.00
42-65-1300	Pwr Lock Switch, Entrance, OEM Door switch- (if applicable)	\$0.00	\$0.00
42-65-1500	Remote Keyless Entry w/Chassis Power Door Lock Control	\$0.00	\$0.00
42-65-2010	Power Door Lock Switch, Side Entrance Door	\$0.00	\$0.00
42-65-2020	Power Door Lock Switch, Rear Entrance Doors	\$0.00	\$0.00
42-65-2200	Pwr Door Lock Concealed Override Switch, Grille-(KKK)	\$0.00	\$0.00
42-65-3000	Keyless Entry Touch Pad, at Side Entr Door	\$0.00	\$0.00
	EMERGENCY WARNING EQUIPMENT		
	SIREN		
43-20-4G50	Siren, Whelen 295SLSA1, w/diag.	\$0.00	\$0.00
43-20-5000	Siren-Horn Switch	\$0.00	\$0.00
	SIREN SPEAKERS		
43-31-4310	Thru Bumper Speakers, CPI SAD/P 3800 Series, (2) F-Series, 2023-on	\$0.00	\$0.00
	FRONT LIGHT BAR		
43-40-0500	-No front Lightbar required-	\$0.00	\$0.00
1			

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
	REAR LIGHT BAR		
43-50-1000	-No rear Lightbar required-	\$0.00	\$0.00
43-51-V011	Whelen Traffic Advisor Control Head Only for (5) Rear Lights	\$1,573.00	\$1,494.00
	CAB MOUNTED LIGHTS		
43-68-A200	Whelen Independent CAB Flashing Lights, CLEAR Lens package	\$0.00	\$0.00
43-68-A210	** (4) Whelen ION Grille Lights Package	\$0.00	\$0.00
43-71-1440	(2) Upper Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS, Chrome Flang	\$540.00	\$513.00
43-71-1624	*** Flange & Backing Plate included with TION Light ***	\$0.00	\$0.00
43-71-3340	(2) Lower Whelen TION LED Grille Light-(1)Red (1)White, CLEAR LENS, Chrome Flang	\$540.00	\$513.00
43-71-3628	*** Flange & Backing Plate included with TION Light ***	\$0.00	\$0.00
43-71-4500	(2) Whelen TION LED Fender Light, Red, CLEAR LENS, Chrome Flange	\$0.00	\$0.00
43-71-7501	*** Flange included with ION Light ***	\$0.00	\$0.00
43-72-V087	Tracer Lights, Cab Runing Boards, Red/White DUO (WCX)	\$3,370.00	\$3,200.00
	BODY LIGHTING -<(Full Catalog PDF here)> FRONT BODY VEHICLE LIGHTS -(Non-Emergency)		
43-A1-1700	(2) M6-Whelen, Directionals -LED, Amb/Arrow, Front -(Loc:F1C&F7C)-Clear	\$465.00	\$442.00
43-A2-0050	* FRONT BODY LIGHTING -w/NO LIGHTBAR (PDF>)	\$0.00	\$0.00
43-A2-0250	** (7) Front Upper Lights & Directionals	\$105.00	\$100.00
	*** M9 -Whelen Independent Front & Side Body Flashing Lights, CLEAR Lens	40.00	
43-A4-2440	package	\$0.00	\$0.00
43-A5-0030	Independent - Flash - No Vehicle Flasher - Non Synchronized	\$0.00	\$0.00
43-A5-0060	Program Flashing Lights to "Action Scan"	\$0.00	\$0.00
	FRONT BODY WARNING LIGHTS		
43-A7-1100	All Whelen M9 Flanges, Chrome -(M9FC)	\$0.00	\$0.00
43-B0-A250	M9-Whelen,Split Sup-LED, Red/White, Front - (Loc: F1)	\$464.00	\$441.00
43-B0-A900	M9-Whelen, Sup-LED, Red, Front - (Loc: F2)	\$402.00	\$382.00
43-B0-B400	M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F3)	\$464.00	\$441.00
43-B0-B550	M9-Whelen, Sup-LED, Red, Front - (Loc: F4)	\$402.00	\$382.00
43-B0-C750	M9-Whelen, Split, Sup-LED, Red/White, Front - (Loc: F5)	\$464.00	\$441.00
43-B0-C850	M9-Whelen, Sup-LED, Red, Front - (Loc: F6)	\$402.00	\$382.00
43-B0-D350	M9-Whelen, Split Sup-LED, Red/White, Front - (Loc: F7)	\$464.00	\$441.00
43-F0-C250	M9-Whelen, Split, Sup-LED, Red/ White, Left Side - (Loc: LS1)	\$464.00	\$441.00
43-F0-D250	M9-Whelen, Split, Sup-LED, Red/White, Left Side - (Loc: LS4)	\$464.00	\$441.00
43-F4-C250	M9-Whelen, Split, Sup-LED, Red/White, Right Side - (Loc: RS1)	\$464.00	\$441.00
43-F4-D250	M9-Whelen, Split, Sup-LED, Red/White, Right Side - (Loc: RS4)	\$464.00	\$441.00
	REAR BODY WARNING (Flashing) LIGHTS	4	40.00
43-H1-0500	**M9 -Whelen Independent, Rear Body Flashing Lights - CLEAR Lens	\$0.00	\$0.00
43-H5-C120	(3) Rear Upper Lights & (2) Window Level Lights	\$0.00	\$0.00
43-S1-0250	M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R1)	\$464.00	\$441.00
43-S1-2000	M9-Whelen, Split, Sup-LED, Red/White, Rear - (Loc: R7)	\$464.00	\$441.00
43-S1-C350	M9-Whelen Sup-LED, Red, Rear - (Loc: R10B)	\$402.00	\$382.00
43-S1-D100	M9-Whelen Sup-LED, Red, Rear - (Loc: R11B)	\$402.00	\$382.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
43-S6-V002	7x3 WhelenRear upper and lower lightsSOPR	\$3,770.00	\$3,580.00
43-T5-1200	*** Side Body Flashing Lights, Over Rear Wheel Package	\$0.00	\$0.00
43-T5-1930	M7 -Whelen, Red, Super LED, w/Flange, (2) Over Rear Wheel, CLEAR LENS	\$745.00	\$708.00
43-T5-3680	Whelen TION DUO LED Lights (10) Red/White - In "C" Channel Rub-Rails	\$4,120.00	\$3,914.00
43-T6-1520	Safety Lts, (6),3 Per Door- OS Series LED, Amber, Rear Ent Doors, Full time acti	\$368.00	\$350.00
43-T6-1530	Safety Lts, (3)- OS Series LED, Amber, Side Ent Door, Full time activation	\$263.00	\$250.00
43-T6-2400	Safety Lts Compt, 4" round, Amber, LED Rear Facing Doors, ea (5) REAR NON-EMERGENCY LIGHTS	\$870.00	\$825.00
44-10-1500	Stop/Tail and Turn Signal-Light heads with clear lenses	\$0.00	\$0.00
44-26-0150	Stop/Tail, (2) M6 -Whelen Super LED -(clear Lens) w/Flange	\$253.00	\$240.00
44-26-0300	Back-up, (2) M6 - Whelen Super LED w/Flange	\$431.00	\$409.00
44-26-0550	Directional, (2) Whelen M6 Super LED -(clear Lens) Populated Arrow AUXILIARY NON-EMERGENCY LIGHTS	\$167.00	\$159.00
44-30-1000	HD Mini Oval Marker/Clearance Lts, LED Front, Rear, (2) Sides	\$0.00	\$0.00
44-30-3000	Lower Side Marker, Flash w/Directionals, (2) ea side	\$0.00	\$0.00
44-30-4200	Rear Step Bumper, 4" LED Lights (2)	\$337.00	\$320.00
44-30-5500	Running Board Illum Lights, (2), Heavy Duty LED 4" Recessed	\$389.00	\$370.00
44-35-1000	Rear Red Flasher/Brake Light Priority - (Rear Uppermost Lights) FLOOD LIGHTS	\$263.00	\$250.00
44-50-22B0	(2) M9 - Whelen, Super LED Scenelight, (2), Left side-(Loc:LS2, LS3)	\$1,232.00	\$1,170.00
44-50-24B0	(2) M9 - Whelen, Super LED Scenelight, (2), Right side-(Loc:RS2, RS3)	\$1,232.00	\$1,170.00
44-50-6550	Add'nl - Whelen Pioneer Plus Floods(PFP1) - (1) Lft. (1) Rt	\$2,726.00	\$2,590.00
44-50-7000	20" Hi-Viz 15 LED Mini Brow Light White, Front Body Condenser Mounted	\$1,263.00	\$1,200.00
44-60-1000	Right Side Scene Lights on with Side Door & Switch in Console	\$0.00	\$0.00
44-60-2000	Left Side Scene Lights w/On-Off Switch Console	\$0.00	\$0.00
44-60-3000	Rear Scene Lights on w/Rear Door Open/Reverse	\$0.00	\$0.00
44-60-4000	Rear Scene Lights, On-Off Switch in Console	\$0.00	\$0.00
44-60-5000	Right Side Scene Light Cancel Switch	\$0.00	\$0.00
44-60-6000	Rear Door Scene Light Cancel Switch	\$0.00	\$0.00
44-60-7000	Left/Right & Rear Flood Lights, On In Reverse CLIMATE CONTROL	\$0.00	\$0.00
45-10-1000	Ventilation, Flow-Thru, (2) Speed, Cast Products Rear Cowl	\$0.00	\$0.00
45-30-3N00	Super-Cool Heat -A/C, 38K BTU Evap, TM 16 Comp, Frt Body Cond, 6.7L DIESEL F	\$6,960.00	\$6,612.00
45-30-4500	Super-Cool, Aux. A/C Condenser, 12V, Location: Front body	\$0.00	\$0.00
45-35-1100	Auxiliary Coolant Pump Climate Control System	\$0.00	\$0.00
45-35-V028	110v/12v Evap unit right Front Cabinet (E, F, Ram)	\$7,898.00	\$7,500.00
45-38-1080	Condenser Front Body Mounted on PL Tray Bracket w/ Hi-Viz Brow Light	\$1,000.00	\$950.00
45-39-1020	** Front Body Condenser Stainless MIII Finish	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
	CEILING CONFIGURATION		
45-99-0100	Ceiling Configuration for 6 Dome Lights, 4 Rectangular Lights & 2 Speakers	\$0.00	\$0.00
	INTERIOR LIGHTS		
46-10-1L00	(6) Dome Lights, Whelen Multi -LED, Hi-Lo, Qty (#80C0EHCR)	\$0.00	\$0.00
46-10-2000	Dome Lights Switched to LOW Mode w/Door Open	\$0.00	\$0.00
46-10-4010	Tecniq E41 Strip Lights, Ceiling Raceway, Blue EXTERIOR COMPARTMENT LIGHTS	\$852.00	\$809.00
46-20-1075	Lights, Ext. Compartments, TecNiq LED E44 Strip Lights	\$0.00	\$0.00
46-20-1350	Oxygen Compartment Light Switch, Located in Rear Main Switch Panel AUXILIARY INTERIOR LIGHTING	\$0.00	\$0.00
46-20-2000	Heavy Duty LED panel Light, (Life Support Station Area)	\$0.00	\$0.00
46-20-2550	Panel Light (Life Support Station) Switch, Located in Rear Main Switch Panel	\$0.00	\$0.00
46-20-4100	Whelen PSRASXCR - Brake/Tail/Turn - Interior, Above Rear Doors	\$300.00	\$285.00
46-25-1000	Interior Cabinet Lights, TecNiq E44 LED Strip Lights, White (6)	\$1,044.00	\$990.00
46-30-1100	Stepwell Light, LED, Located at Side Entrance Door	\$0.00	\$0.00
46-40-1P00	TecNiq E30, 42 LED Rectangular Ceiling Lights Qty (4)	\$0.00	\$0.00
46-40-3M00	Windup "checkout" Timer, Side Door , Shoreline only	\$0.00	\$0.00
46-40-4000	Rectangular Lights on "Checkout" Timer Circuit	\$0.00	\$0.00
46-50-1000	Dome Light Switch, (1) Left, (1) Right MEDICAL OUTLETS	\$0.00	\$0.00
47-20-1000	12 volt Medical Outlet, Power Point, Loc: LSS Wall	\$0.00	\$0.00
47-20-2000	12 volt Medical Outlet, Power Point, Loc: Right Front In/out	\$0.00	\$0.00
47-20-2600	Delete 12 volt Medical Outlet, Power Point, Loc: Left Rear	-\$20.00	-\$20.00
47-50-2P20	USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Cab Switch Panel	\$174.00	\$165.00
47-50-2P30	USB-A/C Dual Port, 63W, Kussmaul 091-264, installed in Rear Main Switch Panel	\$174.00	\$165.00
47 60 0000	ANTENNA/COMMUNICATION RADIO	\$0.00	¢0.00
47-60-0300	(3) Antenna Leads, Body Roof - (See PDF)	\$0.00	\$0.00
47-60-6200	Radio Power Lead, Rear Main Switch Panel	\$0.00	\$0.00
47-60-6500	Radio Power Lead 30 Amp, 10 ga. Cab Console	\$0.00	\$0.00
47-60-7000	Radio Power Lead w/40 Amp Fuse, 8 ga. Behind driver seat MISCELLANEOUS 12 VOLT ELECTRICAL	\$0.00	\$0.00
48-15-1885	FRC In View 360 HD Camera System (Black Housing) with DVR, Interior Camera	\$5,532.00	\$5,255.00
48-20-2000	Speakers w/ On/Off Control Rear Sw Panel	\$0.00	\$0.00
48-50-3050	Intellitec, Clock over rear doors i/l/o LSS	\$442.00	\$420.00
48-60-3700	Liquid Spring Control Left Rear Door Open w/ Override switch	\$526.00	\$500.00
48-60-3720	Liquid Spring Control Side Entrance Door with override switch (Front suspension)	\$263.00	\$250.00
48-80-5000	12 Volt Hot power lead, Utility, behind drivers seat	\$263.00	\$250.00
48-80-5020	12 Volt Hot power lead, Utility, front console	\$263.00	\$250.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
48-80-5050	Power lead, dedicated for Knox Box or Medvault fused at 5 amps, hot at all	\$263.00	\$250.00
48-80-3030	times	\$205.00	\$250.00
48-80-5060	12 Volt Hot power lead, Utility, exterior compartment "B"	\$263.00	\$250.00
48-80-5090	12 Volt Hot power lead, Utility, interior other	\$263.00	\$250.00
	ELECTRICAL 115 VOLT AC		
51-20-5012	Shoreline, Super Auto-Eject 20 amp, Left Side, Above Compt. "B", RED	\$405.00	\$385.00
51-20-7055	Add'l Shoreline, 20amp Auto-Eject ,Dedicated to 110/12 Volt Heat/AC Unit,	\$564.00	\$536.00
31-20-7033	BLUE	\$304.00	\$330.00
51-30-1500	Shoreline/ Battery Charging Dual Indicator Lights	\$0.00	\$0.00
51-32-2000	Power Distr Box, 115v, w/20 amp Circuit Bkr	\$0.00	\$0.00
52-10-1200	Hospital Grade Lighted Outlet, Location: L/S/S Wall	\$0.00	\$0.00
52-10-2500	Delete Hospital Grade Lighted Outlet, Location: Left Rear	-\$25.00	-\$25.00
52-10-3000	Hospital Grade Lighted Outlet, Location: Right Front In/out	\$0.00	\$0.00
	BATTERY CHARGER / INVERTER CHARGER		
55-10-1225	Inverter/ Charger, Vanner LSC12-1100 Pure Sine Inverter/ 55A Battery Charge	\$2,040.00	\$1,938.00
	PAINT LUSTRE		
60-00-0005	Ten Year Paint Warranty (Paint Lustre)	\$0.00	\$0.00
60-00-0007	Paint Adhesion Testing	\$0.00	\$0.00
	BODY AND CAB PRIMARY PAINT		
60-10-0210	*Body and Cab Same Single Color	\$0.00	\$0.00
60-10-1800	**Modular Body Paint Color Other Than Unit Standard White	\$1,579.00	\$1,500.00
60-10-1995	Paint Rear Body Primary Color Only (for Chevron Application)	\$0.00	\$0.00
60-13-0900	Modular Body Paint Color Red	\$526.00	\$500.00
60-15-0850	*OEM Standard Chassis Color -order other than white	\$0.00	\$0.00
60-15-1492	***Indicate here: Chassis OEM (non-white) color	\$0.00	\$0.00
	ADDITIONAL VEHICLE PAINT, SECONDARY		
61-05-0005	>>>>Choose additional paint required>>>>	\$0.00	\$0.00
C1 80 2210	Polycoated Compt & Entr Door Sills, Compt Floors, Area Behind Rub Rails	¢0.00	¢0.00
61-80-2210	(*Note*)	\$0.00	\$0.00
65-50-4020	Deflective White Tane String 2/4" Outline on interior of Entrance Deers	\$0.00	\$0.00
03-30-4020	Reflective White Tape Stripe, 3/4" Outline, on interior of Entrance Doors	\$0.00	\$0.00
	REFLECTIVE CHEVRONS		
65-65-0300	Dia Grade 6" Chevron Rear Body +Upper CTR panel, no doors. Red /Fluor	\$2,669.00	\$2,536.00
03-03-0300	Yellow-Grn	\$2,009.00	\$2,550.00
65-65-2086	Dia. Grade Chevron Design, Inverted "V", (Red/Fluor, Yellow-Green), Compt.	\$2,732.00	\$2,595.00
05-05-2080	Panels	\$2,732.00	\$2,595.00
65-65-3110	Dia.Grade Chevron Design, Inverted "V", (Red/Fluor.Yellow-Green) Ent.	\$1,047.00	\$995.00
03-03-3110	Doors	\$1,047.00	\$995.00
	TECHNICAL RADIO INSTALLATION		
70-10-0500	No Technical Radio Installation	\$0.00	\$0.00
	CHASSIS EQUIPMENT		
75-10-1S00	Stainless Steel Wheel Inserts F- 08+, with -19" wheel	\$0.00	\$0.00
75-30-1100	Liquid Spring Suspension System (F550)	\$13,448.00	\$12,776.00
75-30-2900	Liquid Spring Suspension, Front Axle, Ford F450/F550	\$7,632.00	\$7,250.00
75-45-3550	Reserve Air Tank 5 Gallon	\$0.00	\$0.00

PART NO	DESCRIPTION	MSRP	5% DISCOUNT
75-55-1200	Mirrors, Ford OEM F-Series Trailer Tow w/Power-Heated Glass	\$0.00	\$0.00
75-60-1000	Mud Flaps, Rear, Light Duty Chassis	\$0.00	\$0.00
75-95-2500	Ford Series Front End-Caster Camber Align	\$0.00	\$0.00
	EQUIPMENT		
80-43-7000	Bottle Bracket, Dual, Cast Products Duramount Model OA1205 (D Bottle)	\$0.00	\$0.00
80-50-1000	Prep, Clean & Detail Vehicle for Delivery	\$0.00	\$0.00
	CHASSIS		
95-10-010A	** Chassis Model Year is not currently available to order	\$0.00	\$0.00
95-12-2700	2027 Chassis Model Year Upgrade	\$15,791.00	\$15,000.00
95-12-6100	F450/F550 Aluminum Wheels Option (#64D)	\$1,153.00	\$1,095.00
95-12-6151	F350/F450/F550 OEM Race Red (PQ)	\$0.00	\$0.00
96-10-4099	>>>Chassis special ordered to match body color, SOPR chassis required<<<	\$0.00	\$0.00
96-30-2700	2027 Body Model Upgrade	\$47,372.00	\$45,000.00
96-32-1500	Fuel "Full Tank" -F-Series	\$0.00	\$0.00
	SUBTOTAL	\$520,797.00	\$494,902.09
	DEALER SUPPLIED ITEMS		
SFEV01	Stryker cot - install customer supplied cot system	\$2,106.00	\$2,000.00
SFEV02	SFEV Supply / Install Sentinel 300 Air Ionizer	\$4,212.00	\$4,000.00
SFEV03	Radio Install - install customer supplied radios - (2)	\$3,686.00	\$3,500.00
SFEV04	Supply and install department graphics package - includes (4) placards	\$7,898.00	\$7,500.00
SFEV05	Travel - Inspection trips for (2) department personnel at factory	\$4,212.00	\$4,000.00
SFEV06	PDI - Pre-delivery inspection	\$2,106.00	\$2,000.00
SFEV07	Pickup and delivery	\$3,686.00	\$3,500.00
	UNIT PRICE	\$548,703.00	\$521,402.09
	(4) Matching Units	\$2,194,812.00	\$2,085,608.36